Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total Unintentional Injuries/Violence

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN8: Percentage of students who did not always wear a seat belt (when riding in a car driven by someone else)	27.3 (24.5-30.3)	44.1 (38.5-50.0)	54.4 (46.2-62.4)	53.1 (43.0-62.9)	Yes
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)	13.1 (11.4-15.1)	16.9 (14.4-19.8)	14.3 (10.0-19.8)	21.7 (14.7-30.9)	Yes
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	2.4 (1.2-4.8)	3.5 (1.7-7.3)	9.1 (4.8-16.6)	7.9 (2.5-22.0)	No
QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	38.4 (31.2-46.1)	47.1 (39.7-54.6)	42.1 (28.3-57.3)	39.9 (28.8-52.2)	No
QN14: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	5.4 (4.1-7.1)	4.9 (3.4-7.0)	14.9 (9.6-22.3)	18.6 (12.9-26.0)	Yes
QN15: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)	4.2 (3.0-5.9)	4.5 (3.2-6.4)	8.8 (6.0-12.8)	9.8 (4.5-20.0)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total Unintentional Injuries/Violence

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN17: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	3.8 (2.9-4.9)	8.1 (5.4-11.9)	15.2 (10.5-21.4)	17.7 (10.0-29.3)	Yes
QN18: Percentage of students who ever saw someone get physically attacked, beaten, stabbed, or shot in their neighborhood	9.8 (7.6-12.6)	19.7 (15.8-24.3)	26.3 (20.6-32.9)	36.0 (26.8-46.4)	Yes
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	5.6 (3.8-8.3)	7.6 (5.2-11.0)	13.4 (9.3-18.8)	19.6 (13.4-27.6)	Yes
QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey)	10.5 (8.5-12.9)	11.1 (9.0-13.7)	16.2 (11.6-22.1)	19.9 (12.6-30.0)	Yes
QN21: Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	8.9 (5.5-14.0)	7.5 (4.9-11.2)	13.5 (8.2-21.3)	19.2 (9.0-36.5)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total Unintentional Injuries/Violence

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	6.3 (3.6-10.9)	5.9 (4.0-8.7)	8.4 (4.1-16.4)	25.0 (15.7-37.3)	Yes
QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)	16.2 (13.0-20.2)	17.2 (13.0-22.4)	22.7 (16.9-29.8)	22.7 (15.5-31.9)	Yes
QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)	14.7 (12.6-17.2)	14.7 (11.3-19.0)	19.5 (13.9-26.7)	24.4 (18.7-31.1)	Yes
QN25: Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)	27.3 (23.2-31.8)	34.8 (30.6-39.3)	41.6 (35.8-47.6)	58.6 (47.7-68.7)	Yes
QN26: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)	13.6 (11.4-16.0)	17.2 (13.4-21.7)	21.2 (14.9-29.1)	41.3 (29.8-53.9)	Yes
QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	11.3 (9.0-14.2)	14.0 (11.1-17.6)	18.7 (12.9-26.3)	32.3 (23.3-42.8)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN28: Percentage of students who actually attempted suicide (one or more times during the 12 months before the survey)	5.0 (3.6-6.9)	7.7 (5.7-10.5)	9.9 (5.6-16.9)	25.5 (17.8-35.1)	Yes
QN29: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	0.8 (0.3-2.1)	1.4 (0.7-3.0)	3.4 (1.3-8.6)	6.2 (3.0-12.5)	No

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN30: Percentage of students who ever tried cigarette smoking (even one or two puffs)	9.6 (7.3-12.5)	16.6 (12.9-21.0)	28.4 (20.9-37.4)	29.6 (21.7-39.0)	Yes
QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)	3.4 (2.2-5.2)	5.0 (3.2-7.5)	12.5 (9.1-16.9)	14.8 (8.0-25.6)	Yes
QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	2.4 (1.4-4.1)	2.6 (1.4-4.6)	7.3 (3.6-14.5)	10.8 (5.7-19.4)	Yes
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)	0.0	0.3 (0.1-1.5)	1.4 (0.4-4.5)	1.7 (0.4-7.5)	No
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	0.0	0.3 (0.1-1.5)	1.0 (0.2-4.3)	1.7 (0.4-7.5)	No
QN34: Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu])	23.6 (19.4-28.4)	34.1 (28.5-40.1)	43.7 (35.2-52.6)	52.2 (40.7-63.5)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)	8.0 (5.3-11.8)	15.8 (12.4-20.0)	24.5 (16.4-35.0)	24.1 (15.8-34.8)	Yes
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)	2.4 (1.1-5.2)	7.2 (4.8-10.6)	10.1 (5.8-17.1)	17.1 (10.6-26.4)	Yes
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)	1.4 (0.6-3.3)	4.2 (2.5-6.7)	9.9 (5.7-16.5)	12.3 (7.4-19.7)	Yes
QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)	0.9 (0.4-2.2)	2.1 (1.1-4.0)	3.5 (1.9-6.5)	3.6 (1.8-7.1)	No
QNFRSKL: Percentage of students who currently used smokeless tobacco frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)	0.1 (0.0-0.8)	0.8 (0.3-2.3)	1.6 (0.6-4.5)	0.7 (0.1-6.0)	No

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QNDAYSKL: Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)	0.1 (0.0-0.8)	0.8 (0.3-2.3)	1.6 (0.6-4.5)	0.7 (0.1-6.0)	No
QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)	1.1 (0.5-2.2)	1.0 (0.4-2.7)	3.8 (2.0-7.0)	7.5 (3.6-15.0)	Yes
QNFRCGR: Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)	0.1 (0.0-0.8)	0.2 (0.0-1.4)	0.4 (0.0-3.0)	2.5 (0.7-8.3)	No
QNDAYCGR: Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)	0.1 (0.0-0.8)	0.2 (0.0-1.4)	0.4 (0.0-3.0)	1.5 (0.3-6.4)	No
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	2.6 (1.6-4.5)	3.1 (1.9-4.9)	8.5 (4.5-15.6)	12.6 (7.3-20.8)	Yes
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)	3.1 (1.9-4.9)	4.6 (3.2-6.7)	10.0 (5.6-17.3)	13.6 (8.4-21.1)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total Tobacco Use

Tobacco Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)	8.6 (5.9-12.5)	17.1 (13.7-21.2)	25.9 (16.9-37.5)	27.7 (19.4-37.8)	Yes
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)	8.4 (5.6-12.2)	16.3 (12.9-20.5)	25.4 (16.8-36.3)	26.8 (18.4-37.3)	Yes
QN39: Percentage of students who tried to quit using all tobacco products (including cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco, during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)	55.5 (44.3-66.1)	45.8 (35.4-56.6)	35.9 (26.7-46.3)	56.5 (40.6-71.2)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN40: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)	12.6 (10.4-15.1)	16.4 (13.4-20.0)	23.3 (18.1-29.6)	27.3 (19.6-36.8)	Yes
QN41: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)	21.8 (17.6-26.8)	24.0 (19.5-29.2)	32.3 (24.2-41.7)	42.6 (34.4-51.2)	Yes
QN43: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)	1.0 (0.4-2.7)	2.3 (1.2-4.3)	4.5 (2.1-9.4)	7.4 (3.7-14.3)	Yes
QN45: Percentage of students who ever used marijuana (one or more times during their life)	18.0 (14.1-22.6)	25.5 (20.8-30.8)	32.8 (27.4-38.7)	43.5 (34.6-52.8)	Yes
QN46: Percentage of students who tried marijuana for the first time before age 13 years	1.5 (0.8-2.9)	3.4 (2.0-5.7)	8.6 (5.1-14.1)	10.6 (6.2-17.4)	Yes
QN47: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	7.8 (5.4-11.1)	13.8 (10.0-18.8)	20.5 (15.2-27.1)	24.9 (17.3-34.4)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)	7.3 (5.9-9.0)	10.7 (7.9-14.4)	14.3 (8.9-22.1)	20.5 (14.2-28.7)	Yes
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)	0.6 (0.2-1.6)	0.8 (0.3-2.2)	1.2 (0.3-4.0)	6.5 (3.1-13.1)	Yes
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)	0.8 (0.3-1.8)	0.7 (0.2-2.0)	2.2 (0.8-6.2)	4.5 (2.0-10.1)	No
QN56: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)	7.8 (5.6-10.7)	11.7 (9.1-15.1)	10.1 (6.9-14.4)	17.2 (10.9-26.1)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total Sexual Behaviors

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN58: Percentage of students who had sexual intercourse for the first time before age 13 years	1.5 (0.8-3.0)	1.8 (0.8-3.8)	5.1 (2.4-10.4)	7.8 (3.3-17.2)	No
QN59: Percentage of students who had sexual intercourse with four or more persons during their life	2.6 (1.5-4.5)	5.5 (3.9-7.8)	10.1 (5.1-19.2)	8.1 (3.1-19.6)	Yes
QN60: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)	16.4 (11.9-22.2)	20.8 (17.9-24.1)	24.6 (18.9-31.4)	34.7 (23.7-47.6)	Yes
QN62: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)	65.6 (58.4-72.2)	54.3 (45.9-62.5)	64.1 (46.3-78.7)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total Birth Control

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN63: Percentage of students who used birth control pills before last sexual intercourse with opposite-sex partner (to prevent pregnancy, not counting emergency contraception such as Plan B or the "morning after" pill, among students who were currently sexually active)	27.8 (20.4-36.7)	29.7 (22.0-38.8)	17.5 (8.6-32.5)	-	
QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)	10.6 (6.0-17.9)	9.5 (5.5-16.1)	21.4 (12.3-34.7)	-	
QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)	40.5 (33.4-47.9)	45.1 (36.1-54.5)	39.0 (27.0-52.5)	-	
QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD, or implant, or a shot, or patch, or birth control ring before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)	17.6 (11.6-25.8)	14.8 (10.7-20.0)	15.4 (7.7-28.4)	-	
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner (among students who were currently sexually active)	4.1 (1.3-12.0)	6.5 (2.5-15.6)	4.8 (1.0-20.5)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total Dietary Behaviors

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)§	9.1 (7.0-11.8)	12.4 (9.5-15.9)	23.3 (15.6-33.4)	26.6 (14.9-42.8)	Yes
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [§]	13.9 (11.3-17.0)	16.9 (13.7-20.6)	18.0 (13.5-23.6)	18.4 (12.5-26.2)	No
QN69: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	6.1 (4.9-7.5)	7.6 (5.7-10.2)	10.0 (6.3-15.5)	19.1 (11.1-30.8)	Yes
QN76: Percentage of students who did not eat breakfast (during the 7 days before the survey)	11.5 (9.4-14.1)	20.1 (16.3-24.5)	22.3 (16.1-30.1)	38.7 (28.4-50.0)	Yes
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)	35.9 (31.2-40.9)	23.8 (19.1-29.3)	19.8 (14.3-26.9)	10.3 (5.3-19.2)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

[§] Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total Physical Activity

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN77: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	62.8 (57.8-67.5)	48.1 (42.5-53.9)	47.1 (39.4-55.0)	36.2 (25.5-48.4)	Yes
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	7.8 (5.7-10.7)	12.6 (9.3-16.8)	16.3 (11.7-22.3)	23.9 (17.1-32.2)	Yes
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	33.3 (28.7-38.3)	24.7 (20.6-29.4)	24.0 (17.9-31.5)	18.8 (12.1-28.1)	Yes
QN78: Percentage of students who spent 3 or more hours per day on screen time (in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media, not counting time spent doing schoolwork, on an average school day)	73.5 (70.0-76.7)	77.3 (73.1-81.1)	74.7 (67.5-80.7)	86.7 (75.9-93.1)	No
QN81: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)	9.1 (6.9-11.8)	13.2 (10.4-16.6)	18.0 (12.7-24.8)	14.0 (6.2-28.8)	No
QN86: Percentage of students who got 8 or more hours of sleep (on an average school night)	34.7 (31.9-37.7)	26.0 (21.2-31.5)	19.9 (14.3-27.1)	16.7 (11.0-24.5)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total Other

Other	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN84: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)	83.7 (80.3-86.7)	74.5 (69.1-79.3)	66.8 (60.6-72.4)	56.6 (46.9-65.9)	Yes
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)	0.5 (0.2-1.7)	0.6 (0.2-1.6)	1.7 (0.6-4.7)	2.1 (0.5-7.9)	No

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN88: Percentage of students who carried a gun on school property (on at least 1 day during the 30 days before the survey)	0.6 (0.2-1.6)	0.2 (0.0-1.3)	0.9 (0.2-4.0)	2.4 (0.7-7.8)	No
QN89: Percentage of students who never or rarely feel safe from physical harm when they are at school	4.6 (2.9-7.1)	11.5 (8.9-14.8)	12.8 (8.3-19.4)	22.5 (14.6-33.1)	Yes
QN90: Percentage of students who disagree or strongly disagree that violence is a problem at their school	50.1 (42.9-57.4)	50.0 (42.4-57.7)	38.9 (31.0-47.5)	26.5 (14.7-43.0)	Yes
QN91: Percentage of students who received, sent, or shared nude photos of someone or other sexual images (on one or more days during the 30 days before the survey)	15.4 (12.3-19.2)	18.4 (15.6-21.7)	21.7 (17.4-26.6)	27.5 (18.2-39.2)	No
QN92: Percentage of students who disagree or strongly disagree that harassment and bullying by other students is a problem at their school	24.3 (20.5-28.6)	28.3 (23.7-33.3)	18.0 (13.3-23.9)	13.9 (8.5-22.0)	Yes
QN93: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)	17.7 (14.1-22.1)	22.1 (18.8-25.8)	25.2 (18.4-33.5)	33.5 (23.6-45.1)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN94: Percentage of students who have had significant problems with feeling very anxious, nervous, tense, scared, or like something bad was going to happen (during the 12 months before the survey)	48.0 (43.6-52.3)	53.9 (49.3-58.5)	56.6 (50.0-63.0)	63.0 (50.2-74.2)	Yes
QN95: Percentage of students who have taken over-the-counter drugs to get high (one or more times during their life)	3.0 (1.9-4.6)	4.5 (3.0-6.6)	6.0 (3.0-11.5)	16.6 (10.8-24.6)	Yes
QN96: Percentage of students who attended school under the influence of alcohol or other illegal drugs (such as marijuana or cocaine, one or more times during the 12 months before the survey)	4.4 (3.0-6.3)	8.5 (6.4-11.2)	12.6 (7.2-21.1)	18.4 (13.5-24.6)	Yes
QN97: Percentage of students who used any illegal drug except marijuana (such as methamphetamines, heroin, cocaine or crack, ecstasy, or hallucinogens, one or more times during the 12 months before the survey)	1.8 (0.9-3.6)	3.0 (1.7-5.4)	5.1 (2.7-9.5)	10.3 (6.1-16.9)	No
QN98: Percentage of students who are transgender	1.9 (1.1-3.4)	2.5 (1.1-5.4)	2.6 (1.1-6.3)	10.9 (7.3-16.0)	Yes
QN99: Percentage of students who ate vegetables one or more times per day (during the 7 days before the survey)	46.8 (42.4-51.3)	34.1 (29.3-39.2)	31.0 (23.6-39.5)	20.1 (11.2-33.3)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN100: Percentage of students who did not drink a bottle or glass of plain water (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	2.1 (1.4-3.2)	3.0 (2.3-4.0)	2.9 (1.3-6.4)	4.0 (1.0-14.2)	No
QN101: Percentage of students who used technology between midnight and 5 AM on at least one school night (counting time spent playing games, watching videos, texting, or using social media on their smartphone, computer, Xbox, PlayStation, iPad, or other tablet, during an average week when they are in school)	40.3 (35.8-44.9)	53.2 (47.4-59.0)	69.1 (61.2-76.1)	67.5 (53.8-78.7)	Yes
QN102: Percentage of students who most of the time or always wear sunscreen (with an SPF of 15 or higher when they are outside for more than one hour on a sunny day)	26.3 (22.3-30.7)	18.6 (14.8-23.1)	12.5 (7.9-19.1)	11.8 (5.6-23.4)	No
QN103: Percentage of students who have lived in more than one place (counting apartments, houses, or other places, even if they are all in the same town or city, during their life)	66.7 (62.8-70.3)	72.7 (68.9-76.3)	82.2 (75.1-87.6)	81.3 (73.8-87.0)	Yes
QN104: Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)	1.3 (0.6-2.7)	2.2 (1.1-4.5)	2.9 (1.2-7.3)	11.2 (5.3-22.0)	Yes
QN105: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life	88.7 (86.4-90.6)	83.5 (79.8-86.7)	76.1 (71.4-80.2)	66.3 (54.5-76.3)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who receive Special Education services through an Individualized Education Plan (IEP) or 504 plan	7.1 (5.1-9.9)	10.4 (7.4-14.4)	16.6 (11.1-23.9)	21.0 (12.9-32.2)	Yes
QN108: Percentage of students who participate in school activities one or more hours (such as sports, band, drama, or clubs, during an average week when they are in school)	79.5 (75.5-83.0)	63.7 (58.9-68.3)	43.8 (35.8-52.1)	34.9 (26.7-44.1)	Yes
QN109: Percentage of students who strongly agree or agree that they feel like they belong at their school	71.5 (67.1-75.6)	63.6 (60.0-67.1)	46.9 (39.6-54.4)	22.5 (15.2-31.8)	Yes
QN110: Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem	75.8 (71.2-79.9)	66.4 (60.6-71.7)	58.8 (53.2-64.2)	42.7 (30.8-55.6)	Yes
QN111: Percentage of students who most of the time or always get the kind of help they need (among students who report having felt sad, empty, hopeless, angry, or anxious)	28.2 (23.8-33.1)	19.2 (15.6-23.3)	17.5 (12.5-24.0)	11.2 (5.8-20.5)	Yes
QN112: Percentage of students who would most likely talk with their parent or other adult family member about their feelings (among students who report having felt sad, empty, hopeless, angry, or anxious)	28.8 (25.6-32.2)	22.8 (17.9-28.5)	16.6 (11.7-22.9)	14.2 (7.7-24.8)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN113: Percentage of students who described their health in general as excellent or very good	60.2 (55.8-64.5)	43.2 (38.4-48.1)	36.1 (29.2-43.5)	15.0 (9.7-22.4)	Yes
QN114: Percentage of students who have physical disabilities or long-term health problems (meaning 6 months or more)	10.2 (7.6-13.5)	8.4 (6.6-10.5)	18.7 (14.1-24.4)	11.8 (5.9-22.3)	Yes
QN115: Percentage of students who work one or more hours at a paying job outside their home (during an average school week)	48.4 (42.6-54.3)	52.2 (44.8-59.4)	52.6 (46.0-59.1)	38.9 (27.4-51.8)	Yes
QN116: Percentage of students who reported that an adult in their household most of the time or always tried hard to make sure their basic needs were met (such as looking after their safety and making sure they had clean clothes and enough to eat, during their life)	93.9 (91.7-95.6)	87.9 (84.4-90.6)	83.3 (75.7-88.9)	80.1 (69.6-87.6)	Yes
QN117: Percentage of students who have ever lived with someone who was depressed, mentally ill, or suicidal	33.6 (29.9-37.4)	43.5 (39.5-47.7)	46.0 (38.5-53.7)	59.3 (48.9-68.9)	Yes
QN118: Percentage of students who reported that their parent or other adult in their home lost their job during the COVID-19 pandemic (even for a short amount of time, among students whose parents and adults in their home had jobs before the COVID-19 pandemic started)	20.9 (17.9-24.3)	23.0 (18.3-28.4)	28.2 (21.8-35.6)	39.1 (30.2-48.8)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN119: Percentage of students who knew one or more people who died or got very sick from COVID-19 or coronavirus (counting themself or someone else as "very sick" if they had to spend one or more nights at the hospital)	53.4 (49.3-57.5)	56.7 (52.2-61.2)	56.2 (48.1-63.9)	54.1 (44.1-63.8)	No
QNWATER1: Percentage of students who drank a bottle or glass of plain water one or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	83.9 (80.6-86.7)	74.8 (69.8-79.3)	77.7 (72.6-82.1)	61.4 (46.7-74.4)	Yes
QNWATER2: Percentage of students who drank a bottle or glass of plain water two or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	74.3 (70.3-78.0)	66.6 (60.4-72.2)	68.9 (64.1-73.3)	48.2 (35.9-60.7)	Yes
QNWATER3: Percentage of students who drank a bottle or glass of plain water three or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	56.9 (53.2-60.6)	49.7 (44.9-54.5)	54.8 (48.5-60.9)	33.8 (22.1-47.9)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male **Unintentional Injuries/Violence**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN8: Percentage of students who did not always wear a seat belt (when riding in a car driven by someone else)	27.9 (22.8-33.6)	42.0 (34.6-49.8)	48.4 (38.7-58.3)	51.0 (37.1-64.7)	Yes
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)	11.6 (8.8-15.0)	13.2 (9.3-18.4)	15.5 (10.1-23.1)	24.5 (14.9-37.7)	No
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	3.4 (1.5-7.5)	3.1 (1.0-9.2)	6.1 (2.3-15.4)	7.4 (2.2-22.5)	No
QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	30.7 (22.2-40.7)	44.6 (34.8-54.8)	37.8 (23.7-54.3)	38.2 (26.7-51.2)	Yes
QN14: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	3.7 (2.4-5.8)	3.2 (1.5-6.8)	8.7 (4.4-16.5)	14.5 (8.3-24.3)	Yes
QN15: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)	4.2 (2.0-8.3)	5.7 (3.8-8.6)	8.6 (4.8-15.1)	13.2 (6.1-26.2)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male **Unintentional Injuries/Violence**

Chintentional Injuries/ violence	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school							_
	A's	B's	C's	D's/F's	Significant Association*			
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI				
QN17: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	5.8 (3.7-8.9)	10.2 (6.9-14.7)	14.9 (9.9-21.8)	20.2 (12.0-32.2)	Yes			
QN18: Percentage of students who ever saw someone get physically attacked, beaten, stabbed, or shot in their neighborhood	11.1 (8.5-14.3)	21.7 (16.5-28.0)	25.4 (19.4-32.5)	35.4 (26.1-46.0)	Yes			
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	2.7 (1.4-5.1)	1.1 (0.4-3.1)	4.5 (1.6-11.9)	6.3 (2.7-13.8)	No			
QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey)	5.3 (3.4-8.1)	4.1 (2.5-6.7)	6.7 (3.1-14.0)	5.5 (2.4-12.5)	No			
QN21: Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	2.8 (1.0-7.5)	2.9 (1.3-6.5)	2.6 (0.6-10.3)	2.7 (0.3-18.1)	No			

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male **Unintentional Injuries/Violence**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	5.5 (2.5-11.6)	5.0 (2.5-9.7)	2.2 (0.5-9.2)	5.7 (1.2-23.7)	No
QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)	14.4 (10.4-19.7)	11.5 (7.8-16.8)	15.9 (10.4-23.5)	17.9 (12.5-25.1)	No
QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)	12.0 (8.8-16.1)	7.8 (5.8-10.4)	13.3 (8.3-20.7)	10.2 (6.0-16.8)	Yes
QN25: Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)	14.5 (11.0-18.7)	21.8 (17.5-26.8)	30.7 (23.7-38.6)	47.7 (33.5-62.2)	Yes
QN26: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)	9.0 (6.1-13.0)	9.0 (5.8-13.8)	10.9 (6.8-17.1)	35.8 (22.5-51.6)	Yes
QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	7.6 (4.6-12.3)	8.8 (5.8-13.3)	10.4 (5.8-18.1)	27.2 (16.0-42.2)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male

Unintentional Injuries/Violence	Percentage of ty	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN28: Percentage of students who actually attempted suicide (one or more times during the 12 months before the survey)	3.5 (2.0-6.1)	3.3 (1.6-6.8)	5.3 (2.4-11.0)	23.0 (12.6-38.3)	Yes
QN29: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	1.4 (0.4-4.5)	1.0 (0.3-3.6)	1.3 (0.3-5.2)	5.1 (1.9-13.3)	No

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN30: Percentage of students who ever tried cigarette smoking (even one or two puffs)	10.4 (7.0-15.1)	16.7 (12.0-22.8)	29.8 (21.2-40.1)	31.2 (22.2-41.8)	Yes
QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)	2.9 (1.3-6.1)	3.8 (1.8-8.1)	10.5 (7.0-15.4)	18.3 (9.6-32.0)	Yes
QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	1.6 (0.7-4.0)	2.6 (1.2-5.7)	5.8 (2.3-13.9)	9.8 (4.9-18.8)	No
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)	0.0	0.6 (0.1-2.7)	0.7 (0.1-5.0)	2.9 (0.7-11.8)	No
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	0.0	0.6 (0.1-2.7)	0.7 (0.1-5.0)	2.9 (0.7-11.8)	No
QN34: Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu])	22.8 (17.3-29.5)	28.2 (21.0-36.8)	38.1 (29.4-47.8)	47.8 (33.8-62.2)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male **Tobacco Use**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)	6.8 (3.3-13.4)	13.1 (8.4-19.8)	19.0 (12.6-27.5)	15.9 (8.5-27.8)	No
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)	2.0 (0.6-6.9)	7.6 (4.3-13.1)	9.2 (4.7-17.2)	8.2 (3.9-16.5)	No
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)	2.0 (0.6-6.9)	3.7 (1.7-7.8)	8.8 (4.7-15.9)	5.7 (2.3-13.5)	No
QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)	1.1 (0.4-2.8)	2.4 (1.1-5.3)	3.5 (1.4-8.3)	1.2 (0.1-9.8)	No
QNFRSKL: Percentage of students who currently used smokeless tobacco frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)	0.2 (0.0-1.8)	1.5 (0.5-4.3)	2.2 (0.6-7.1)	1.2 (0.1-9.8)	No

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male

	Percentage of ty				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QNDAYSKL: Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)	0.2 (0.0-1.8)	1.5 (0.5-4.3)	2.2 (0.6-7.1)	1.2 (0.1-9.8)	No
QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)	1.6 (0.6-3.9)	1.2 (0.4-3.3)	4.5 (2.2-8.8)	3.9 (1.2-12.1)	No
QNFRCGR: Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)	0.2 (0.0-1.8)	0.3 (0.0-2.4)	0.7 (0.1-5.0)	2.6 (0.6-10.7)	No
QNDAYCGR: Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)	0.2 (0.0-1.8)	0.3 (0.0-2.4)	0.7 (0.1-5.0)	2.6 (0.6-10.7)	No
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	2.3 (1.0-4.8)	2.9 (1.4-6.0)	7.8 (3.9-15.2)	11.1 (5.9-19.9)	Yes
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)	2.5 (1.2-5.1)	4.3 (2.4-7.8)	8.7 (4.6-16.1)	11.1 (5.9-19.9)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male **Tobacco Use**

	Percentage of ty	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)	7.4 (3.8-13.9)	14.3 (9.5-21.1)	20.2 (13.2-29.6)	20.1 (12.1-31.4)	Yes
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)	6.8 (3.3-13.4)	13.4 (8.6-20.2)	19.3 (12.9-28.0)	18.7 (10.8-30.4)	No
QN39: Percentage of students who tried to quit using all tobacco products (including cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco, during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)	45.1 (27.6-63.8)	40.9 (27.5-55.7)	35.0 (21.6-51.3)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male Alcohol/Other Drug Use

	Percentage o	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN40: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)	11.6 (8.6-15.3)	17.1 (12.7-22.7)	19.3 (12.1-29.3)	27.2 (19.7-36.3)	Yes
QN41: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)	19.5 (13.6-27.0)	19.2 (13.7-26.3)	31.0 (20.3-44.2)	34.8 (23.4-48.3)	Yes
QN43: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)	1.5 (0.4-5.5)	2.3 (0.8-6.3)	6.3 (2.8-13.5)	12.2 (7.0-20.4)	Yes
QN45: Percentage of students who ever used marijuana (one or more times during their life)	16.1 (10.5-23.8)	22.0 (15.3-30.5)	23.8 (16.5-33.1)	49.2 (36.2-62.4)	Yes
QN46: Percentage of students who tried marijuana for the first time before age 13 years	1.8 (0.7-4.8)	2.2 (1.0-4.8)	3.6 (1.5-8.6)	14.3 (8.2-23.7)	Yes
QN47: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	8.4 (4.5-14.9)	12.6 (8.4-18.4)	13.9 (7.5-24.2)	24.4 (15.8-35.6)	No

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)	5.4 (3.0-9.3)	9.3 (5.8-14.6)	7.1 (4.1-11.8)	21.7 (14.0-32.0)	Yes
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)	0.6 (0.1-2.6)	0.6 (0.1-2.4)	1.1 (0.3-4.5)	8.0 (3.6-16.6)	Yes
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)	0.9 (0.3-3.2)	0.6 (0.1-2.4)	2.6 (0.8-8.4)	6.3 (2.6-14.3)	No
QN56: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)	8.0 (5.3-11.9)	10.4 (6.7-15.8)	6.8 (3.3-13.5)	19.0 (10.2-32.7)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male **Sexual Behaviors**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN58: Percentage of students who had sexual intercourse for the first time before age 13 years	2.5 (1.1-5.4)	0.7 (0.1-2.9)	4.9 (1.9-12.3)	8.3 (3.9-16.8)	Yes
QN59: Percentage of students who had sexual intercourse with four or more persons during their life	3.8 (1.9-7.5)	5.8 (3.7-9.1)	9.8 (4.0-22.3)	8.9 (4.0-18.5)	No
QN60: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)	13.9 (8.9-21.0)	19.0 (14.7-24.3)	22.9 (16.2-31.2)	35.2 (21.3-52.1)	No
QN62: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)	72.1 (55.7-84.2)	66.7 (51.4-79.1)	-	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male **Birth Control**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN63: Percentage of students who used birth control pills before last sexual intercourse with opposite-sex partner (to prevent pregnancy, not counting emergency contraception such as Plan B or the "morning after" pill, among students who were currently sexually active)	19.5 (10.0-34.6)	24.4 (14.7-37.5)	-	-	
QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)	8.1 (2.9-20.9)	4.2 (0.9-17.1)	-	-	
QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)	30.8 (17.7-48.1)	36.6 (25.1-49.8)	-	-	
QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD, or implant, or a shot, or patch, or birth control ring before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)	11.9 (5.8-22.9)	15.2 (9.0-24.6)	-	-	
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner (among students who were currently sexually active)	5.1 (1.1-20.2)	3.7 (0.9-14.7)	-	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male **Dietary Behaviors**

	Percentage of ty	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)§	14.0 (9.9-19.4)	16.0 (11.5-21.8)	23.8 (16.4-33.3)	27.9 (15.0-46.0)	Yes
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [§]	14.4 (10.2-19.9)	18.1 (14.7-22.1)	17.3 (10.9-26.2)	15.4 (9.0-25.1)	No
QN69: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	4.9 (3.2-7.5)	5.4 (4.0-7.2)	8.8 (4.8-15.6)	15.2 (7.5-28.3)	Yes
QN76: Percentage of students who did not eat breakfast (during the 7 days before the survey)	8.3 (6.1-11.2)	21.0 (15.5-27.7)	17.4 (12.1-24.4)	37.7 (25.0-52.4)	Yes
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)	41.6 (35.6-47.9)	26.5 (19.8-34.5)	22.9 (17.3-29.6)	17.4 (8.2-33.3)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

[§] Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male **Physical Activity**

	Percentage of ty	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN77: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	70.4 (63.5-76.6)	57.5 (50.2-64.4)	57.5 (46.7-67.5)	38.5 (27.5-50.8)	Yes
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	7.2 (4.4-11.5)	9.9 (6.5-14.9)	8.8 (5.3-14.5)	23.9 (15.9-34.5)	Yes
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	41.8 (35.0-48.9)	32.2 (27.3-37.5)	30.4 (21.5-41.1)	23.1 (13.6-36.4)	Yes
QN78: Percentage of students who spent 3 or more hours per day on screen time (in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media, not counting time spent doing schoolwork, on an average school day)	73.6 (69.8-77.1)	73.8 (67.9-79.0)	70.5 (59.1-79.8)	84.2 (70.6-92.2)	No
QN81: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)	8.5 (6.1-11.6)	15.1 (11.3-20.0)	13.7 (8.5-21.4)	11.8 (5.5-23.6)	No
QN86: Percentage of students who got 8 or more hours of sleep (on an average school night)	39.1 (34.8-43.6)	26.8 (20.7-33.8)	19.9 (13.3-28.8)	22.3 (12.3-37.0)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male Other

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN84: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)	84.1 (77.3-89.1)	74.2 (67.5-79.9)	64.2 (55.1-72.4)	56.9 (46.0-67.1)	Yes
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)	0.9 (0.2-3.7)	0.3 (0.0-2.0)	1.4 (0.3-6.0)	3.5 (0.9-12.1)	No

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN88: Percentage of students who carried a gun on school property (on at least 1 day during the 30 days before the survey)	0.7 (0.2-2.9)	0.3 (0.0-2.3)	0.7 (0.1-5.0)	2.7 (0.6-11.9)	No
QN89: Percentage of students who never or rarely feel safe from physical harm when they are at school	5.2 (2.8-9.3)	11.9 (8.2-16.9)	14.3 (8.0-24.0)	18.9 (9.6-33.6)	No
QN90: Percentage of students who disagree or strongly disagree that violence is a problem at their school	57.8 (48.2-66.9)	57.3 (48.0-66.1)	41.8 (30.1-54.6)	29.7 (14.4-51.3)	Yes
QN91: Percentage of students who received, sent, or shared nude photos of someone or other sexual images (on one or more days during the 30 days before the survey)	13.7 (9.3-19.6)	15.8 (13.2-18.8)	21.8 (16.4-28.4)	18.8 (10.9-30.5)	No
QN92: Percentage of students who disagree or strongly disagree that harassment and bullying by other students is a problem at their school	33.1 (27.4-39.4)	39.4 (32.8-46.6)	28.1 (21.1-36.3)	17.9 (9.4-31.4)	Yes
QN93: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)	10.1 (6.6-15.3)	10.0 (7.1-14.0)	13.4 (8.7-20.1)	18.4 (10.2-30.8)	No

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage o	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN94: Percentage of students who have had significant problems with feeling very anxious, nervous, tense, scared, or like something bad was going to happen (during the 12 months before the survey)	32.7 (26.9-39.2)	37.8 (30.9-45.2)	44.1 (35.4-53.2)	55.2 (40.9-68.7)	Yes
QN95: Percentage of students who have taken over-the-counter drugs to get high (one or more times during their life)	3.5 (2.0-6.1)	4.1 (2.2-7.4)	4.7 (2.0-10.7)	19.8 (12.5-29.8)	Yes
QN96: Percentage of students who attended school under the influence of alcohol or other illegal drugs (such as marijuana or cocaine, one or more times during the 12 months before the survey)	4.7 (2.7-8.2)	7.6 (4.4-12.6)	6.6 (3.9-11.0)	17.2 (9.5-29.2)	No
QN97: Percentage of students who used any illegal drug except marijuana (such as methamphetamines, heroin, cocaine or crack, ecstasy, or hallucinogens, one or more times during the 12 months before the survey)	1.7 (0.9-3.2)	3.2 (1.4-7.3)	4.1 (1.7-9.6)	11.0 (5.6-20.4)	Yes
QN98: Percentage of students who are transgender	1.8 (0.7-4.2)	2.4 (0.6-8.6)	0.6 (0.1-5.5)	12.1 (5.6-24.3)	Yes
QN99: Percentage of students who ate vegetables one or more times per day (during the 7 days before the survey)	49.4 (43.6-55.3)	37.1 (30.1-44.8)	38.0 (30.3-46.3)	23.4 (12.8-38.8)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN100: Percentage of students who did not drink a bottle or glass of plain water (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	1.9 (0.9-3.8)	3.5 (2.2-5.6)	2.5 (0.9-7.0)	2.7 (0.6-11.9)	No
QN101: Percentage of students who used technology between midnight and 5 AM on at least one school night (counting time spent playing games, watching videos, texting, or using social media on their smartphone, computer, Xbox, PlayStation, iPad, or other tablet, during an average week when they are in school)	40.5 (32.7-48.8)	50.7 (42.0-59.3)	65.1 (54.5-74.4)	67.6 (54.7-78.3)	Yes
QN102: Percentage of students who most of the time or always wear sunscreen (with an SPF of 15 or higher when they are outside for more than one hour on a sunny day)	16.4 (12.9-20.5)	15.2 (11.1-20.6)	11.0 (6.7-17.7)	8.8 (3.4-20.9)	No
QN103: Percentage of students who have lived in more than one place (counting apartments, houses, or other places, even if they are all in the same town or city, during their life)	65.8 (61.1-70.3)	70.0 (64.6-74.9)	79.6 (69.0-87.3)	82.4 (67.7-91.3)	No
QN104: Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)	1.1 (0.4-2.8)	1.8 (0.6-5.0)	2.3 (0.8-6.8)	9.0 (3.7-20.3)	No
QN105: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life	89.3 (85.2-92.4)	81.9 (76.8-86.0)	76.7 (69.1-82.9)	65.2 (52.7-75.9)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who receive Special Education services through an Individualized Education Plan (IEP) or 504 plan	8.2 (5.1-12.9)	12.2 (8.6-17.0)	19.7 (12.7-29.2)	21.8 (12.4-35.3)	No
QN108: Percentage of students who participate in school activities one or more hours (such as sports, band, drama, or clubs, during an average week when they are in school)	78.6 (72.3-83.9)	66.2 (61.1-70.9)	50.0 (39.6-60.3)	34.4 (22.8-48.3)	Yes
QN109: Percentage of students who strongly agree or agree that they feel like they belong at their school	80.6 (74.0-85.9)	69.5 (64.0-74.5)	51.8 (42.3-61.2)	25.4 (15.3-38.9)	Yes
QN110: Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem	75.1 (70.7-79.1)	61.4 (55.2-67.2)	56.1 (49.1-62.9)	43.2 (30.2-57.4)	Yes
QN111: Percentage of students who most of the time or always get the kind of help they need (among students who report having felt sad, empty, hopeless, angry, or anxious)	28.1 (21.2-36.1)	19.1 (13.7-25.9)	18.8 (13.2-26.0)	11.0 (4.9-22.7)	No
QN112: Percentage of students who would most likely talk with their parent or other adult family member about their feelings (among students who report having felt sad, empty, hopeless, angry, or anxious)	31.7 (24.4-40.1)	26.9 (19.3-36.2)	17.6 (10.9-27.2)	11.4 (3.6-30.4)	No

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN113: Percentage of students who described their health in general as excellent or very good	70.8 (64.7-76.2)	53.7 (47.9-59.4)	45.3 (36.6-54.4)	21.6 (12.9-33.9)	Yes
QN114: Percentage of students who have physical disabilities or long-term health problems (meaning 6 months or more)	9.6 (6.8-13.5)	5.9 (3.9-8.9)	13.0 (7.7-21.4)	10.2 (4.8-20.5)	No
QN115: Percentage of students who work one or more hours at a paying job outside their home (during an average school week)	48.9 (41.8-56.0)	47.2 (38.3-56.2)	54.0 (43.3-64.3)	32.7 (20.9-47.1)	Yes
QN116: Percentage of students who reported that an adult in their household most of the time or always tried hard to make sure their basic needs were met (such as looking after their safety and making sure they had clean clothes and enough to eat, during their life)	94.3 (91.7-96.1)	89.1 (83.6-92.9)	85.1 (75.7-91.3)	82.3 (69.0-90.6)	No
QN117: Percentage of students who have ever lived with someone who was depressed, mentally ill, or suicidal	26.0 (21.6-31.0)	31.6 (26.6-37.2)	35.4 (28.2-43.3)	52.9 (41.0-64.5)	Yes
QN118: Percentage of students who reported that their parent or other adult in their home lost their job during the COVID-19 pandemic (even for a short amount of time, among students whose parents and adults in their home had jobs before the COVID-19 pandemic started)	17.7 (13.5-22.8)	19.6 (14.6-25.8)	27.4 (20.4-35.8)	39.3 (25.9-54.5)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN119: Percentage of students who knew one or more people who died or got very sick from COVID-19 or coronavirus (counting themself or someone else as "very sick" if they had to spend one or more nights at the hospital)	47.0 (41.1-52.9)	56.2 (50.9-61.4)	51.3 (39.7-62.8)	51.4 (40.4-62.2)	No
QNWATER1: Percentage of students who drank a bottle or glass of plain water one or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	88.2 (85.0-90.9)	78.0 (70.7-83.9)	77.9 (72.1-82.8)	69.4 (49.6-84.0)	Yes
QNWATER2: Percentage of students who drank a bottle or glass of plain water two or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	79.5 (75.2-83.1)	68.7 (59.6-76.6)	68.8 (63.3-73.8)	52.1 (37.7-66.2)	Yes
QNWATER3: Percentage of students who drank a bottle or glass of plain water three or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	62.8 (58.3-67.2)	53.0 (45.3-60.6)	56.5 (48.9-63.7)	37.5 (22.9-54.7)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female **Unintentional Injuries/Violence**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN8: Percentage of students who did not always wear a seat belt (when riding in a car driven by someone else)	26.8 (23.7-30.1)	46.7 (37.4-56.3)	64.5 (54.5-73.4)	56.1 (39.8-71.3)	Yes
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)	14.0 (11.6-16.7)	21.6 (18.3-25.2)	12.8 (6.4-24.0)	17.5 (8.1-33.6)	Yes
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	1.7 (0.6-4.8)	4.2 (1.5-11.1)	13.4 (5.6-28.8)	-	
QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	44.0 (33.2-55.4)	50.7 (41.5-59.8)	48.6 (30.4-67.3)	-	
QN14: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	6.3 (4.4-9.1)	6.8 (4.7-9.6)	24.2 (14.8-37.1)	24.5 (14.3-38.7)	Yes
QN15: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)	3.8 (2.4-6.1)	3.0 (1.7-5.4)	9.2 (5.2-15.7)	4.8 (1.1-18.3)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female **Unintentional Injuries/Violence**

	_	sk behavior, by hool	_		
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN17: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	2.0 (1.1-3.6)	5.6 (3.2-9.6)	15.9 (8.0-29.2)	14.0 (4.0-38.8)	Yes
QN18: Percentage of students who ever saw someone get physically attacked, beaten, stabbed, or shot in their neighborhood	8.5 (5.5-12.9)	16.9 (12.9-21.8)	28.2 (18.1-40.9)	36.8 (18.7-59.6)	Yes
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	7.5 (4.8-11.7)	15.9 (10.9-22.6)	25.8 (15.3-40.0)	39.5 (26.3-54.4)	Yes
QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey)	14.5 (11.6-18.0)	20.4 (16.1-25.4)	30.4 (19.0-44.7)	43.2 (26.4-61.8)	Yes
QN21: Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	13.7 (8.9-20.6)	12.9 (8.4-19.4)	27.2 (15.9-42.5)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female **Unintentional Injuries/Violence**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	6.7 (3.6-12.0)	7.1 (3.9-12.4)	16.4 (8.2-30.0)	-	
QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)	17.2 (12.8-22.6)	23.7 (17.4-31.5)	33.3 (24.9-43.0)	29.6 (15.5-49.0)	Yes
QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)	16.4 (13.0-20.5)	23.1 (17.5-29.8)	28.9 (18.7-41.8)	45.1 (32.2-58.8)	Yes
QN25: Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)	36.7 (31.4-42.4)	51.1 (42.6-59.5)	56.5 (48.8-63.8)	74.5 (60.0-85.1)	Yes
QN26: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)	16.5 (12.8-20.9)	27.5 (21.2-34.9)	35.7 (23.0-50.7)	49.5 (30.9-68.2)	Yes
QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	13.4 (10.0-17.6)	20.3 (15.8-25.7)	30.4 (19.5-44.1)	39.8 (27.8-53.2)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female **Unintentional Injuries/Violence** Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school Significant B's C's D's/F's A's Association* % **Health Risk Behavior** 95% CI[†] 95% CI 95% CI 95% CI

QN28: Percentage of students who actually attempted suicide (one or more times during the 12 28.7 5.6 13.1 17.4 Yes months before the survey) (3.5-8.7)(9.7-17.5)(8.4-32.5)(20.4-38.8)QN29: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or 0.4 1.9 6.8 7.6

overdose that had to be treated by a doctor or nurse (during the 12 months before the survey) (0.1-1.5) (0.7-4.9) (2.5-17.5) (2.4-21.3)

Yes

 $^{{\}rm *Based\ on\ logistic\ regression\ analysis\ controlling\ for\ sex,\ race/ethnicity,\ and\ grade\ in\ school,\ p<0.05.}$

[†]Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female **Tobacco Use**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN30: Percentage of students who ever tried cigarette smoking (even one or two puffs)	8.7 (6.4-11.7)	16.1 (11.8-21.7)	27.1 (15.7-42.7)	27.3 (16.7-41.3)	Yes
QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)	3.7 (2.2-6.0)	6.0 (3.5-10.0)	15.9 (9.6-25.0)	9.4 (3.4-23.6)	Yes
QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	3.0 (1.6-5.6)	2.5 (0.9-7.0)	9.8 (3.9-22.4)	12.2 (4.8-27.7)	Yes
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)	0.0	0.0	2.4 (0.5-10.2)	0.0	Yes
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	0.0	0.0	1.6 (0.2-11.3)	0.0	Yes
QN34: Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu])	24.3 (19.2-30.3)	41.2 (34.5-48.1)	52.9 (39.2-66.1)	58.9 (41.7-74.1)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female **Tobacco Use**

	Percentage of students wh type of grades				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)	9.0 (6.3-12.8)	19.4 (14.5-25.6)	33.7 (19.2-52.2)	36.7 (21.7-54.8)	Yes
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)	2.8 (1.3-5.9)	6.6 (3.4-12.5)	11.8 (5.4-23.7)	31.0 (18.1-47.9)	Yes
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)	1.0 (0.3-3.2)	4.8 (2.3-9.6)	11.8 (5.4-23.7)	22.7 (12.5-37.6)	Yes
QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)	0.7 (0.2-2.5)	1.7 (0.7-4.2)	3.7 (1.1-11.9)	7.2 (4.3-11.9)	Yes
QNFRSKL: Percentage of students who currently used smokeless tobacco frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)	0.0	0.0	0.9 (0.1-6.6)	0.0	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female

Tobacco Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QNDAYSKL: Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)	0.0	0.0	0.9 (0.1-6.6)	0.0	Yes
QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)	0.7 (0.3-2.1)	0.8 (0.2-3.8)	2.9 (0.7-11.5)	12.7 (5.8-25.4)	Yes
QNFRCGR: Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)	0.0	0.0	0.0	2.4 (0.3-17.1)	No
QNDAYCGR: Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)	0.0	0.0	0.0	0.0	
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	3.0 (1.6-5.6)	3.3 (1.7-6.1)	9.8 (3.9-22.4)	14.7 (6.4-30.1)	Yes
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)	3.6 (2.1-6.0)	5.0 (2.7-9.2)	12.2 (6.0-23.4)	17.0 (8.8-30.3)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female **Tobacco Use**

	Percentage of ty	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)	9.7 (6.8-13.5)	20.6 (15.6-26.8)	35.5 (20.5-54.1)	39.0 (23.4-57.1)	Yes
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)	9.6 (6.8-13.5)	20.1 (15.0-26.5)	35.5 (20.5-54.1)	39.0 (23.4-57.1)	Yes
QN39: Percentage of students who tried to quit using all tobacco products (including cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco, during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)	62.8 (47.5-75.9)	49.3 (33.5-65.2)	36.7 (19.7-58.0)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN40: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)	13.1 (10.4-16.5)	15.3 (11.5-20.0)	29.8 (22.0-39.1)	27.5 (15.0-45.0)	Yes
QN41: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)	23.8 (19.0-29.3)	29.7 (22.0-38.8)	34.9 (22.8-49.3)	54.4 (37.6-70.3)	Yes
QN43: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)	0.7 (0.2-2.4)	2.3 (0.7-7.1)	2.0 (0.3-13.6)	0.0	Yes
QN45: Percentage of students who ever used marijuana (one or more times during their life)	18.8 (14.4-24.0)	29.7 (23.7-36.5)	47.1 (35.4-59.2)	35.2 (22.6-50.3)	Yes
QN46: Percentage of students who tried marijuana for the first time before age 13 years	1.1 (0.4-3.1)	4.5 (2.5-8.0)	16.2 (8.8-28.0)	5.2 (1.4-17.0)	Yes
QN47: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	6.8 (4.9-9.2)	15.4 (10.2-22.6)	30.9 (20.7-43.5)	25.5 (14.0-41.9)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)	8.6 (6.5-11.2)	12.6 (8.8-17.9)	25.1 (13.5-42.0)	18.8 (7.8-38.7)	Yes
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)	0.7 (0.2-2.3)	0.8 (0.2-3.4)	1.3 (0.2-9.9)	4.3 (1.0-16.5)	No
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)	0.7 (0.3-1.4)	0.5 (0.1-3.6)	0.7 (0.1-5.3)	2.0 (0.3-12.7)	No
QN56: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)	7.2 (4.7-11.0)	13.6 (9.2-19.5)	14.1 (6.6-27.5)	14.5 (5.8-31.8)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female **Sexual Behaviors**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN58: Percentage of students who had sexual intercourse for the first time before age 13 years	0.8 (0.3-2.4)	3.2 (1.5-6.6)	5.5 (1.8-15.6)	7.1 (1.3-31.1)	Yes
QN59: Percentage of students who had sexual intercourse with four or more persons during their life	1.7 (0.6-4.9)	5.2 (2.9-9.3)	10.8 (4.7-22.7)	7.1 (1.2-31.7)	Yes
QN60: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)	18.4 (13.3-24.9)	23.1 (18.1-28.9)	27.9 (17.9-40.6)	34.1 (17.5-55.7)	No
QN62: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)	62.6 (53.0-71.3)	41.7 (28.6-56.0)	-	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female **Birth Control**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN63: Percentage of students who used birth control pills before last sexual intercourse with opposite-sex partner (to prevent pregnancy, not counting emergency contraception such as Plan B or the "morning after" pill, among students who were currently sexually active)	33.5 (22.1-47.2)	35.5 (23.3-50.0)	-	-	
QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)	12.3 (6.1-23.1)	15.4 (8.3-26.8)	-	-	
QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)	47.2 (37.6-56.9)	54.5 (41.2-67.2)	-	-	
QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD, or implant, or a shot, or patch, or birth control ring before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)	21.5 (13.3-32.9)	14.4 (7.8-25.2)	-	-	
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner (among students who were currently sexually active)	3.5 (0.6-17.6)	9.5 (2.9-26.9)	-	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female **Dietary Behaviors**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)§	5.2 (3.3-8.3)	7.7 (5.1-11.5)	22.5 (11.7-39.0)	24.6 (10.5-47.4)	Yes
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)§	13.5 (9.7-18.6)	15.3 (10.6-21.8)	19.1 (13.3-26.6)	22.7 (11.3-40.6)	No
QN69: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	6.8 (4.9-9.3)	10.5 (6.8-15.8)	12.0 (6.7-20.5)	24.7 (12.7-42.6)	Yes
QN76: Percentage of students who did not eat breakfast (during the 7 days before the survey)	13.6 (9.8-18.4)	19.2 (14.9-24.3)	28.7 (18.9-41.0)	40.0 (24.0-58.5)	Yes
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)	31.5 (26.0-37.6)	20.3 (13.9-28.7)	15.9 (7.8-29.6)	0.0	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

[§] Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female **Physical Activity**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN77: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	56.7 (48.4-64.6)	36.1 (30.2-42.4)	31.8 (21.8-43.8)	32.8 (18.1-52.0)	Yes
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	8.4 (5.5-12.7)	16.0 (10.8-22.9)	26.7 (18.0-37.6)	23.7 (13.9-37.5)	Yes
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	26.6 (21.2-32.7)	14.8 (9.9-21.6)	15.3 (7.9-27.6)	12.6 (5.8-25.2)	Yes
QN78: Percentage of students who spent 3 or more hours per day on screen time (in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media, not counting time spent doing schoolwork, on an average school day)	73.5 (67.6-78.6)	81.6 (74.8-86.9)	80.3 (67.3-89.0)	90.4 (69.8-97.5)	No
QN81: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)	9.2 (6.1-13.6)	10.6 (7.1-15.6)	24.7 (13.9-39.9)	17.2 (5.3-43.6)	No
QN86: Percentage of students who got 8 or more hours of sleep (on an average school night)	31.6 (28.1-35.4)	25.3 (19.7-31.9)	20.4 (13.1-30.2)	8.6 (2.8-23.0)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female Other

Other	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN84: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)	83.7 (78.8-87.6)	75.5 (69.1-80.9)	69.8 (59.1-78.7)	56.2 (35.3-75.2)	Yes
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)	0.2 (0.0-1.9)	0.9 (0.3-3.2)	2.1 (0.4-9.6)	0.0	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN88: Percentage of students who carried a gun on school property (on at least 1 day during the 30 days before the survey)	0.2 (0.0-1.6)	0.0	1.3 (0.2-9.9)	2.0 (0.3-12.7)	No
QN89: Percentage of students who never or rarely feel safe from physical harm when they are at school	4.1 (2.4-6.9)	11.2 (7.7-16.0)	11.0 (6.3-18.8)	27.9 (16.3-43.5)	Yes
QN90: Percentage of students who disagree or strongly disagree that violence is a problem at their school	44.3 (37.1-51.8)	40.8 (33.0-49.2)	34.5 (24.8-45.6)	22.0 (9.8-42.1)	No
QN91: Percentage of students who received, sent, or shared nude photos of someone or other sexual images (on one or more days during the 30 days before the survey)	16.8 (13.1-21.2)	21.5 (16.1-28.1)	20.9 (14.0-30.0)	40.4 (26.7-55.8)	Yes
QN92: Percentage of students who disagree or strongly disagree that harassment and bullying by other students is a problem at their school	17.7 (14.3-21.7)	14.1 (9.1-21.2)	3.6 (1.7-7.4)	8.1 (2.9-20.5)	Yes
QN93: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)	23.0 (18.1-28.7)	37.1 (30.4-44.3)	41.2 (27.2-56.8)	55.5 (37.8-72.0)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN94: Percentage of students who have had significant problems with feeling very anxious, nervous, tense, scared, or like something bad was going to happen (during the 12 months before the survey)	59.3 (55.1-63.3)	74.1 (66.2-80.7)	74.0 (64.8-81.5)	74.4 (50.5-89.2)	Yes
QN95: Percentage of students who have taken over-the-counter drugs to get high (one or more times during their life)	2.6 (1.3-5.2)	5.0 (2.8-8.9)	8.0 (3.5-17.2)	11.9 (4.5-27.9)	Yes
QN96: Percentage of students who attended school under the influence of alcohol or other illegal drugs (such as marijuana or cocaine, one or more times during the 12 months before the survey)	3.8 (2.3-6.2)	9.7 (6.3-14.8)	21.7 (9.6-41.8)	20.3 (11.1-34.1)	Yes
QN97: Percentage of students who used any illegal drug except marijuana (such as methamphetamines, heroin, cocaine or crack, ecstasy, or hallucinogens, one or more times during the 12 months before the survey)	1.6 (0.6-4.5)	2.8 (1.2-6.3)	5.6 (2.0-15.1)	9.4 (3.0-26.2)	No
QN98: Percentage of students who are transgender	1.8 (0.8-4.0)	2.6 (1.2-5.6)	3.3 (1.0-10.8)	9.2 (3.0-25.3)	Yes
QN99: Percentage of students who ate vegetables one or more times per day (during the 7 days before the survey)	44.9 (39.7-50.3)	30.2 (24.4-36.7)	20.4 (11.4-34.0)	15.2 (5.4-35.9)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage o	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN100: Percentage of students who did not drink a bottle or glass of plain water (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	2.3 (1.2-4.4)	2.5 (1.1-5.8)	3.5 (1.0-11.6)	5.8 (0.8-32.6)	No
QN101: Percentage of students who used technology between midnight and 5 AM on at least one school night (counting time spent playing games, watching videos, texting, or using social media on their smartphone, computer, Xbox, PlayStation, iPad, or other tablet, during an average week when they are in school)	39.5 (34.0-45.3)	56.4 (50.2-62.5)	74.4 (64.0-82.6)	67.2 (46.9-82.7)	Yes
QN102: Percentage of students who most of the time or always wear sunscreen (with an SPF of 15 or higher when they are outside for more than one hour on a sunny day)	34.0 (27.9-40.5)	22.9 (18.0-28.7)	14.9 (7.1-28.8)	16.2 (5.1-41.3)	No
QN103: Percentage of students who have lived in more than one place (counting apartments, houses, or other places, even if they are all in the same town or city, during their life)	67.3 (62.2-72.1)	76.0 (70.3-80.9)	85.5 (76.0-91.7)	79.6 (69.6-86.9)	Yes
QN104: Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)	1.5 (0.5-4.2)	2.8 (1.2-6.6)	3.9 (1.1-13.1)	14.4 (5.5-32.8)	Yes
QN105: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life	88.3 (85.0-90.9)	85.9 (79.9-90.3)	74.6 (65.4-82.1)	67.8 (51.6-80.6)	Yes

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who receive Special Education services through an Individualized Education Plan (IEP) or 504 plan	6.2 (4.2-8.9)	8.1 (5.2-12.4)	11.3 (4.7-24.8)	19.8 (10.3-34.7)	Yes
QN108: Percentage of students who participate in school activities one or more hours (such as sports, band, drama, or clubs, during an average week when they are in school)	79.8 (74.6-84.2)	60.3 (51.6-68.4)	35.7 (26.8-45.7)	35.6 (19.8-55.3)	Yes
QN109: Percentage of students who strongly agree or agree that they feel like they belong at their school	64.6 (58.5-70.4)	56.6 (50.6-62.4)	40.7 (30.2-52.2)	18.2 (9.2-32.9)	Yes
QN110: Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem	76.8 (69.5-82.7)	72.9 (65.1-79.5)	61.9 (51.9-71.0)	42.0 (25.6-60.4)	Yes
QN111: Percentage of students who most of the time or always get the kind of help they need (among students who report having felt sad, empty, hopeless, angry, or anxious)	28.6 (23.7-34.1)	19.3 (15.4-24.0)	16.6 (9.6-27.0)	11.4 (3.7-30.1)	No
QN112: Percentage of students who would most likely talk with their parent or other adult family member about their feelings (among students who report having felt sad, empty, hopeless, angry, or anxious)	27.5 (23.8-31.6)	19.3 (13.6-26.7)	14.5 (7.3-26.6)	17.5 (8.2-33.5)	No

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN113: Percentage of students who described their health in general as excellent or very good	52.2 (45.6-58.7)	30.0 (23.1-38.1)	23.3 (14.5-35.1)	5.2 (1.5-17.0)	Yes
QN114: Percentage of students who have physical disabilities or long-term health problems (meaning 6 months or more)	10.2 (6.8-15.0)	11.5 (8.6-15.3)	25.3 (17.2-35.5)	14.1 (4.3-37.6)	Yes
QN115: Percentage of students who work one or more hours at a paying job outside their home (during an average school week)	48.3 (41.6-55.0)	58.3 (49.9-66.2)	51.7 (43.3-59.9)	48.0 (29.1-67.5)	No
QN116: Percentage of students who reported that an adult in their household most of the time or always tried hard to make sure their basic needs were met (such as looking after their safety and making sure they had clean clothes and enough to eat, during their life)	93.8 (90.6-96.0)	86.3 (80.6-90.5)	80.4 (70.5-87.5)	76.8 (58.6-88.6)	Yes
QN117: Percentage of students who have ever lived with someone who was depressed, mentally ill, or suicidal	38.9 (34.7-43.2)	58.2 (49.2-66.8)	62.9 (52.2-72.4)	68.6 (55.4-79.4)	Yes
QN118: Percentage of students who reported that their parent or other adult in their home lost their job during the COVID-19 pandemic (even for a short amount of time, among students whose parents and adults in their home had jobs before the COVID-19 pandemic started)	23.7 (19.5-28.6)	27.2 (21.0-34.5)	30.0 (18.5-44.8)	38.8 (27.6-51.4)	No

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Site Maleu	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN119: Percentage of students who knew one or more people who died or got very sick from COVID-19 or coronavirus (counting themself or someone else as "very sick" if they had to spend one or more nights at the hospital)	58.0 (52.0-63.7)	57.1 (50.0-64.0)	63.4 (49.2-75.6)	58.2 (39.5-74.8)	No
QNWATER1: Percentage of students who drank a bottle or glass of plain water one or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	80.9 (76.3-84.7)	70.7 (63.1-77.3)	76.9 (65.6-85.4)	49.8 (34.3-65.4)	Yes
QNWATER2: Percentage of students who drank a bottle or glass of plain water two or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	70.9 (64.8-76.3)	63.7 (56.7-70.1)	69.4 (58.7-78.3)	42.5 (26.7-60.0)	Yes
QNWATER3: Percentage of students who drank a bottle or glass of plain water three or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	52.6 (46.3-58.9)	45.2 (39.7-50.8)	52.3 (43.2-61.2)	28.5 (14.6-48.1)	No

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN8: Percentage of students who did not always wear a seat belt (when riding in a car driven by someone else)	36.5 (19.7-57.4)	-	-	-	
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)	-	-	-	-	
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	-	-	-	-	
QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	-	-	-	-	
QN14: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	10.1 (2.6-31.6)	-	-	-	
QN15: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)	0.0	-	-	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN17: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	6.8 (1.6-25.1)	-	-	-	
QN18: Percentage of students who ever saw someone get physically attacked, beaten, stabbed, or shot in their neighborhood	17.8 (6.8-39.0)	-	-	-	
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	-	-	-	-	
QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey)	6.0 (1.6-20.1)	-	-	-	
QN21: Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	-	-	-	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	-	-	-	-	
QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)	7.6 (2.3-22.6)	-	-	-	
QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)	0.0	-	-	-	
QN25: Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)	32.8 (17.3-53.3)	-	-	-	
QN26: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)	-	-	-	-	
QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	-	-	-	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN28: Percentage of students who actually attempted suicide (one or more times during the 12 months before the survey)	-	-	-	-	
QN29: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	-	-	-	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black*

Tobacco Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN30: Percentage of students who ever tried cigarette smoking (even one or two puffs)	5.0 (0.6-31.7)	-	-	-	
QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)	5.0 (0.6-31.7)	-	-	-	
QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	0.0	-	-	-	
QN34: Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu])	-	-	-	-	
QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)	-	-	-	-	
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)	-	-	-	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black*

Tobacco Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)	-	-	-	-	
QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)	0.0	-	-	-	
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	0.0	-	-	-	
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)	0.0	-	-	-	
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)	-	-	-	-	
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)	-	-	-	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black* Tobacco Use		f students who en pe of grades mos			_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN39: Percentage of students who tried to quit using all tobacco products (i	ncluding cigarettes,				

electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco, during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)

^{*}Non-Hispanic.

[†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black* Alcohol/Other Drug Use

	Percentage of ty				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN40: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)	-	-	-	-	
QN41: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)	-	-	-	-	
QN43: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)	-	-	-	-	
QN45: Percentage of students who ever used marijuana (one or more times during their life)	17.8 (5.1-46.6)	-	-	-	
QN46: Percentage of students who tried marijuana for the first time before age 13 years	3.8 (0.5-24.6)	-	-	-	
QN47: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	9.6 (1.8-38.5)	-	-	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black* Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)	15.6 (5.2-38.5)	-	-	-	
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)	0.0	-	-	-	
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)	0.0	-	-	-	
QN56: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)	14.7 (6.8-29.0)	-	-	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black* **Sexual Behaviors**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN58: Percentage of students who had sexual intercourse for the first time before age 13 years	3.8 (0.5-24.6)	-	-	-	
QN59: Percentage of students who had sexual intercourse with four or more persons during their life	6.7 (1.4-27.2)	-	-	-	
QN60: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)	6.7 (1.4-27.2)	-	-	-	
QN62: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)	-	-	-	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black* **Birth Control**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school								
	A's	B's	C's	D's/F's	Significant Association [†]				
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI					
QN63: Percentage of students who used birth control pills before last sexual intercourse with opposite-sex partner (to prevent pregnancy, not counting emergency contraception such as Plan B or the "morning after" pill, among students who were currently sexually active)	-	-	-	-					
QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)	-	-	-	-					
QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)	-	-	-	-					
QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD, or implant, or a shot, or patch, or birth control ring before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)	-	-	-	-					
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner (among students who were currently sexually active)	-	-	-	-					

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black* **Dietary Behaviors**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) ¶	-	-	-	-	
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) ¶	-	-	-	-	
QN69: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	2.8 (0.3-20.2)	-	-	-	
QN76: Percentage of students who did not eat breakfast (during the 7 days before the survey)	14.3 (4.6-36.7)	-	-	-	
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)	16.3 (6.7-34.3)	-	-	-	

^{*}Non-Hispanic.

[†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

^{*}Confidence interval.

1 Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black* **Physical Activity**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN77: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	55.7 (32.5-76.6)	-	-	-	
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	15.2 (6.6-31.4)	-	-	-	
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	26.3 (10.9-51.0)	-	-	-	
QN78: Percentage of students who spent 3 or more hours per day on screen time (in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media, not counting time spent doing schoolwork, on an average school day)	78.6 (59.3-90.3)	-	-	-	
QN81: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)	22.3 (10.6-40.8)	-	-	-	
QN86: Percentage of students who got 8 or more hours of sleep (on an average school night)	39.8 (29.0-51.7)	-	-	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black* Other

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN84: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)	63.8 (42.9-80.5)	-	-	-	
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)	4.9 (0.6-29.1)	-	-	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN88: Percentage of students who carried a gun on school property (on at least 1 day during the 30 days before the survey)	3.8 (0.5-24.6)	-	-	-	
QN89: Percentage of students who never or rarely feel safe from physical harm when they are at school	-	-	-	-	
QN90: Percentage of students who disagree or strongly disagree that violence is a problem at their school	37.6 (18.6-61.5)	-	-	-	
QN91: Percentage of students who received, sent, or shared nude photos of someone or other sexual images (on one or more days during the 30 days before the survey)	8.5 (3.1-21.5)	-	-	-	
QN92: Percentage of students who disagree or strongly disagree that harassment and bullying by other students is a problem at their school	27.3 (12.6-49.6)	-	-	-	
QN93: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)	5.8 (1.2-24.2)	-	-	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN94: Percentage of students who have had significant problems with feeling very anxious, nervous, tense, scared, or like something bad was going to happen (during the 12 months before the survey)	48.1 (32.5-64.0)	-	-	-	
QN95: Percentage of students who have taken over-the-counter drugs to get high (one or more times during their life)	0.0	-	-	-	
QN96: Percentage of students who attended school under the influence of alcohol or other illegal drugs (such as marijuana or cocaine, one or more times during the 12 months before the survey)	6.7 (1.4-27.2)	-	-	-	
QN97: Percentage of students who used any illegal drug except marijuana (such as methamphetamines, heroin, cocaine or crack, ecstasy, or hallucinogens, one or more times during the 12 months before the survey)	5.9 (0.7-37.2)	-	-	-	
QN99: Percentage of students who ate vegetables one or more times per day (during the 7 days before the survey)	26.3 (14.7-42.5)	-	-	-	
QN100: Percentage of students who did not drink a bottle or glass of plain water (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	0.0	-	-	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN101: Percentage of students who used technology between midnight and 5 AM on at least one school night (counting time spent playing games, watching videos, texting, or using social media on their smartphone, computer, Xbox, PlayStation, iPad, or other tablet, during an average week when they are in school)	58.6 (39.1-75.8)	-	-	-	
QN102: Percentage of students who most of the time or always wear sunscreen (with an SPF of 15 or higher when they are outside for more than one hour on a sunny day)	2.6 (0.5-12.6)	-	-	-	
QN103: Percentage of students who have lived in more than one place (counting apartments, houses, or other places, even if they are all in the same town or city, during their life)	78.0 (64.4-87.4)	-	-	-	
QN104: Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)	5.9 (0.7-37.2)	-	-	-	
QN105: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life	82.6 (62.4-93.2)	-	-	-	
QN107: Percentage of students who receive Special Education services through an Individualized Education Plan (IEP) or 504 plan	10.5 (2.9-31.5)	-	-	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN108: Percentage of students who participate in school activities one or more hours (such as sports, band, drama, or clubs, during an average week when they are in school)	76.2 (50.8-90.8)	-	-	-	
QN109: Percentage of students who strongly agree or agree that they feel like they belong at their school	68.4 (48.2-83.5)	-	-	-	
QN110: Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem	-	-	-	-	
QN111: Percentage of students who most of the time or always get the kind of help they need (among students who report having felt sad, empty, hopeless, angry, or anxious)	-	-	-	-	
QN112: Percentage of students who would most likely talk with their parent or other adult family member about their feelings (among students who report having felt sad, empty, hopeless, angry, or anxious)	-	-	-	-	
QN113: Percentage of students who described their health in general as excellent or very good	-	-	-	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school					
	A's	B's	C's	D's/F's	Significant Association [†]	
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI		
QN114: Percentage of students who have physical disabilities or long-term health problems (meaning 6 months or more)	-	-	-	-		
QN115: Percentage of students who work one or more hours at a paying job outside their home (during an average school week)	-	-	-	-		
QN116: Percentage of students who reported that an adult in their household most of the time or always tried hard to make sure their basic needs were met (such as looking after their safety and making sure they had clean clothes and enough to eat, during their life)	-	-	-	-		
QN117: Percentage of students who have ever lived with someone who was depressed, mentally ill, or suicidal	-	-	-	-		
QN118: Percentage of students who reported that their parent or other adult in their home lost their job during the COVID-19 pandemic (even for a short amount of time, among students whose parents and adults in their home had jobs before the COVID-19 pandemic started)	-	-	-	-		
QN119: Percentage of students who knew one or more people who died or got very sick from COVID-19 or coronavirus (counting themself or someone else as "very sick" if they had to spend one or more nights at the hospital)	-	-	-	-		

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNWATER1: Percentage of students who drank a bottle or glass of plain water one or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	72.2 (52.7-85.9)	-	-	-	
QNWATER2: Percentage of students who drank a bottle or glass of plain water two or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	67.0 (49.3-80.9)	-	-	-	
QNWATER3: Percentage of students who drank a bottle or glass of plain water three or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	63.4 (46.6-77.5)	-	-	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN8: Percentage of students who did not always wear a seat belt (when riding in a car driven by someone else)	40.8 (28.4-54.5)	47.7 (36.0-59.7)	54.8 (42.0-67.0)	-	
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)	20.6 (13.0-31.0)	17.5 (11.6-25.5)	11.6 (4.6-26.1)	-	
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	5.4 (1.4-19.5)	2.1 (0.3-15.2)	-	-	
QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	39.0 (20.4-61.5)	40.4 (23.2-60.2)	-	-	
QN14: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	8.5 (4.4-15.8)	8.4 (3.2-20.2)	21.8 (10.7-39.5)	-	
QN15: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)	5.0 (1.6-14.2)	2.6 (1.1-6.2)	12.3 (4.7-28.1)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN17: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	1.6 (0.2-11.4)	13.5 (8.2-21.3)	12.3 (4.7-28.1)	-	
QN18: Percentage of students who ever saw someone get physically attacked, beaten, stabbed, or shot in their neighborhood	24.7 (13.1-41.6)	34.7 (27.5-42.7)	40.0 (29.6-51.4)	-	
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	6.6 (2.0-19.3)	13.9 (6.5-27.3)	16.5 (7.9-31.4)	-	
QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey)	22.6 (14.1-34.3)	10.4 (3.7-26.0)	17.6 (9.5-30.4)	-	
QN21: Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	15.8 (7.4-30.6)	5.6 (1.3-21.2)	18.1 (7.4-37.8)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	11.9 (3.1-36.0)	5.0 (1.2-19.1)	11.8 (3.8-31.1)	-	
QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)	9.8 (3.6-23.9)	15.2 (6.5-31.4)	13.6 (5.7-28.9)	-	
QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)	13.1 (6.9-23.6)	11.3 (5.3-22.4)	16.6 (8.8-29.1)	-	
QN25: Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)	40.9 (28.2-54.8)	50.5 (38.6-62.4)	41.4 (28.8-55.3)	-	
QN26: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)	10.9 (3.2-31.0)	23.8 (16.8-32.5)	18.2 (9.7-31.5)	-	
QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	12.1 (6.9-20.5)	19.1 (11.3-30.6)	15.3 (7.2-29.7)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN28: Percentage of students who actually attempted suicide (one or more times during the 12 months before the survey)	2.1 (0.3-12.6)	9.2 (3.6-21.2)	14.9 (5.8-33.4)	-	
QN29: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	0.0	2.4 (0.6-9.3)	5.7 (1.2-24.1)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of ty				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN30: Percentage of students who ever tried cigarette smoking (even one or two puffs)	9.7 (3.1-26.7)	16.2 (9.0-27.4)	21.7 (12.2-35.6)	-	
QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)	6.4 (1.5-22.7)	7.3 (2.8-18.0)	13.2 (6.5-25.1)	-	
QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	1.6 (0.2-14.5)	2.9 (0.6-12.2)	10.4 (2.9-30.7)	-	
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)	0.0	1.2 (0.2-8.8)	7.8 (2.3-23.7)	-	
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	0.0	1.2 (0.2-8.8)	6.0 (1.4-22.3)	-	
QN34: Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu])	36.3 (23.8-51.0)	37.3 (24.5-52.1)	39.3 (25.3-55.4)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)	5.6 (1.1-23.3)	17.2 (9.6-28.9)	16.0 (6.5-34.2)	-	
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)	4.1 (0.6-24.9)	5.8 (2.0-15.6)	8.8 (2.0-31.4)	-	
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)	1.8 (0.2-11.7)	2.5 (0.6-9.1)	8.8 (2.0-31.4)	-	
QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)	0.0	7.0 (2.7-17.0)	5.1 (1.2-19.5)	-	
QNFRSKL: Percentage of students who currently used smokeless tobacco frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)	0.0	2.1 (0.5-8.6)	2.2 (0.3-14.7)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of ty	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QNDAYSKL: Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)	0.0	2.1 (0.5-8.6)	2.2 (0.3-14.7)	-	
QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)	1.7 (0.2-14.9)	2.2 (0.5-9.6)	8.7 (2.7-24.8)	-	
QNFRCGR: Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)	0.0	1.2 (0.2-8.8)	2.2 (0.3-14.7)	-	
QNDAYCGR: Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)	0.0	1.2 (0.2-8.8)	2.2 (0.3-14.7)	-	
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	1.7 (0.2-14.9)	3.9 (1.0-13.2)	10.4 (2.9-30.7)	-	
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)	1.7 (0.2-15.2)	7.9 (3.1-18.7)	10.4 (2.9-30.7)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)	7.6 (1.9-25.9)	20.4 (12.2-32.1)	16.7 (6.8-35.6)	-	
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)	7.5 (1.9-25.6)	18.5 (10.4-30.5)	16.7 (6.8-35.6)	-	
QN39: Percentage of students who tried to quit using all tobacco products (including cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco, during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)	-	-	-	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Hispanic/Latino Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN40: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)	22.8 (10.6-42.3)	21.5 (15.8-28.5)	28.9 (16.5-45.4)	-	
QN41: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)	26.7 (15.7-41.6)	19.8 (10.7-33.9)	21.9 (10.3-40.5)	-	
QN43: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)	3.3 (0.8-12.9)	3.0 (0.6-13.7)	0.0	-	
QN45: Percentage of students who ever used marijuana (one or more times during their life)	24.2 (14.9-36.9)	36.4 (24.3-50.6)	37.7 (26.0-51.0)	-	
QN46: Percentage of students who tried marijuana for the first time before age 13 years	4.1 (1.0-14.9)	9.0 (4.2-18.3)	9.8 (3.1-27.1)	-	
QN47: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	15.9 (8.7-27.4)	19.6 (11.4-31.6)	17.9 (9.5-31.2)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Hispanic/Latino Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)	7.6 (4.1-13.4)	15.0 (8.9-24.2)	12.9 (4.5-32.0)	-	
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)	2.8 (0.6-12.1)	2.3 (0.5-9.7)	5.1 (1.2-19.5)	-	
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)	4.0 (1.2-12.7)	2.3 (0.5-9.7)	2.2 (0.3-14.7)	-	
QN56: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)	16.6 (7.7-32.3)	14.6 (7.1-27.5)	13.1 (5.6-27.8)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Hispanic/Latino Sexual Behaviors

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN58: Percentage of students who had sexual intercourse for the first time before age 13 years	2.7 (0.6-11.6)	1.9 (0.4-8.7)	2.4 (0.3-15.9)	-	
QN59: Percentage of students who had sexual intercourse with four or more persons during their life	3.9 (0.7-19.2)	8.8 (4.7-15.6)	11.4 (4.2-27.2)	-	
QN60: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)	19.7 (11.2-32.3)	23.5 (14.1-36.4)	20.8 (11.0-35.8)	-	
QN62: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)	-	-	-	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Hispanic/Latino **Birth Control**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN63: Percentage of students who used birth control pills before last sexual intercourse with opposite-sex partner (to prevent pregnancy, not counting emergency contraception such as Plan B or the "morning after" pill, among students who were currently sexually active)	-	-	-	-	
QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)	-	-	-	-	
QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)	-	-	-	-	
QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD, or implant, or a shot, or patch, or birth control ring before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)	-	-	-	-	
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner (among students who were currently sexually active)	-	-	-	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Hispanic/Latino **Dietary Behaviors**

	Percentage of ty				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)§	11.4 (6.4-19.5)	21.5 (14.4-30.7)	27.8 (13.8-48.2)	-	
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)§	19.7 (10.1-35.0)	19.8 (13.5-28.1)	24.3 (17.5-32.6)	-	
QN69: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	9.9 (4.7-19.7)	7.5 (3.6-14.9)	15.1 (7.0-29.7)	-	
QN76: Percentage of students who did not eat breakfast (during the 7 days before the survey)	23.8 (15.4-34.8)	25.9 (18.4-35.1)	26.5 (16.6-39.4)	-	
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)	25.0 (17.1-34.9)	16.8 (8.8-29.7)	15.7 (7.1-31.3)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

[§] Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions. -= Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Hispanic/Latino **Physical Activity**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN77: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	52.2 (38.1-66.0)	26.2 (19.5-34.3)	39.5 (25.2-56.0)	-	
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	10.7 (5.3-20.4)	25.2 (18.2-33.7)	24.1 (12.3-41.6)	-	
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	32.0 (20.2-46.8)	12.8 (6.8-22.7)	17.1 (7.9-33.0)	-	
QN78: Percentage of students who spent 3 or more hours per day on screen time (in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media, not counting time spent doing schoolwork, on an average school day)	77.9 (64.8-87.1)	78.0 (70.9-83.8)	68.1 (49.7-82.1)	-	
QN81: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)	10.1 (4.3-21.9)	17.1 (11.6-24.5)	17.0 (8.9-30.1)	-	
QN86: Percentage of students who got 8 or more hours of sleep (on an average school night)	27.6 (20.0-36.9)	18.5 (12.3-26.9)	14.9 (7.4-27.7)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Hispanic/Latino Other

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN84: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)	72.7 (59.6-82.8)	67.1 (58.5-74.7)	61.1 (44.0-75.9)	-	
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)	1.6 (0.2-11.2)	0.0	1.3 (0.2-9.3)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN88: Percentage of students who carried a gun on school property (on at least 1 day during the 30 days before the survey)	1.6 (0.2-11.4)	0.0	5.1 (1.2-19.5)	-	
QN89: Percentage of students who never or rarely feel safe from physical harm when they are at school	6.8 (2.8-15.5)	18.6 (11.4-28.8)	22.8 (10.9-41.4)	-	
QN90: Percentage of students who disagree or strongly disagree that violence is a problem at their school	36.0 (22.6-52.0)	42.6 (24.4-63.1)	41.5 (24.9-60.3)	-	
QN91: Percentage of students who received, sent, or shared nude photos of someone or other sexual images (on one or more days during the 30 days before the survey)	27.5 (15.9-43.3)	26.6 (16.4-40.1)	29.2 (20.0-40.6)	-	
QN92: Percentage of students who disagree or strongly disagree that harassment and bullying by other students is a problem at their school	17.1 (7.5-34.5)	31.2 (19.6-45.8)	10.8 (4.3-24.4)	-	
QN93: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)	22.6 (11.1-40.5)	30.8 (21.6-41.8)	28.7 (18.4-41.8)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN94: Percentage of students who have had significant problems with feeling very anxious, nervous, tense, scared, or like something bad was going to happen (during the 12 months before the survey)	64.0 (50.0-76.0)	64.5 (54.7-73.3)	61.2 (47.9-73.0)	-	
QN95: Percentage of students who have taken over-the-counter drugs to get high (one or more times during their life)	6.9 (2.4-18.0)	4.5 (1.6-12.0)	5.7 (1.3-21.5)	-	
QN96: Percentage of students who attended school under the influence of alcohol or other illegal drugs (such as marijuana or cocaine, one or more times during the 12 months before the survey)	13.0 (7.4-21.7)	15.3 (8.5-26.0)	12.9 (4.9-29.8)	-	
QN97: Percentage of students who used any illegal drug except marijuana (such as methamphetamines, heroin, cocaine or crack, ecstasy, or hallucinogens, one or more times during the 12 months before the survey)	2.8 (0.6-12.1)	6.3 (2.2-16.7)	8.7 (2.7-24.8)	-	
QN98: Percentage of students who are transgender	4.7 (2.1-10.3)	1.4 (0.2-8.5)	2.1 (0.2-15.9)	-	
QN99: Percentage of students who ate vegetables one or more times per day (during the 7 days before the survey)	34.4 (25.6-44.4)	36.5 (27.2-47.0)	32.8 (20.9-47.4)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN100: Percentage of students who did not drink a bottle or glass of plain water (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	2.7 (0.6-10.9)	3.3 (0.8-12.4)	4.4 (1.0-17.4)	-	
QN101: Percentage of students who used technology between midnight and 5 AM on at least one school night (counting time spent playing games, watching videos, texting, or using social media on their smartphone, computer, Xbox, PlayStation, iPad, or other tablet, during an average week when they are in school)	48.7 (35.1-62.5)	64.3 (53.3-73.9)	68.8 (59.7-76.7)	-	
QN102: Percentage of students who most of the time or always wear sunscreen (with an SPF of 15 or higher when they are outside for more than one hour on a sunny day)	13.6 (7.0-24.7)	23.4 (13.9-36.7)	9.7 (5.1-17.9)	-	
QN103: Percentage of students who have lived in more than one place (counting apartments, houses, or other places, even if they are all in the same town or city, during their life)	89.1 (74.6-95.8)	90.5 (81.3-95.5)	84.0 (65.2-93.7)	-	
QN104: Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)	1.3 (0.2-10.1)	5.5 (1.5-18.0)	6.5 (1.8-21.3)	-	
QN105: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life	83.6 (72.8-90.7)	89.0 (84.1-92.5)	64.5 (51.1-76.0)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage o	_			
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who receive Special Education services through an Individualized Education Plan (IEP) or 504 plan	8.6 (4.4-16.1)	10.9 (4.4-24.6)	21.6 (10.4-39.4)	-	
QN108: Percentage of students who participate in school activities one or more hours (such as sports, band, drama, or clubs, during an average week when they are in school)	65.8 (55.3-74.9)	56.2 (46.5-65.4)	32.8 (20.7-47.6)	-	
QN109: Percentage of students who strongly agree or agree that they feel like they belong at their school	57.5 (41.6-71.9)	61.4 (54.1-68.3)	42.7 (28.0-58.7)	-	
QN110: Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem	60.2 (45.9-72.9)	63.1 (53.2-71.9)	43.4 (34.3-53.0)	-	
QN111: Percentage of students who most of the time or always get the kind of help they need (among students who report having felt sad, empty, hopeless, angry, or anxious)	18.2 (9.8-31.2)	18.5 (10.3-30.9)	6.7 (2.3-17.7)	-	
QN112: Percentage of students who would most likely talk with their parent or other adult family member about their feelings (among students who report having felt sad, empty, hopeless, angry, or anxious)	22.4 (13.2-35.6)	19.9 (12.9-29.6)	13.8 (6.6-26.8)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN113: Percentage of students who described their health in general as excellent or very good	44.9 (29.6-61.3)	29.6 (16.6-47.1)	33.3 (23.4-45.0)	-	
QN114: Percentage of students who have physical disabilities or long-term health problems (meaning 6 months or more)	8.3 (3.0-20.6)	8.9 (4.0-18.8)	8.6 (3.1-21.9)	-	
QN115: Percentage of students who work one or more hours at a paying job outside their home (during an average school week)	43.0 (29.1-58.1)	51.2 (41.6-60.7)	50.3 (34.7-65.8)	-	
QN116: Percentage of students who reported that an adult in their household most of the time or always tried hard to make sure their basic needs were met (such as looking after their safety and making sure they had clean clothes and enough to eat, during their life)	93.0 (83.4-97.3)	82.0 (73.4-88.2)	73.4 (59.6-83.8)	-	
QN117: Percentage of students who have ever lived with someone who was depressed, mentally ill, or suicidal	53.4 (38.2-68.0)	49.9 (37.6-62.2)	39.9 (27.2-54.2)	-	
QN118: Percentage of students who reported that their parent or other adult in their home lost their job during the COVID-19 pandemic (even for a short amount of time, among students whose parents and adults in their home had jobs before the COVID-19 pandemic started)	23.0 (12.2-38.9)	33.9 (20.7-50.3)	42.1 (32.4-52.5)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association*
Health Risk Behavior	% 95% CI [†]	% 95% CI	% 95% CI	% 95% CI	
QN119: Percentage of students who knew one or more people who died or got very sick from COVID-19 or coronavirus (counting themself or someone else as "very sick" if they had to spend one or more nights at the hospital)	55.0 (41.3-67.9)	67.7 (55.3-78.0)	63.9 (46.6-78.2)	-	
QNWATER1: Percentage of students who drank a bottle or glass of plain water one or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	80.8 (69.9-88.4)	74.4 (63.6-82.8)	67.5 (45.1-84.1)	-	
QNWATER2: Percentage of students who drank a bottle or glass of plain water two or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	73.7 (63.3-82.0)	65.7 (55.3-74.8)	58.2 (40.6-73.8)	-	
QNWATER3: Percentage of students who drank a bottle or glass of plain water three or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	61.7 (53.9-68.9)	51.5 (41.5-61.4)	53.6 (38.0-68.5)	-	

^{*}Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. † Confidence interval.

^{- =} Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage o				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN8: Percentage of students who did not always wear a seat belt (when riding in a car driven by someone else)	24.5 (21.2-28.3)	39.3 (34.6-44.2)	49.3 (39.0-59.7)	43.5 (30.2-57.9)	Yes
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)	13.3 (11.2-15.7)	16.9 (14.7-19.4)	14.4 (9.7-20.7)	16.9 (9.1-29.2)	No
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	2.0 (0.9-4.3)	4.2 (1.9-9.3)	6.6 (2.5-16.0)	-	
QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	38.1 (31.1-45.7)	49.8 (42.6-57.0)	46.6 (31.2-62.6)	-	
QN14: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	4.5 (2.8-7.3)	3.7 (2.0-6.7)	13.7 (8.3-21.9)	15.6 (7.5-29.8)	Yes
QN15: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)	3.9 (2.5-5.9)	4.1 (2.4-6.9)	7.9 (4.0-15.1)	4.0 (1.1-14.2)	No

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN17: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	3.5 (2.5-4.9)	6.2 (3.8-9.9)	11.0 (6.5-18.0)	14.4 (5.5-32.7)	Yes
QN18: Percentage of students who ever saw someone get physically attacked, beaten, stabbed, or shot in their neighborhood	7.6 (5.5-10.3)	14.2 (10.9-18.3)	19.7 (12.6-29.5)	34.3 (22.0-49.1)	Yes
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	4.8 (3.1-7.3)	6.2 (3.6-10.4)	13.2 (8.5-20.1)	24.2 (14.4-37.7)	Yes
QN20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey)	9.1 (7.0-11.8)	11.9 (9.6-14.7)	18.9 (12.7-27.0)	18.1 (7.4-38.0)	Yes
QN21: Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	8.0 (4.6-13.7)	9.0 (5.7-14.0)	16.0 (10.2-24.2)	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	5.0 (2.7-9.3)	5.8 (3.8-8.7)	3.3 (1.0-10.9)	-	
QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)	17.0 (13.6-21.0)	17.8 (13.2-23.6)	25.9 (19.9-33.1)	29.5 (17.8-44.7)	Yes
QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)	14.2 (12.0-16.8)	15.9 (12.2-20.5)	23.1 (16.9-30.7)	21.7 (13.7-32.5)	Yes
QN25: Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)	24.3 (20.6-28.6)	32.3 (27.6-37.4)	40.5 (31.9-49.7)	65.4 (49.2-78.7)	Yes
QN26: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)	13.2 (10.6-16.4)	16.6 (12.0-22.5)	22.3 (14.7-32.4)	49.0 (31.6-66.7)	Yes
QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	10.7 (8.1-14.0)	13.1 (9.6-17.4)	17.7 (11.5-26.3)	33.4 (24.5-43.7)	Yes

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN28: Percentage of students who actually attempted suicide (one or more times during the 12 months before the survey)	4.7 (3.3-6.7)	7.0 (4.8-10.2)	8.5 (3.7-18.1)	32.2 (19.9-47.7)	Yes
QN29: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	0.5 (0.1-1.7)	0.9 (0.3-3.1)	3.3 (0.9-11.2)	1.7 (0.2-12.5)	No

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

[§]Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White*

Tobacco Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN30: Percentage of students who ever tried cigarette smoking (even one or two puffs)	9.7 (7.2-13.0)	17.2 (13.5-21.7)	30.6 (20.8-42.5)	30.2 (17.4-47.1)	Yes
QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)	2.6 (1.5-4.5)	4.4 (2.9-6.7)	8.6 (5.6-12.9)	11.7 (5.4-23.8)	Yes
QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	2.5 (1.4-4.5)	2.2 (1.1-4.4)	8.7 (3.8-18.7)	10.9 (4.7-23.1)	Yes
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)	0.0	0.2 (0.0-1.9)	0.0	0.0	Yes
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	0.0	0.2 (0.0-1.9)	0.0	0.0	Yes
QN34: Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu])	23.1 (18.7-28.2)	35.8 (29.9-42.1)	46.7 (38.1-55.5)	59.6 (45.1-72.6)	Yes

^{*}Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. *Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White* **Tobacco Use**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)	8.9 (5.8-13.4)	17.2 (13.1-22.1)	29.2 (19.6-41.1)	26.2 (13.4-44.9)	Yes
QNFREVP: Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)	2.4 (1.0-5.3)	8.3 (5.4-12.4)	12.7 (7.1-21.6)	19.3 (9.2-36.0)	Yes
QNDAYEVP: Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)	1.3 (0.5-3.3)	4.7 (2.8-8.0)	12.7 (7.1-21.6)	11.4 (5.0-23.9)	Yes
QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)	1.0 (0.4-2.7)	1.6 (0.6-4.0)	3.2 (1.1-9.1)	2.0 (0.2-14.4)	No
QNFRSKL: Percentage of students who currently used smokeless tobacco frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)	0.0	0.7 (0.2-2.9)	1.5 (0.3-6.6)	0.0	Yes

^{*}Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. *Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White*

Tobacco Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNDAYSKL: Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)	0.0	0.7 (0.2-2.9)	1.5 (0.3-6.6)	0.0	Yes
QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)	1.1 (0.5-2.4)	1.0 (0.3-2.8)	3.2 (1.2-8.1)	7.9 (2.9-20.1)	Yes
QNFRCGR: Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)	0.0	0.0	0.0	2.0 (0.2-14.4)	No
QNDAYCGR: Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)	0.0	0.0	0.0	0.0	
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	2.8 (1.6-4.9)	2.7 (1.8-4.2)	10.0 (4.7-20.1)	13.0 (6.2-25.1)	Yes
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)	3.4 (2.0-5.6)	4.1 (2.6-6.2)	11.9 (5.9-22.8)	13.0 (6.2-25.1)	Yes

^{*}Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. *Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White* **Tobacco Use**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)	9.5 (6.4-14.0)	18.1 (14.1-23.1)	31.6 (20.8-44.7)	29.3 (15.6-48.2)	Yes
QNTB5: Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)	9.2 (6.1-13.7)	17.5 (13.6-22.3)	30.6 (20.5-43.1)	29.3 (15.6-48.2)	Yes
QN39: Percentage of students who tried to quit using all tobacco products (including cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco, during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)	56.7 (46.0-66.8)	48.4 (36.5-60.4)	43.5 (26.7-62.0)	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White* Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN40: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)	12.2 (9.7-15.2)	15.6 (12.1-19.8)	21.1 (14.6-29.5)	23.6 (12.0-41.1)	Yes
QN41: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)	23.1 (18.3-28.7)	27.7 (22.3-33.9)	38.5 (27.8-50.3)	39.3 (29.6-49.9)	Yes
QN43: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)	1.0 (0.3-3.1)	2.1 (1.1-4.0)	5.8 (2.6-12.3)	4.3 (1.2-14.2)	No
QN45: Percentage of students who ever used marijuana (one or more times during their life)	17.6 (13.4-22.8)	24.7 (20.1-29.9)	29.0 (20.0-40.1)	41.1 (27.2-56.7)	Yes
QN46: Percentage of students who tried marijuana for the first time before age 13 years	0.7 (0.2-2.3)	2.0 (1.2-3.4)	5.8 (2.5-13.1)	8.1 (2.6-22.3)	Yes
QN47: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	6.9 (4.5-10.5)	13.2 (9.2-18.5)	19.1 (11.7-29.6)	21.1 (9.3-41.1)	Yes

^{*}Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. *Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White* Alcohol/Other Drug Use

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN49: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)	7.0 (5.4-9.0)	9.5 (6.6-13.5)	10.8 (6.0-18.8)	17.3 (8.9-30.7)	Yes
QN52: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)	0.4 (0.1-1.7)	0.4 (0.1-1.9)	0.0	0.0	Yes
QN53: Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)	0.5 (0.1-1.7)	0.2 (0.0-1.9)	2.7 (0.8-8.3)	1.5 (0.2-11.1)	No
QN56: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)	6.6 (4.5-9.7)	11.1 (8.1-15.1)	8.5 (4.4-15.7)	16.5 (8.9-28.6)	Yes

^{*}Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. *Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White* **Sexual Behaviors**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN58: Percentage of students who had sexual intercourse for the first time before age 13 years	1.1 (0.5-2.5)	1.3 (0.5-3.5)	3.4 (1.5-7.7)	3.9 (0.4-29.6)	Yes
QN59: Percentage of students who had sexual intercourse with four or more persons during their life	2.1 (1.0-4.3)	4.8 (2.8-8.1)	6.0 (2.4-14.3)	6.5 (1.1-29.8)	No
QN60: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)	17.8 (12.7-24.4)	20.9 (17.5-24.6)	25.6 (17.3-36.2)	35.6 (17.5-59.1)	No
QN62: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)	67.6 (61.4-73.3)	52.4 (42.0-62.6)	61.0 (39.4-79.1)	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White* **Birth Control**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN63: Percentage of students who used birth control pills before last sexual intercourse with opposite-sex partner (to prevent pregnancy, not counting emergency contraception such as Plan B or the "morning after" pill, among students who were currently sexually active)	27.2 (19.6-36.4)	29.6 (20.4-40.8)	16.5 (8.4-30.1)	-	
QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)	12.3 (6.9-21.1)	13.2 (7.5-22.4)	23.7 (11.0-43.7)	-	
QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)	40.4 (33.2-48.1)	48.9 (37.3-60.5)	40.2 (25.8-56.6)	-	
QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD, or implant, or a shot, or patch, or birth control ring before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)	18.5 (12.4-26.6)	16.1 (12.1-21.1)	18.3 (7.8-37.2)	-	
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner (among students who were currently sexually active)	4.3 (1.2-13.7)	5.4 (1.7-16.1)	5.0 (0.7-28.3)	-	

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

Confidence interval.- = Fewer than 30 students in this subgroup.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White*

Dietary Behaviors

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) ¶	7.7 (5.6-10.5)	10.5 (7.5-14.4)	20.9 (14.0-30.0)	34.2 (16.6-57.6)	Yes
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) ¶	11.4 (8.1-15.9)	15.4 (11.9-19.8)	17.3 (10.8-26.4)	14.4 (8.8-22.8)	No
QN69: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	5.7 (4.2-7.7)	6.8 (4.7-9.7)	7.3 (3.7-14.1)	24.3 (15.8-35.4)	Yes
QN76: Percentage of students who did not eat breakfast (during the 7 days before the survey)	9.8 (7.7-12.4)	18.1 (13.7-23.4)	19.1 (11.9-29.0)	30.1 (18.5-45.1)	Yes
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)	37.6 (33.0-42.6)	27.3 (23.0-32.2)	20.5 (14.0-29.1)	15.6 (7.7-29.1)	Yes

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

[§]Confidence interval.

Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White* **Physical Activity**

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
QN77: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	65.6 (60.2-70.6)	52.2 (45.5-58.8)	50.4 (41.7-59.1)	33.3 (23.5-44.9)	Yes
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	6.7 (4.8-9.2)	9.6 (6.5-14.1)	16.7 (10.4-25.7)	17.2 (9.4-29.2)	Yes
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	35.0 (29.9-40.6)	26.0 (21.2-31.5)	24.6 (15.8-36.1)	18.9 (11.1-30.4)	Yes
QN78: Percentage of students who spent 3 or more hours per day on screen time (in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media, not counting time spent doing schoolwork, on an average school day)	72.3 (68.5-75.8)	78.8 (74.4-82.6)	75.2 (65.0-83.1)	84.9 (70.5-93.0)	Yes
QN81: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)	8.4 (6.3-11.2)	11.2 (8.5-14.7)	15.5 (10.2-22.9)	19.2 (6.3-45.4)	No
QN86: Percentage of students who got 8 or more hours of sleep (on an average school night)	34.9 (31.2-38.7)	28.2 (21.9-35.4)	20.3 (13.6-29.1)	12.0 (4.2-29.7)	Yes

^{*}Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. *Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White*

Other	Percentage of ty	_			
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN84: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)	87.0 (84.2-89.4)	78.6 (72.6-83.5)	71.6 (64.1-78.0)	60.2 (41.9-76.0)	Yes
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)	0.2 (0.0-1.3)	0.4 (0.1-1.9)	1.4 (0.3-6.1)	2.7 (0.4-14.7)	Yes

^{*}Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. *Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN88: Percentage of students who carried a gun on school property (on at least 1 day during the 30 days before the survey)	0.2 (0.0-1.3)	0.2 (0.0-1.8)	0.0	0.0	Yes
QN89: Percentage of students who never or rarely feel safe from physical harm when they are at school	3.6 (1.8-7.2)	8.7 (5.6-13.1)	6.5 (3.2-12.8)	16.8 (8.8-29.8)	Yes
QN90: Percentage of students who disagree or strongly disagree that violence is a problem at their school	52.0 (44.9-59.0)	54.8 (48.1-61.3)	40.9 (31.3-51.3)	26.8 (11.6-50.6)	Yes
QN91: Percentage of students who received, sent, or shared nude photos of someone or other sexual images (on one or more days during the 30 days before the survey)	14.6 (11.4-18.4)	17.1 (13.8-21.1)	18.7 (13.5-25.3)	27.9 (15.5-45.0)	No
QN92: Percentage of students who disagree or strongly disagree that harassment and bullying by other students is a problem at their school	24.9 (21.0-29.2)	30.4 (26.0-35.3)	20.7 (15.5-27.2)	16.2 (8.9-27.7)	Yes
QN93: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)	17.5 (13.7-22.1)	21.8 (17.8-26.5)	25.2 (18.0-34.1)	38.0 (22.2-56.9)	Yes

^{*}Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. *Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN94: Percentage of students who have had significant problems with feeling very anxious, nervous, tense, scared, or like something bad was going to happen (during the 12 months before the survey)	45.0 (39.7-50.4)	52.6 (47.1-58.0)	56.8 (48.4-64.8)	64.8 (48.2-78.4)	Yes
QN95: Percentage of students who have taken over-the-counter drugs to get high (one or more times during their life)	2.8 (1.7-4.5)	4.4 (2.8-6.8)	4.4 (1.5-12.2)	12.7 (7.3-21.1)	Yes
QN96: Percentage of students who attended school under the influence of alcohol or other illegal drugs (such as marijuana or cocaine, one or more times during the 12 months before the survey)	3.5 (2.2-5.6)	7.3 (5.3-9.8)	11.2 (5.3-22.4)	12.0 (6.5-21.4)	Yes
QN97: Percentage of students who used any illegal drug except marijuana (such as methamphetamines, heroin, cocaine or crack, ecstasy, or hallucinogens, one or more times during the 12 months before the survey)	1.3 (0.6-2.8)	1.6 (0.7-3.9)	4.0 (1.6-10.0)	3.9 (1.0-13.9)	No
QN98: Percentage of students who are transgender	2.0 (1.1-3.6)	2.6 (1.2-5.7)	3.8 (1.4-9.8)	9.5 (3.8-21.6)	Yes
QN99: Percentage of students who ate vegetables one or more times per day (during the 7 days before the survey)	49.6 (44.3-54.8)	34.0 (28.4-40.1)	31.9 (22.7-42.7)	22.6 (10.1-43.1)	Yes

^{*}Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. *Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN100: Percentage of students who did not drink a bottle or glass of plain water (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	2.1 (1.2-3.6)	2.8 (1.7-4.6)	2.0 (0.6-6.5)	3.1 (0.4-19.8)	No
QN101: Percentage of students who used technology between midnight and 5 AM on at least one school night (counting time spent playing games, watching videos, texting, or using social media on their smartphone, computer, Xbox, PlayStation, iPad, or other tablet, during an average week when they are in school)	38.7 (34.4-43.2)	47.7 (41.5-54.0)	64.1 (54.8-72.5)	71.2 (46.7-87.4)	Yes
QN102: Percentage of students who most of the time or always wear sunscreen (with an SPF of 15 or higher when they are outside for more than one hour on a sunny day)	28.9 (23.9-34.5)	18.4 (14.8-22.7)	16.3 (10.5-24.3)	16.7 (7.2-34.0)	No
QN103: Percentage of students who have lived in more than one place (counting apartments, houses, or other places, even if they are all in the same town or city, during their life)	62.6 (57.1-67.7)	67.3 (62.8-71.6)	78.3 (69.5-85.1)	85.6 (70.2-93.7)	Yes
QN104: Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)	0.9 (0.3-2.6)	1.9 (0.8-4.3)	2.3 (0.6-8.1)	10.6 (3.8-26.3)	Yes
QN105: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life	89.9 (87.4-92.1)	84.0 (79.6-87.5)	77.8 (71.4-83.0)	72.3 (54.8-84.8)	Yes

^{*}Non-Hispanic. † Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

[§]Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who receive Special Education services through an Individualized Education Plan (IEP) or 504 plan	6.6 (4.4-9.9)	10.2 (7.2-14.3)	16.2 (10.7-23.8)	23.1 (13.0-37.9)	Yes
QN108: Percentage of students who participate in school activities one or more hours (such as sports, band, drama, or clubs, during an average week when they are in school)	81.0 (76.4-84.9)	64.9 (58.5-70.8)	41.4 (30.7-53.0)	36.5 (25.6-48.9)	Yes
QN109: Percentage of students who strongly agree or agree that they feel like they belong at their school	74.1 (69.2-78.5)	66.5 (62.3-70.4)	47.0 (38.5-55.6)	26.3 (15.3-41.3)	Yes
QN110: Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem	79.2 (74.5-83.3)	67.9 (60.4-74.5)	62.5 (55.3-69.1)	48.6 (29.4-68.3)	Yes
QN111: Percentage of students who most of the time or always get the kind of help they need (among students who report having felt sad, empty, hopeless, angry, or anxious)	30.4 (25.3-36.1)	18.1 (14.9-21.8)	21.7 (14.3-31.5)	16.6 (8.8-29.1)	Yes
QN112: Percentage of students who would most likely talk with their parent or other adult family member about their feelings (among students who report having felt sad, empty, hopeless, angry, or anxious)	29.2 (25.6-33.2)	23.7 (18.1-30.3)	16.2 (10.5-24.1)	20.5 (9.2-39.7)	Yes

^{*}Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. *Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN113: Percentage of students who described their health in general as excellent or very good	62.4 (58.0-66.5)	44.8 (39.6-50.0)	39.4 (31.8-47.5)	12.6 (4.7-29.7)	Yes
QN114: Percentage of students who have physical disabilities or long-term health problems (meaning 6 months or more)	9.6 (7.1-12.9)	8.5 (6.5-11.1)	21.4 (13.4-32.3)	10.3 (3.3-27.8)	Yes
QN115: Percentage of students who work one or more hours at a paying job outside their home (during an average school week)	51.2 (45.7-56.7)	55.3 (47.3-63.1)	52.1 (43.5-60.6)	41.4 (23.6-61.8)	No
QN116: Percentage of students who reported that an adult in their household most of the time or always tried hard to make sure their basic needs were met (such as looking after their safety and making sure they had clean clothes and enough to eat, during their life)	94.3 (92.3-95.8)	89.9 (85.3-93.3)	85.9 (76.0-92.2)	82.6 (68.2-91.3)	Yes
QN117: Percentage of students who have ever lived with someone who was depressed, mentally ill, or suicidal	31.9 (28.0-36.2)	43.7 (38.7-48.9)	48.6 (37.5-59.8)	61.4 (46.3-74.6)	Yes
QN118: Percentage of students who reported that their parent or other adult in their home lost their job during the COVID-19 pandemic (even for a short amount of time, among students whose parents and adults in their home had jobs before the COVID-19 pandemic started)	19.6 (16.4-23.3)	20.7 (16.0-26.4)	27.9 (20.0-37.5)	41.1 (29.3-54.1)	Yes

^{*}Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. *Confidence interval.

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				_
	A's	B's	C's	D's/F's	Significant Association [†]
Health Risk Behavior	% 95% CI§	% 95% CI	% 95% CI	% 95% CI	
QN119: Percentage of students who knew one or more people who died or got very sick from COVID-19 or coronavirus (counting themself or someone else as "very sick" if they had to spend one or more nights at the hospital)	52.5 (47.7-57.2)	53.6 (47.7-59.4)	52.5 (43.3-61.6)	45.7 (28.8-63.7)	No
QNWATER1: Percentage of students who drank a bottle or glass of plain water one or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	86.0 (82.6-88.8)	76.5 (70.9-81.3)	80.5 (72.8-86.4)	63.4 (42.1-80.5)	Yes
QNWATER2: Percentage of students who drank a bottle or glass of plain water two or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	75.6 (70.9-79.7)	68.4 (62.1-74.1)	71.7 (62.7-79.2)	50.2 (31.3-69.0)	Yes
QNWATER3: Percentage of students who drank a bottle or glass of plain water three or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	56.6 (52.0-61.1)	49.1 (43.5-54.8)	51.3 (41.6-60.8)	39.2 (22.4-59.1)	Yes

^{*}Non-Hispanic. †Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05. *Confidence interval.