

# WISCONSIN

## 2014 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity	46.2	38.2 - 54.4	113	51.6	44.9 - 58.2	155	52.1	39.8 - 64.2	32	49.5	44.6 - 54.3	300
b. Nutrition	46.0	38.7 - 53.4	113	51.6	44.7 - 58.3	155	61.0	46.8 - 73.6	32	50.1	45.4 - 54.9	300
c. Tobacco-use prevention	50.4	42.1 - 58.8	113	47.1	40.8 - 53.4	155	53.5	41.9 - 64.7	32	49.0	44.2 - 53.8	300
d. Asthma	25.6	19.3 - 33.2	112	30.9	25.2 - 37.3	155	29.3	19.9 - 41.0	32	28.7	24.6 - 33.2	299
e. Injury and violence prevention	40.7	33.0 - 48.9	111	34.4	28.4 - 41.0	154	44.6	31.5 - 58.5	32	37.8	33.2 - 42.6	297
f. HIV, STD, and teen pregnancy prevention	44.1	35.9 - 52.6	110	36.1	30.2 - 42.3	155	45.8	32.6 - 59.6	32	40.1	35.4 - 44.9	297

# WISCONSIN

## 2014 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	33.8	26.8 - 41.6	106	21.7	16.5 - 28.0	143	38.1	25.6 - 52.6	29	28.0	23.8 - 32.6	278
b. Physical education	31.5	24.1 - 40.0	105	22.3	17.2 - 28.6	143	34.0	20.6 - 50.6	29	27.0	22.7 - 31.8	277
c. Physical activity	23.2	17.4 - 30.2	105	21.1	15.8 - 27.6	142	34.0	23.0 - 47.0	29	23.0	19.2 - 27.4	276
d. School meal programs	33.0	25.4 - 41.6	105	22.0	16.6 - 28.4	141	33.5	22.9 - 46.2	29	27.4	23.1 - 32.2	275
e. Foods and beverages available at school outside the school meal programs	31.9	25.2 - 39.5	104	21.0	15.8 - 27.2	143	41.0	28.8 - 54.3	29	27.0	23.0 - 31.5	276
f. Health services	33.6	26.0 - 42.0	105	21.7	16.8 - 27.5	143	28.4	15.6 - 46.0	29	27.0	22.8 - 31.7	277
g. Mental health and social services	28.0	21.3 - 35.9	105	18.3	13.5 - 24.2	142	33.0	22.1 - 46.0	29	23.4	19.5 - 27.9	276
h. Healthy and safe school environment	51.1	43.1 - 59.0	105	38.4	31.9 - 45.4	143	45.6	33.3 - 58.4	29	44.1	39.3 - 49.1	277
i. Family and community involvement	38.8	30.8 - 47.4	103	38.0	31.4 - 45.1	142	42.8	30.0 - 56.6	29	38.7	33.8 - 43.8	274
j. Faculty and staff health promotion	30.8	24.3 - 38.1	105	20.7	15.8 - 26.7	140	22.9	12.7 - 37.6	29	25.0	21.1 - 29.3	274

**WISCONSIN**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.\*

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
80.4	74.8 - 85.0	107	69.3	62.5 - 75.3	140	77.2	59.9 - 88.4	26	74.5	70.2 - 78.3	273

\*Among schools that engaged in an improvement planning process during the past year.  
N = Unweighted number of observations

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
85.0	78.7 - 89.7	115	81.5	75.8 - 86.1	156	85.1	70.8 - 93.1	33	83.2	79.3 - 86.5	304

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
62.0	54.8 - 68.7	116	47.1	41.4 - 52.9	157	68.5	54.7 - 79.6	33	54.9	50.7 - 59.1	306

# WISCONSIN

## 2014 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. School administrators	95.5	89.2 - 98.2	72	89.1	81.7 - 93.8	74	100.0	†	22	93.2	89.2 - 95.8	168
b. Health education teachers	93.0	86.2 - 96.6	71	87.7	79.6 - 92.9	73	96.2	82.5 - 99.3	21	91.0	86.6 - 94.1	165
c. Physical education teachers	91.3	83.8 - 95.5	70	86.3	78.3 - 91.7	73	94.4	75.3 - 98.9	21	89.4	84.7 - 92.8	164
d. Other classroom teachers	66.2	55.9 - 75.2	70	70.1	60.9 - 77.9	74	85.2	66.2 - 94.4	19	69.8	63.4 - 75.4	163
e. Mental health or social services staff (e.g., school counselors)	85.2	76.6 - 91.1	69	68.0	58.2 - 76.5	72	87.4	66.5 - 96.1	19	77.7	71.8 - 82.7	160
f. Nutrition or food service staff	65.8	56.6 - 73.9	70	62.8	53.2 - 71.4	70	92.4	79.3 - 97.5	21	67.3	61.4 - 72.8	161
g. Health services staff (e.g., school nurse)	74.8	65.3 - 82.5	69	70.6	61.4 - 78.4	72	80.7	64.6 - 90.5	21	73.6	67.6 - 78.8	162
h. Maintenance and transportation staff	22.5	14.8 - 32.7	67	17.2	10.7 - 26.4	70	23.4	12.4 - 39.7	19	20.2	15.2 - 26.3	156
i. Technology staff	20.1	12.7 - 30.3	67	18.5	12.4 - 26.7	70	21.1	9.4 - 40.7	19	19.5	14.7 - 25.4	156
j. Library/media center staff	11.0	5.9 - 19.6	67	10.1	5.6 - 17.8	69	12.8	5.1 - 28.9	19	10.8	7.3 - 15.7	155
k. Student body	45.3	35.3 - 55.7	69	38.6	29.3 - 48.7	70	35.9	23.1 - 51.2	19	41.4	35.0 - 48.2	158
l. Parents or families of students	61.7	52.7 - 70.0	69	58.3	49.2 - 66.9	72	59.6	42.4 - 74.7	20	60.0	54.0 - 65.7	161

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
m. Community members	59.1	48.8 - 68.7	69	57.3	47.9 - 66.2	68	67.6	48.7 - 82.1	19	59.2	52.6 - 65.4	156
n. Local health departments, agencies, or organizations	49.2	39.8 - 58.6	67	46.6	37.5 - 55.8	71	59.0	38.9 - 76.5	19	49.0	42.7 - 55.2	157
o. Faith-based organizations	24.7	17.2 - 34.2	66	18.8	13.0 - 26.4	69	10.6	3.2 - 29.9	19	20.7	16.1 - 26.2	154
p. Businesses	18.3	12.7 - 25.7	67	13.0	7.6 - 21.3	69	23.1	14.0 - 35.6	19	16.4	12.5 - 21.3	155
q. Local government agencies	26.0	18.5 - 35.3	67	19.1	12.9 - 27.4	68	21.1	9.1 - 41.6	19	22.5	17.7 - 28.2	154

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.  
N = Unweighted number of observations

# WISCONSIN

## 2014 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identified student health needs based on a review of relevant data	65.4	55.8 - 74.0	70	66.6	57.2 - 74.9	72	68.8	47.1 - 84.6	22	66.3	60.0 - 72.1	164
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	79.6	71.1 - 86.0	72	76.7	67.0 - 84.2	73	76.6	56.3 - 89.2	22	78.0	72.1 - 82.9	167
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	62.1	51.1 - 72.0	69	66.7	57.2 - 75.1	72	45.1	31.2 - 59.8	21	62.3	55.7 - 68.5	162
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	83.8	75.5 - 89.7	72	87.9	79.9 - 93.0	74	76.6	55.0 - 89.7	22	84.8	79.5 - 88.9	168
e. Reviewed health-related curricula or instructional materials	72.2	62.9 - 79.9	72	77.0	69.1 - 83.4	74	91.0	73.5 - 97.3	22	76.3	70.8 - 81.1	168
f. Assessed the availability of physical activity opportunities for students	74.5	65.9 - 81.5	70	89.1	81.4 - 93.8	73	73.9	65.1 - 81.1	21	80.9	75.9 - 85.0	164

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.  
N = Unweighted number of observations

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
74.4	68.6 - 79.5	115	44.5	39.0 - 50.2	157	52.9	39.0 - 66.3	32	57.3	53.4 - 61.0	304

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Lessons in class	92.1	87.4 - 95.1	115	92.3	87.9 - 95.2	157	97.4	88.4 - 99.5	32	92.7	89.9 - 94.7	304
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	70.4	63.2 - 76.8	115	64.7	58.8 - 70.1	153	61.5	45.9 - 75.0	32	66.7	62.4 - 70.8	300

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV infection or AIDS.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Attendance of students with HIV infection	55.1	47.1 - 62.9	113	51.8	45.5 - 58.1	154	51.5	35.7 - 67.1	32	53.1	48.4 - 57.9	299
b. Procedures to protect HIV-infected students and staff from discrimination	70.7	63.6 - 76.9	113	59.7	53.0 - 66.0	154	55.4	37.9 - 71.6	32	63.7	59.1 - 68.1	299
c. Maintaining confidentiality of HIV-infected students and staff	73.7	66.1 - 80.1	114	66.6	60.1 - 72.5	150	64.8	46.9 - 79.3	32	69.3	64.7 - 73.7	296

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

11. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
52.2	46.4 - 57.9	114	17.4	13.3 - 22.4	155	9.1	3.4 - 22.3	33	30.6	27.4 - 34.1	302

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	76.7	69.2 - 82.9	116	57.3	50.9 - 63.5	157	70.2	53.3 - 83.0	33	66.2	61.7 - 70.5	306
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	98.0	93.8 - 99.4	116	92.3	87.9 - 95.2	156	100.0	†	33	95.2	92.7 - 96.9	305
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	74.0	66.3 - 80.4	116	59.6	53.0 - 65.9	156	66.6	52.6 - 78.2	33	66.0	61.4 - 70.4	305
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	61.5	53.9 - 68.6	115	38.2	32.4 - 44.3	157	60.2	45.2 - 73.5	33	49.4	45.0 - 53.9	305
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	62.5	54.9 - 69.6	115	40.7	34.9 - 46.8	157	60.2	45.1 - 73.6	33	51.2	46.7 - 55.6	305

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

13. Percentage of schools in which staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
70.1	63.1 - 76.3	116	76.9	70.7 - 82.1	156	77.8	61.1 - 88.6	33	74.2	69.9 - 78.1	305

**WISCONSIN**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

14. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
94.5	89.5 - 97.2	115	91.7	87.3 - 94.6	157	97.5	88.2 - 99.5	33	93.3	90.5 - 95.3	305

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
94.7	90.0 - 97.3	115	96.1	92.6 - 98.0	157	95.0	85.1 - 98.4	33	95.5	93.1 - 97.1	305

# WISCONSIN

## 2014 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that taught a required physical education course in each of the following grades.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Sixth grade	§	§	§	100.0	†	137	95.3	78.7 - 99.1	19	99.6	97.8 - 99.9	156
b. Seventh grade	§	§	§	100.0	†	157	97.3	87.2 - 99.5	31	99.6	98.2 - 99.9	188
c. Eighth grade	§	§	§	100.0	†	155	97.3	87.2 - 99.5	31	99.6	98.2 - 99.9	186
d. Ninth grade	98.1	94.1 - 99.4	114	-	-	0	89.9	84.9 - 93.3	32	96.6	94.0 - 98.1	146
e. Tenth grade	95.2	90.3 - 97.7	114	§	§	§	83.5	73.3 - 90.4	32	93.2	89.2 - 95.8	146
f. Eleventh grade	87.9	82.2 - 92.0	110	§	§	§	69.5	56.2 - 80.2	32	84.6	79.5 - 88.6	142
g. Twelfth grade	49.9	41.9 - 58.0	97	§	§	§	53.0	37.1 - 68.4	31	50.5	43.3 - 57.7	128

\*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

17. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
85.9	80.3 - 90.1	116	85.3	80.3 - 89.1	156	75.1	61.0 - 85.3	33	84.7	81.2 - 87.6	305

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Goals, objectives, and expected outcomes for physical education	93.2	88.8 - 95.9	115	95.5	91.8 - 97.6	157	97.4	87.9 - 99.5	32	94.7	92.3 - 96.4	304
b. A chart describing the annual scope and sequence of instruction for physical education	82.1	75.5 - 87.1	114	80.8	75.0 - 85.5	157	87.3	72.9 - 94.6	32	81.9	77.9 - 85.2	303
c. Plans for how to assess student performance in physical education	83.7	77.1 - 88.7	114	86.3	81.4 - 90.1	154	91.1	78.3 - 96.7	32	85.7	82.1 - 88.7	300
d. A written physical education curriculum	89.0	83.5 - 92.8	114	88.3	83.5 - 91.9	155	88.5	78.9 - 94.1	32	88.6	85.4 - 91.2	301
e. Resources for fitness testing	94.4	90.9 - 96.7	114	98.0	95.1 - 99.2	155	97.4	87.6 - 99.5	31	96.5	94.7 - 97.8	300
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	88.5	82.3 - 92.8	115	81.1	75.3 - 85.8	154	77.5	63.0 - 87.5	31	83.8	80.0 - 87.1	300

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

19. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
33.1	26.0 - 41.1	115	64.8	58.5 - 70.6	156	36.4	26.2 - 47.9	33	49.6	45.2 - 54.0	304

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

20. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
64.8	57.4 - 71.5	116	73.7	67.4 - 79.2	156	58.9	42.6 - 73.5	32	68.8	64.3 - 73.0	304

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

21. Percentage of schools that offer interscholastic sports to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
95.9	91.7 - 98.0	116	91.0	86.4 - 94.2	156	95.0	85.1 - 98.4	33	93.3	90.6 - 95.3	305

**WISCONSIN**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

22. Percentage of schools that offer opportunities for students to participate in physical activity before the school day through organized physical activities or access to facilities or equipment for physical activity.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
73.5	66.9 - 79.3	115	42.7	36.8 - 48.7	155	48.7	34.8 - 62.7	31	55.7	51.5 - 59.8	301

# WISCONSIN

## 2014 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that prohibit staff from excluding students from physical education or physical activity to punish them for bad behavior or failure to complete class work in another class.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
67.3	59.7 - 74.2	116	69.8	63.6 - 75.4	156	66.5	50.6 - 79.4	32	68.5	64.0 - 72.8	304

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

24. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
62.0	54.9 - 68.7	116	71.3	65.1 - 76.7	157	57.7	41.8 - 72.1	32	66.4	62.0 - 70.6	305

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

25. Percentage of schools that have adopted a policy prohibiting tobacco use.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
99.0	95.0 - 99.8	116	98.7	96.1 - 99.6	157	96.3	83.1 - 99.3	33	98.6	96.9 - 99.4	306

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	97.2	93.1 - 98.9	116	96.7	93.3 - 98.4	154	96.3	83.1 - 99.3	33	96.9	94.7 - 98.2	303
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	97.2	93.1 - 98.9	116	94.2	90.1 - 96.6	155	96.3	83.1 - 99.3	33	95.6	93.1 - 97.2	304
c. Cigars	95.6	91.0 - 97.9	116	92.9	89.5 - 95.2	155	93.8	81.5 - 98.1	33	94.0	91.7 - 95.8	304
d. Pipes	95.6	91.0 - 97.9	116	92.8	89.4 - 95.1	153	93.6	80.9 - 98.1	32	94.0	91.6 - 95.7	301

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	97.2	93.0 - 98.9	115	96.0	92.3 - 97.9	151	96.1	82.3 - 99.3	31	96.5	94.2 - 97.9	297
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	97.2	93.0 - 98.9	115	93.3	89.0 - 96.0	151	96.1	82.3 - 99.3	31	95.2	92.6 - 96.9	297
c. Cigars	95.5	90.9 - 97.8	115	92.7	88.7 - 95.3	151	93.5	80.6 - 98.0	31	93.9	91.3 - 95.8	297
d. Pipes	95.5	90.9 - 97.8	114	92.5	88.5 - 95.2	148	93.5	80.6 - 98.0	31	93.8	91.2 - 95.7	293

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	95.5	90.9 - 97.8	115	95.3	91.4 - 97.5	150	93.5	80.4 - 98.0	31	95.2	92.7 - 96.9	296
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	93.7	88.7 - 96.6	113	92.6	88.1 - 95.5	149	93.5	80.4 - 98.0	31	93.1	90.2 - 95.2	293
c. Cigars	93.9	88.9 - 96.7	115	92.6	88.7 - 95.2	150	90.5	76.7 - 96.5	30	93.0	90.2 - 95.0	295
d. Pipes	93.9	88.9 - 96.7	115	92.6	88.6 - 95.2	149	90.9	77.6 - 96.6	31	93.0	90.2 - 95.0	295

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

27. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	99.0	95.0 - 99.8	115	96.0	92.5 - 98.0	153	96.3	83.1 - 99.3	33	97.3	95.2 - 98.5	301
b. During non-school hours	91.3	85.6 - 94.8	115	88.9	83.8 - 92.5	153	91.3	78.9 - 96.7	33	90.0	86.7 - 92.6	301

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

27. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	97.3	93.2 - 98.9	115	93.3	89.6 - 95.8	151	96.1	82.3 - 99.3	31	95.2	92.9 - 96.8	297
b. During non-school hours	81.6	74.2 - 87.2	114	83.4	78.0 - 87.7	151	88.2	74.7 - 95.0	31	83.1	79.0 - 86.5	296

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

27. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	95.6	91.0 - 97.9	114	92.7	89.3 - 95.1	152	93.5	80.4 - 98.0	31	93.9	91.6 - 95.7	297
b. During non-school hours	81.6	74.2 - 87.2	114	82.9	77.6 - 87.1	152	87.9	74.0 - 94.9	30	82.7	78.8 - 86.1	296

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

28. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	99.0	95.0 - 99.8	116	97.4	94.2 - 98.8	154	96.3	83.1 - 99.3	33	97.9	96.0 - 98.9	303
b. Outside on school grounds, including parking lots and playing fields	99.0	95.0 - 99.8	116	97.4	94.2 - 98.8	153	96.3	83.1 - 99.3	33	97.9	96.0 - 98.9	302
c. On school buses or other vehicles used to transport students	99.0	95.0 - 99.8	115	96.1	92.6 - 98.0	155	96.3	83.1 - 99.3	33	97.3	95.2 - 98.5	303
d. At off-campus, school-sponsored events	98.2	94.4 - 99.4	115	93.5	89.3 - 96.1	155	96.3	83.1 - 99.3	33	95.6	93.2 - 97.2	303

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

28. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	98.1	94.1 - 99.4	114	97.4	94.2 - 98.8	153	96.1	82.3 - 99.3	31	97.5	95.5 - 98.7	298
b. Outside on school grounds, including parking lots and playing fields	98.1	94.1 - 99.4	114	96.7	93.4 - 98.4	154	96.1	82.3 - 99.3	31	97.2	95.1 - 98.4	299
c. On school buses or other vehicles used to transport students	97.2	93.0 - 98.9	114	96.0	92.4 - 97.9	151	96.1	82.3 - 99.3	31	96.5	94.2 - 97.9	296
d. At off-campus, school-sponsored events	89.5	83.5 - 93.5	114	87.6	82.6 - 91.3	154	89.2	74.0 - 96.0	31	88.5	85.0 - 91.2	299

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

28. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	97.3	93.1 - 98.9	113	97.4	94.2 - 98.8	154	93.3	79.9 - 98.0	30	97.0	94.9 - 98.3	297
b. Outside on school grounds, including parking lots and playing fields	96.3	91.9 - 98.4	112	96.7	93.4 - 98.4	153	93.5	80.4 - 98.0	31	96.3	94.0 - 97.7	296
c. On school buses or other vehicles used to transport students	96.3	91.9 - 98.4	112	96.0	92.4 - 98.0	152	93.5	80.4 - 98.0	31	95.9	93.5 - 97.5	295
d. At off-campus, school-sponsored events	81.3	74.2 - 86.9	111	77.2	71.4 - 82.2	154	81.2	65.2 - 90.9	31	79.2	75.0 - 82.9	296

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
62.5	54.7 - 69.8	103	59.5	52.7 - 65.9	141	75.7	58.7 - 87.2	31	62.1	57.3 - 66.8	275

\*Responses to question 26 (a, b, c, and d), question 27 (a and b), and question 28 (a, b, c, and d) are all "yes."  
N = Unweighted number of observations

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
78.6	72.1 - 83.9	115	78.8	72.7 - 83.9	156	82.3	66.1 - 91.8	33	79.0	74.9 - 82.6	304

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	24.6	19.3 - 30.7	116	29.3	23.6 - 35.6	157	30.9	21.3 - 42.6	33	27.5	23.7 - 31.6	306
b. Students	35.3	28.4 - 42.8	115	24.8	19.7 - 30.7	157	24.9	14.7 - 39.0	33	29.0	25.0 - 33.4	305

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Faculty and staff	41.3	34.0 - 49.0	114	42.6	36.8 - 48.5	157	42.3	29.4 - 56.3	32	42.0	37.7 - 46.5	303
b. Students	36.2	28.5 - 44.6	113	29.9	24.8 - 35.5	157	25.8	16.5 - 38.0	32	32.0	27.9 - 36.5	302

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Foods or beverages are not offered at school celebrations	1.8	0.6 - 5.4	116	1.3	0.4 - 4.0	156	11.0	6.5 - 18.2	33	2.3	1.4 - 3.9	305
b. Never	0.0	†	116	1.9	0.8 - 4.8	156	0.0	†	33	1.0	0.4 - 2.5	305
c. Rarely	8.0	4.6 - 13.6	116	17.3	12.7 - 23.1	156	21.5	11.8 - 35.9	33	13.9	10.9 - 17.6	305
d. Sometimes	55.0	47.4 - 62.5	116	60.3	53.6 - 66.6	156	42.3	29.1 - 56.6	33	56.6	51.9 - 61.2	305
e. Always or almost always	35.2	28.2 - 42.9	116	19.2	14.7 - 24.8	156	25.2	14.2 - 40.7	33	26.2	22.3 - 30.5	305

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

33. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
89.6	83.7 - 93.6	116	59.9	53.9 - 65.5	157	66.0	55.9 - 74.8	33	72.4	68.6 - 75.9	306

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Chocolate candy	31.7	25.7 - 38.4	113	13.6	9.9 - 18.5	155	9.9	5.2 - 18.1	33	20.5	17.3 - 24.2	301
b. Other kinds of candy	40.8	34.3 - 47.8	112	16.9	12.7 - 22.1	154	9.9	5.2 - 18.1	33	25.8	22.3 - 29.7	299
c. Salty snacks that are not low in fat (e.g., regular potato chips)	37.3	30.4 - 44.7	114	20.7	15.9 - 26.5	155	16.1	8.6 - 27.9	33	26.9	23.1 - 31.2	302
d. Low sodium or “no added salt” pretzels, crackers, or chips	73.7	66.9 - 79.6	114	38.1	32.0 - 44.6	155	38.3	24.9 - 53.7	33	52.4	48.1 - 56.7	302
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	43.3	35.6 - 51.4	113	21.8	17.0 - 27.6	156	18.6	10.4 - 31.0	33	30.1	26.0 - 34.5	302
f. Ice cream or frozen yogurt that is not low in fat	13.0	8.3 - 19.8	109	9.7	6.5 - 14.2	155	7.4	2.3 - 21.3	33	10.8	8.1 - 14.2	297
g. 2% or whole milk (plain or flavored)	43.9	36.5 - 51.5	113	19.3	15.5 - 23.7	156	28.4	20.0 - 38.6	33	29.9	26.3 - 33.8	302
h. Nonfat or 1% (low-fat) milk (plain)	61.9	54.1 - 69.2	113	31.3	26.2 - 36.9	157	44.5	35.5 - 53.8	33	44.6	40.5 - 48.8	303
i. Water ices or frozen slushes that do not contain juice	14.9	10.2 - 21.3	113	8.4	5.5 - 12.6	155	0.0	†	32	10.3	7.8 - 13.5	300
j. Soda pop or fruit drinks that are not 100% juice	41.9	34.7 - 49.5	113	12.3	8.8 - 17.0	155	22.2	13.3 - 34.8	33	25.0	21.5 - 29.0	301
k. Sports drinks (e.g., Gatorade)	78.4	71.5 - 84.0	116	38.7	32.9 - 45.0	155	62.3	50.6 - 72.7	33	56.9	52.7 - 61.0	304

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
l. Energy drinks (e.g., Red Bull, Monster)	6.2	3.4 - 11.3	112	1.3	0.4 - 4.1	152	0.0	†	33	3.2	1.9 - 5.4	297
m. Bottled water	88.7	82.6 - 92.9	115	54.5	48.2 - 60.7	156	66.0	55.9 - 74.8	33	69.3	65.2 - 73.0	304
n. 100% fruit or vegetable juice	72.8	66.1 - 78.7	115	41.7	35.9 - 47.7	156	49.9	36.4 - 63.5	33	54.9	50.7 - 59.0	304
o. Foods or beverages containing caffeine	38.8	32.5 - 45.6	109	11.7	8.1 - 16.6	155	23.8	13.2 - 39.2	33	23.4	20.0 - 27.1	297
p. Fruits (not fruit juice)	42.2	34.5 - 50.1	113	16.2	12.5 - 20.6	155	21.1	11.8 - 34.8	33	27.0	23.3 - 31.0	301
q. Non-fried vegetables (not vegetable juice)	29.2	22.2 - 37.2	110	10.3	7.5 - 14.1	155	0.0	†	33	16.8	13.7 - 20.5	298

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	17.3	12.1 - 23.9	115	11.7	8.2 - 16.6	154	7.8	2.4 - 22.2	33	13.6	10.7 - 17.2	302
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	54.8	46.5 - 62.8	115	39.3	33.9 - 45.1	155	32.5	20.7 - 47.1	33	45.0	40.5 - 49.5	303
c. Provided information to students or families on the nutrition and caloric content of foods available	61.6	53.1 - 69.5	114	60.3	54.5 - 65.8	156	56.1	42.1 - 69.2	33	60.5	55.8 - 64.9	303
d. Conducted taste tests to determine food preferences for nutritious items	34.8	28.1 - 42.1	116	30.3	24.5 - 36.8	155	21.5	11.8 - 35.9	33	31.4	27.2 - 35.9	304
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	21.2	15.2 - 28.6	115	18.6	14.0 - 24.4	156	32.7	19.6 - 49.1	33	20.9	17.2 - 25.2	304
f. Served locally or regionally grown foods in the cafeteria or classrooms	48.9	41.6 - 56.3	114	51.0	44.2 - 57.7	155	50.8	36.5 - 65.0	33	50.2	45.4 - 54.9	302
g. Planted a school food or vegetable garden	44.9	37.3 - 52.7	116	33.4	27.7 - 39.6	156	38.9	26.6 - 52.7	33	38.5	34.1 - 43.1	305
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	81.4	75.2 - 86.4	114	64.7	57.9 - 70.9	156	68.5	54.3 - 79.9	33	71.7	67.4 - 75.7	303

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	76.0	68.6 - 82.2	115	65.3	58.7 - 71.4	156	58.6	46.4 - 69.9	33	69.0	64.5 - 73.2	304
j. Offered a self-serve salad bar to students	71.0	63.2 - 77.8	115	64.1	57.6 - 70.0	156	64.4	54.2 - 73.3	33	66.9	62.3 - 71.2	304
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	38.8	32.5 - 45.5	116	33.5	27.9 - 39.6	155	36.4	23.9 - 51.1	33	35.9	31.8 - 40.1	304
l. Encouraged students to drink plain water	82.3	75.8 - 87.3	115	75.9	70.5 - 80.6	154	85.1	70.9 - 93.1	33	79.3	75.5 - 82.7	302
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	22.2	16.1 - 29.7	116	21.1	16.1 - 27.2	156	17.8	8.7 - 32.9	33	21.3	17.5 - 25.6	305
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	28.7	22.4 - 36.0	114	25.1	20.1 - 30.9	155	26.5	16.4 - 39.9	33	26.7	22.9 - 30.9	302

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In the school building	61.4	54.1 - 68.2	115	60.5	53.7 - 66.9	157	51.5	36.2 - 66.6	33	60.1	55.4 - 64.6	305
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	53.4	45.6 - 61.0	116	56.0	49.2 - 62.6	157	47.9	32.4 - 63.8	32	54.3	49.4 - 59.1	305
c. On school buses or other vehicles used to transport students	65.4	58.7 - 71.6	116	63.7	57.6 - 69.3	157	62.7	47.0 - 76.2	33	64.3	60.0 - 68.4	306
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	54.5	47.7 - 61.2	116	63.0	56.4 - 69.1	157	54.0	38.0 - 69.3	33	58.8	54.3 - 63.2	306
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	61.6	54.9 - 67.9	115	61.6	54.7 - 68.1	154	50.4	33.8 - 66.9	33	60.7	56.0 - 65.1	302

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Yes, in all locations	82.4	76.5 - 87.1	116	71.2	65.1 - 76.6	156	65.2	49.6 - 78.1	33	75.2	71.2 - 78.8	305
b. Yes, in certain locations	15.9	11.6 - 21.5	116	24.4	19.0 - 30.7	156	29.8	17.4 - 46.0	33	21.4	17.9 - 25.5	305
c. No	1.7	0.5 - 5.1	116	4.5	2.4 - 8.1	156	5.0	4.9 - 5.1	33	3.4	2.1 - 5.4	305

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

37N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
98.3	94.9 - 99.5	116	95.5	91.9 - 97.6	156	95.0	94.9 - 95.1	33	96.6	94.6 - 97.9	305

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that offer a free source of drinking water in the following locations.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cafeteria during breakfast	91.3	86.3 - 94.6	109	91.5	87.1 - 94.5	141	92.3	77.5 - 97.6	31	91.5	88.5 - 93.7	281
b. Cafeteria during lunch	91.7	86.9 - 94.8	114	94.8	91.0 - 97.1	155	92.5	78.1 - 97.7	32	93.4	90.7 - 95.3	301
c. Gymnasium or other indoor physical activity facilities	96.7	92.6 - 98.5	115	93.5	90.5 - 95.7	156	96.1	82.4 - 99.2	31	95.0	92.9 - 96.5	302
d. Outdoor physical activity facilities and sports fields	70.4	62.6 - 77.1	111	58.5	52.4 - 64.4	147	66.0	54.5 - 76.0	31	64.0	59.5 - 68.2	289
e. Hallways throughout the school	100.0	†	111	98.7	96.0 - 99.6	156	100.0	†	33	99.3	97.9 - 99.8	300

\*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

39. Percentage of schools that have a full-time registered nurse who provides health services to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
30.5	24.3 - 37.5	115	20.5	15.8 - 26.3	156	22.3	14.2 - 33.3	32	24.7	21.0 - 28.8	303

# WISCONSIN

## 2014 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	1.6	0.5 - 4.8	116	1.3	0.4 - 3.9	157	0.0	†	33	1.3	0.6 - 2.9	306
b. HIV treatment	1.6	0.5 - 4.8	116	1.3	0.4 - 3.9	157	4.1	0.8 - 18.6	33	1.6	0.8 - 3.3	306
c. STD testing	1.6	0.5 - 4.8	116	1.3	0.4 - 3.9	157	0.0	†	33	1.3	0.6 - 2.9	306
d. STD treatment	2.5	1.0 - 6.1	115	1.3	0.4 - 4.0	155	4.1	0.8 - 18.6	33	2.0	1.0 - 3.9	303
e. Pregnancy testing	4.8	2.5 - 9.2	115	1.9	0.8 - 4.8	156	0.0	†	32	2.9	1.7 - 5.0	303
f. Provision of condoms	6.9	3.8 - 12.0	116	2.6	1.1 - 5.7	157	8.2	3.6 - 17.6	33	4.8	3.2 - 7.2	306
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	4.2	2.0 - 8.6	115	1.9	0.8 - 4.8	156	0.0	†	33	2.7	1.5 - 4.7	304
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	2.4	1.0 - 6.1	116	1.9	0.8 - 4.9	155	0.0	†	33	2.0	1.0 - 3.8	304
i. Prenatal care	13.7	9.3 - 19.8	116	3.9	2.0 - 7.4	156	7.8	2.4 - 22.5	33	8.2	6.0 - 11.2	305
j. Human papillomavirus (HPV) vaccine administration	4.4	2.1 - 8.9	114	1.3	0.4 - 3.9	157	0.0	†	33	2.4	1.3 - 4.4	304

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	71.2	64.0 - 77.5	115	38.7	32.5 - 45.4	155	52.9	37.9 - 67.3	33	53.1	48.6 - 57.6	303
b. HIV treatment	70.4	63.1 - 76.9	115	37.9	31.5 - 44.7	156	52.9	37.9 - 67.3	33	52.3	47.7 - 56.8	304
c. STD testing	71.0	63.6 - 77.3	114	39.0	32.7 - 45.7	154	55.4	39.7 - 70.0	33	53.3	48.7 - 57.8	301
d. STD treatment	70.4	63.1 - 76.9	115	37.7	31.3 - 44.5	154	52.9	37.9 - 67.3	33	52.3	47.7 - 56.8	302
e. Pregnancy testing	72.8	65.1 - 79.3	114	41.1	34.9 - 47.6	156	64.1	48.7 - 77.0	33	55.7	51.2 - 60.2	303
f. Provision of condoms	50.9	44.6 - 57.2	114	29.9	24.2 - 36.2	154	41.7	27.3 - 57.6	33	39.4	35.3 - 43.7	301
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	50.3	43.8 - 56.8	114	29.5	23.8 - 35.9	156	41.7	27.3 - 57.6	33	38.9	34.7 - 43.2	303
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	52.7	46.2 - 59.2	114	30.8	25.1 - 37.1	156	44.2	29.2 - 60.3	33	40.7	36.5 - 45.1	303
i. Prenatal care	70.6	63.2 - 77.0	115	39.8	33.5 - 46.5	156	64.1	48.7 - 77.0	33	54.3	49.7 - 58.8	304
j. Human papillomavirus (HPV) vaccine administration	64.5	57.8 - 70.7	113	33.3	27.3 - 40.0	156	49.1	33.5 - 64.8	32	47.1	42.7 - 51.6	301

**WISCONSIN**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

42. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
65.7	58.2 - 72.6	115	60.6	54.4 - 66.6	155	72.2	58.9 - 82.5	31	63.7	59.1 - 67.9	301

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	95.3	90.6 - 97.8	116	96.8	93.5 - 98.4	156	100.0	†	33	96.5	94.1 - 97.9	305
b. Food allergies	97.2	93.1 - 98.9	116	97.4	94.3 - 98.9	157	100.0	†	33	97.6	95.6 - 98.7	306
c. Diabetes	97.2	93.1 - 98.9	116	97.4	94.3 - 98.9	157	100.0	†	33	97.6	95.6 - 98.7	306
d. Epilepsy or seizure disorder	97.2	93.1 - 98.9	116	95.5	92.6 - 97.3	156	100.0	†	33	96.6	94.6 - 97.9	305
e. Obesity	34.1	26.8 - 42.3	116	26.7	21.5 - 32.6	157	52.4	35.8 - 68.5	33	31.9	27.6 - 36.5	306
f. Hypertension/high blood pressure	67.4	60.0 - 74.0	114	57.1	50.4 - 63.4	156	71.4	57.3 - 82.3	33	62.4	57.8 - 66.8	303

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

# WISCONSIN

## 2014 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	58.4	50.2 - 66.2	114	47.5	41.6 - 53.4	156	66.4	53.8 - 77.0	33	53.5	48.9 - 58.0	303
b. Food allergies	58.4	50.2 - 66.2	114	46.2	40.3 - 52.1	156	66.4	53.8 - 77.0	33	52.8	48.3 - 57.3	303
c. Diabetes	59.7	51.6 - 67.3	113	48.1	42.3 - 53.9	156	66.4	53.8 - 77.0	33	54.3	49.8 - 58.7	302
d. Epilepsy or seizure disorder	59.2	51.1 - 66.8	114	48.1	42.3 - 53.9	156	66.4	53.8 - 77.0	33	54.1	49.6 - 58.6	303
e. Obesity	51.6	43.4 - 59.8	114	33.8	28.0 - 40.0	154	52.9	36.1 - 69.1	33	42.6	37.9 - 47.5	301
f. Hypertension/high blood pressure	56.5	48.4 - 64.3	111	38.5	32.7 - 44.6	156	58.7	43.8 - 72.2	32	47.3	42.7 - 51.9	299

## WISCONSIN

### 2014 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	33.4	26.5 - 41.0	115	30.9	25.3 - 37.2	155	36.7	24.8 - 50.5	31	32.4	28.2 - 36.9	301
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	56.9	49.6 - 63.9	115	59.8	53.4 - 65.9	157	53.6	39.8 - 67.0	31	58.1	53.6 - 62.6	303
c. Involved parents as school volunteers in the delivery of health education activities and services	25.6	19.5 - 32.9	116	27.5	22.2 - 33.6	156	28.9	19.0 - 41.3	32	26.9	23.0 - 31.2	304
d. Linked parents and families to health services and programs in the community	74.2	66.7 - 80.4	114	73.7	67.7 - 78.9	156	78.0	64.4 - 87.5	32	74.3	69.9 - 78.2	302

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
86.8	80.2 - 91.4	116	84.7	79.3 - 88.9	157	73.5	56.7 - 85.5	33	84.6	80.7 - 87.8	306

**WISCONSIN**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
49.1	42.4 - 55.8	116	43.3	37.4 - 49.3	157	29.0	18.1 - 43.1	33	44.4	40.2 - 48.7	306

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

48. Percentage of schools that provide service-learning opportunities for students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
83.1	76.9 - 87.9	114	57.7	51.1 - 64.0	156	61.6	47.8 - 73.6	33	68.2	63.9 - 72.2	303

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

49. Percentage of schools that provide peer tutoring opportunities for students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
93.0	87.9 - 96.1	116	80.1	73.9 - 85.1	155	81.4	67.8 - 90.1	33	85.5	81.7 - 88.5	304

**W I S C O N S I N**

**2014 School Health Profiles Report  
Weighted Principal Survey Results**

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
46.0	38.4 - 53.7	116	39.1	33.0 - 45.5	156	32.5	20.7 - 47.1	33	41.3	36.8 - 46.0	305