INTRAMUSCULAR NALOXONE ADMINISTRATION (EVZIO)

1. RECOGNIZE

Observe for signs of overdose:

- Pale, clammy skin
- Speech infrequent
- Not breathing or very shallow breathing
- Deep snorting or gurgling
- Unresponsive to stimuli (calling name, shaking, sternal rub)
- Slowed heart beat/pulse
- Blue lips or fingertips
- Pinpoint pupils

2. RESPOND

Immediately call for help:

- Call for help- Dial 911
 Request Advanced Life Support
- Place the person on their back
- Tilt head
- Lift chin
- Check breathing for no more than 10 seconds
- Check to see if there is anything in their mouth blocking their airway, such as gum, toothpick, undissolved pills, syringe cap, cheeked Fentanyl patch
 If present, remove it
- If using mask, place and hold mask over mouth and nose
- If not using mask, pinch their nose with one hand and place your mouth over their mouth
- Give 2 even, regular-sized breaths
- Blow enough air into their lungs to make their chest rise
 - If you are using a mask and don't see their chest rise, out of the corner of your eye, tilt the head back more and make sure the seal around the mouth and nose is secure
 - If you are not using a mask and don't see their chest rise, out of the corner of your eye make sure you're pinching their nose
- Breathe again
- Give one breath every 5 seconds

4. REFER

- Have the individual transported to nearest medical facility, even if symptoms seem to get better
- Contact parent/guardians per school protocol
- Complete Naloxone Administration Report form
- Follow up with treatment referral recommendations

3. REVERSE

Administer Naloxone via auto injectable (Evzio):

- Remove red safety guard when ready to use
- Place the black end against the middle of the patient's outer thigh, through clothing (pants, jeans, etc.) if necessary
- Press firmly and hold in place for 5 seconds
- After use, place the auto-injector back into its outer case
- Do not replace the red safety guard







Step 1 Step 2 Step 3

(Graphic credit: kaleo, 2016)

- Place person in recovery position (lying on their side)
- Stay with the person until help arrives
- Maintain airway, monitor circulation, start CPR as necessary
- Seize all illegal and/or non-prescribed opioid narcotics found on victim and process in accordance with school district protocols