



Assessment for Opioid Antagonist Administration

Name: _____ Date: _____

Please circle the correct answer and take the completed test to the school nurse or school district administrator for scoring.

1. Naloxone is an opioid antagonist which reverse the signs of overdose and restores breathing. It typically works in:
 - a. 2-3 minutes
 - b. 8-10 minutes
 - c. 30-90 minutes

2. Signs of an opioid overdose include all of the following except"?
 - a. Unresponsive/minimally responsive, body limp
 - b. Slow breathing or not breathing, snorting with gurgling.
 - c. Lips and fingernail turn blu(ish).
 - d. Agitation and Hyperactivity

3. A second dose of an opioid antagonist such as Naloxone may be required to restore breathing or consciousness.
 - a. True
 - b. False

4. Which are possible symptoms of Opioid Withdrawal?
 - a. Nausea and vomiting or abdominal cramps
 - b. Restlessness or irritability
 - c. Increased heart rate and blood pressure
 - d. All of the above

5. Number the 5 steps below in the correct order for emergency treatment of a suspected opioid overdose.

- ___ Call 911, state the person is not breathing and activate the School Emergency Response
- ___ Roll the person into recovery position and monitor until EMS arrives
- ___ Report administration of naloxone to administrator/program coordinator per district policy
- ___ Determine if the person is conscious or unresponsive – shake, shout, sternal rub
- ___ Simultaneously follow emergency response (CPR/ Rescue Breaths for an unresponsive victim and if suspected overdose GIVE NALOXONE

Number correct: ___ of 5 answers