



CESA: 03 *Number of schools reported for CESA 03: 63*

Which best describes the location of your school building?

0	0.00%	<i>Large Central City (Population greater than 400,000 and density greater than 6,000.)</i>
0	0.00%	<i>Mid-Size Central City (Population less than 400,000 and density less than 6,000.)</i>
0	0.00%	<i>Urban Fringe of Large City (Defined as urban by the Census Bureau.)</i>
0	0.00%	<i>Urban Fringe of Mid-Size City (Defined as urban by the Census Bureau.)</i>
0	0.00%	<i>Large Town (Population greater than or equal to 25,000.)</i>
25	39.68%	<i>Small Town (Population less than 25,000 and greater than or equal to 2,500.)</i>
38	60.32%	<i>Rural (Population less than 2,500 and coded rural by the Census Bureau.)</i>

A. PHYSICAL STRUCTURE AND MECHANICAL FEATURES

4. *When was the school originally constructed?*

<i>Pre-1900</i>	1	1.61%	<i>1930-1939</i>	2	3.23%	<i>1970-1979</i>	3	4.84%
<i>1900-1909</i>	3	4.84%	<i>1940-1949</i>	1	1.61%	<i>1980-1989</i>	6	9.68%
<i>1910-1919</i>	1	1.61%	<i>1950-1959</i>	14	22.58%	<i>1990-1999</i>	9	14.52%
<i>1920-1929</i>	2	3.23%	<i>1960-1969</i>	20	32.26%			

5. *In your opinion, is this school building overcrowded?*

Yes	13	20.97%	No	49	79.03%
-----	----	---------------	----	----	---------------

6. *If the original building has been renovated or had additions, when was the most recent, MAJOR renovation or addition?*

<i>No Renovation</i>	18	29.03%	<i>1940-1949</i>	1	1.61%	<i>1970-1979</i>	3	4.84%
<i>Before 1930</i>	0	0.00%	<i>1950-1959</i>	0	0.00%	<i>1980-1989</i>	3	4.84%
<i>1930-1939</i>	0	0.00%	<i>1960-1969</i>	7	11.29%	<i>1990-1999</i>	30	48.39%

7. *How many total square feet does the original building have?*

<i>Minimum:</i>	6,250	<i>Maximum:</i>	205,979	<i>Median:</i>	43,719	<i>Average:</i>	50,151
-----------------	-------	-----------------	---------	----------------	--------	-----------------	--------

8. *If the building has been renovated or added on to, how many total square feet exist now?*

<i>Minimum:</i>	11,292	<i>Maximum:</i>	167,000	<i>Median:</i>	63,500	<i>Average:</i>	66,224
-----------------	--------	-----------------	---------	----------------	--------	-----------------	--------

9. *How many portable classrooms were in use during the 1998-99 school year?*

Number of schools reporting the use of portable classrooms: 6

<i>Minimum:</i>	1	<i>Maximum:</i>	3	<i>Median:</i>	2	<i>Average:</i>	2
-----------------	---	-----------------	---	----------------	---	-----------------	---

10. *Does the school accommodate any of its students in instructional facilities located OFF-SITE?*

Yes	0	0.00%	No	62	100.00%
-----	---	--------------	----	----	----------------

11. *How many of this school's FTE students are located in OFF-SITE facilities?*

Number of schools reporting OFF-SITE facilities: 0

<i>Minimum:</i>		<i>Maximum:</i>		<i>Median:</i>		<i>Average:</i>	
-----------------	--	-----------------	--	----------------	--	-----------------	--

CESA: 03 *Number of schools reported for CESA 03: 63*

Definitions for questions #12 and #15:

- Excellent:** New or easily restorable to "like new" only minimal routine maintenance.
- Good:** Only routine maintenance or minor repair required.
- Adequate:** Some preventive maintenance and/or corrective repair required.
- Fair:** Fails to meet code and functional requirement in some cases; extensive repair.
- Poor:** Consistent substandard performance; major corrective repair or overhaul.
- Replace:** Non-operational or significantly substandard performance. Replacement
- NA:** Not Applicable

12. *What is the overall condition of the original buildings and the permanent additions?*

	Excellent	Good	Adequate	Fair	Poor	Replace	NA
<i>Original Buildings:</i>	11 17.74%	25 40.32%	16 25.81%	5 8.06%	2 3.23%	2 3.23%	1 1.61%
<i>Permanent Additions:</i>	14 22.58%	19 30.65%	6 9.68%	3 4.84%	2 3.23%	1 1.61%	17 27.42%

13. *What would be the total cost of all repairs/renovations/modernizations required to put this school's ON-SITE buildings in good overall condition?*

Number of schools reporting cost for repairs/renovations/modernizations: 26
CESA Total Costs = \$16,413,700

Minimum: \$10,000 Maximum: \$4,200,000 Median: \$250,000 Average: \$631,296

14. *On which of the sources listed below is this estimate based? Choose all that apply.*

- 34 **37.36%** *Does not apply--already in good (or better) overall condition.*
- 6 **6.59%** *Facilities inspection/assessment performed within the last three years by licensed professionals.*
- 6 **6.59%** *Repair/renovation/modernization work already being performed/contracted for.*
- 13 **14.29%** *Capital improvement/facilities master plan or schedule.*
- 23 **25.27%** *My best professional judgement.*
- 9 **9.89%** *Opinions of others.*

15. *Overall, what is the physical condition of each of the building features listed below for this school's ON-SITE buildings?*

	Excellent	Good	Adequate	Fair	Poor	Replace
<i>Roofs:</i>	14 22.58%	27 43.55%	18 29.03%	1 1.61%	2 3.23%	0 0.00%
<i>Framing, floors, foundations:</i>	16 25.81%	23 37.10%	17 27.42%	5 8.06%	1 1.61%	0 0.00%
<i>Exterior walls, finishes, windows, doors:</i>	14 22.58%	28 45.16%	13 20.97%	6 9.68%	1 1.61%	0 0.00%
<i>Interior finishes, trims:</i>	13 20.97%	29 46.77%	14 22.58%	5 8.06%	1 1.61%	0 0.00%
<i>Plumbing:</i>	12 19.35%	25 40.32%	15 24.19%	6 9.68%	2 3.23%	2 3.23%
<i>Heating ventilation, air conditioning:</i>	14 22.58%	25 40.32%	12 19.35%	9 14.52%	0 0.00%	2 3.23%
<i>Electrical power:</i>	16 25.81%	29 46.77%	6 9.68%	7 11.29%	3 4.84%	1 1.61%
<i>Electrical lighting:</i>	17 27.42%	30 48.39%	8 12.90%	6 9.68%	1 1.61%	0 0.00%
<i>Life safety requirements (e.g., emergency lighting and warning systems, exit signs):</i>	22 35.48%	26 41.94%	6 9.68%	4 6.45%	4 6.45%	0 0.00%

CESA: 03 *Number of schools reported for CESA 03: 63*

16. *How adequate is your current maintenance budget for keeping your buildings in good overall condition?*

Very Adequate:	8	12.90%	Somewhat Adequate:	25	40.32%
Adequate:	22	35.48%	Not adequate at all:	7	11.29%

17. *How satisfactory or unsatisfactory is each of the following environmental factors in this school's ON-SITE buildings?*

	Very Satisfactory	Satisfactory	Unsatisfactory	Very Unsatisfactory
Lighting:	20 32.26%	38 61.29%	4 6.45%	0 0.00%
Heating:	17 27.42%	41 66.13%	2 3.23%	0 3.23%
Ventilation:	15 24.19%	37 59.68%	8 12.90%	2 3.23%
Indoor air quality:	15 24.19%	39 62.90%	7 11.29%	1 1.61%
Acoustics for noise control:	18 29.03%	35 56.45%	6 9.68%	3 4.84%
Flexibility of instructional space:	11 17.74%	33 53.23%	13 20.97%	5 8.06%
Energy efficiency/conservation:	12 19.35%	40 64.52%	7 11.29%	3 4.84%
Physical security of buildings:	11 17.74%	40 64.52%	11 17.74%	0 0.00%
Exterior noise:	23 37.10%	35 56.45%	4 6.45%	0 0.00%

18. *How many instructional classrooms were in use as of the third Friday in September, 1998?*

Total number of instructional classrooms reported in use as of the third Friday in September, 1998: 1,506

Minimum:	10	Maximum:	60	Median:	22	Average:	24
----------	----	----------	----	---------	----	----------	----

19. *Does the school building have CENTRAL air conditioning (cools all interior space)?*

Yes	10	16.13%	No	52	83.87%
-----	----	---------------	----	----	---------------

20. *Does this school have air conditioning in instructional classrooms, computer labs, and/or the library?*

25	32.05%	Yes, in instructional classrooms.
33	42.31%	Yes, in computer labs.
20	25.64%	Yes, in the library.

21. *How many instructional classrooms have air conditioning?*

Minimum:	1	Maximum:	60	Median:	3	Average:	10
----------	---	----------	----	---------	---	----------	----

22. *Does this school have a separate room for a library/resource/media center?*

Yes	57	91.94%	No	5	8.06%
-----	----	---------------	----	---	--------------

23. *How does the size of your school's library/resource/media center compare with the size of a typical classroom in your building?*

Smaller:	2	3.51%	About the same size:	4	7.02%	Larger:	51	89.47%
----------	---	--------------	----------------------	---	--------------	---------	----	---------------

24. *How many classrooms would fit in the space used for your library/resource/media center?*

Minimum:	.12	Maximum:	3	Median:	3	Average:	3
----------	-----	----------	---	---------	---	----------	---

25. *If you have a library/resource/media center, is it staffed by a licensed, professional librarian?*

Yes	54	94.74%	No	3	5.26%
-----	----	---------------	----	---	--------------

26. *What percent time is your library/resource/media center staffed by a licensed, professional librarian?*

Number of schools reporting library/resource/media center staffed by licensed, professional librarian: 54

Minimum:	10%	Maximum:	100%	Median:	95%	Average:	73.43%
----------	-----	----------	------	---------	-----	----------	--------

CESA: 03 *Number of schools reported for CESA 03: 63*

27. *Does this school have a separate room for a parent/family center?*

Yes 9 **14.52%** No 53 **85.48%**

28. *How does the size of your school's parent/family center compare with the size of a typical classroom in your building?*

Smaller: 3 **33.33%** About the same size: 5 **55.56%** Larger: 1 **11.11%**

29. *How many classrooms would fit in the space used for the parent/family center?*

Minimum: .33 Maximum: 3 Median: 1 Average: 1

B. SCHOOL SAFETY

30. *Does your school have a "Locked Door" policy (doors can only be opened from the inside)?*

Yes 11 **17.46%** No 52 **82.54%**

31. *Does your school have a "Check-In" policy for school visitors?*

Yes 54 **85.71%** No 9 **14.29%**

32. *Does your school have an established emergency response plan for dealing with school safety issues?*

Yes 52 **82.54%** No 11 **17.46%**

33. *Does your school have on-site security provided by police officers or private security guards?*

Yes 1 **1.59%** No 62 **98.41%**

34. *Does your school have parent or other community volunteers to assist in monitoring the school?*

Yes 1 **1.59%** No 62 **98.41%**

35. *Does your school have metal detectors?*

Yes 1 **1.59%** No 62 **98.41%**

36. *Does your school have surveillance cameras located within the school building or on school grounds?*

Yes 2 **3.17%** No 61 **96.83%**

C. EDUCATIONAL APPROPRIATENESS AND SUITABILITY

ELEMENTARY SCHOOLS ONLY

Number of Elementary Schools Reported: 34

Educational Appropriateness:

38. *Size of instructional classrooms are large enough to allow for alternative room arrangements to facilitate curricular objectives.*

Strongly agree with statement:	12	27.91%	Disagree with statement:	7	16.28%
Agree with statement:	23	53.49%	Strongly disagree with statement:	1	2.33%

39. *Pre-kindergarten and Kindergarten space accommodates developmental range and needs of young children by providing a minimum of 35 square feet per occupant.*

Strongly agree with statement:	13	30.23%	Disagree with statement:	9	20.93%
Agree with statement:	20	46.51%	Strongly disagree with statement:	1	2.33%

CESA: 03

Number of schools reported for CESA 03: 63

Number of Elementary Schools reported for CESA 03: 34

40. Adequate space is available for small work group instruction (less than 15 students).

Strongly agree with statement:	13	30.23%	Disagree with statement:	10	23.26%
Agree with statement:	19	44.19%	Strongly disagree with statement:	1	2.33%

41. Adequate space is available to allow instructional classrooms to maintain a class size of less than 30 students.

Strongly agree with statement:	15	34.88%	Disagree with statement:	4	9.30%
Agree with statement:	24	55.81%	Strongly disagree with statement:	0	0.00%

42. Adequate space is available for large work group instruction (more than 30 students).

Strongly agree with statement:	9	20.93%	Disagree with statement:	14	32.56%
Agree with statement:	11	25.58%	Strongly disagree with statement:	9	20.93%

43. Equipment and furniture (such as shelving units, tables, and chairs) are the appropriate size for the building's student population.

Strongly agree with statement:	13	30.23%	Disagree with statement:	1	2.33%
Agree with statement:	29	67.44%	Strongly disagree with statement:	0	0.00%

Building Suitability for Education:

44. Buildings materials, color schemes, and decor provide impetus to learning.

Strongly agree with statement:	12	27.91%	Disagree with statement:	3	6.98%
Agree with statement:	26	60.47%	Strongly disagree with statement:	2	4.65%

45. Drinking fountain and restroom facilities are an appropriate height and size for the school building population and conveniently located.

Strongly agree with statement:	12	27.91%	Disagree with statement:	6	13.95%
Agree with statement:	25	58.14%	Strongly disagree with statement:	0	0.00%

46. Student services areas (e.g., counselor and medical) ensure privacy and are of sufficient size.

Strongly agree with statement:	9	20.93%	Disagree with statement:	6	13.95%
Agree with statement:	20	46.51%	Strongly disagree with statement:	8	18.60%

47. Building is accessible to students with disabilities.

Strongly agree with statement:	12	27.91%	Disagree with statement:	6	13.95%
Agree with statement:	22	51.16%	Strongly disagree with statement:	3	6.98%

48. Space is available and appropriate for extended day learning opportunities, including before and after school day care.

Strongly agree with statement:	11	28.21%	Disagree with statement:	7	17.95%
Agree with statement:	20	51.28%	Strongly disagree with statement:	1	2.56%

School Site Suitability:

49. Site is large enough to meet educational needs and is accessible.

Strongly agree with statement:	13	29.55%	Disagree with statement:	3	6.82%
Agree with statement:	26	59.09%	Strongly disagree with statement:	2	4.55%

CESA: 03

Number of schools reported for CESA 03: 63

Number of Elementary Schools reported for CESA 03: 34

50. Site has a safe outdoor space where children can engage in a variety of games, sports, and motor activities.

Strongly agree with statement:	13	30.23%	Disagree with statement:	0	0.00%
Agree with statement:	29	67.44%	Strongly disagree with statement:	1	2.33%

51. Student loading areas are segregated from other vehicular traffic and pedestrian walkways.

Strongly agree with statement:	7	16.28%	Disagree with statement:	12	27.91%
Agree with statement:	17	39.53%	Strongly disagree with statement:	7	16.28%

Playground Site and Equipment Suitability:

52. Playground size is appropriate for number of students.

Strongly agree with statement:	11	25.58%	Disagree with statement:	4	9.30%
Agree with statement:	27	62.79%	Strongly disagree with statement:	1	2.33%

53. Playgrounds are separated from streets and parking areas with fencing or other permanent material.

Strongly agree with statement:	13	30.23%	Disagree with statement:	10	23.26%
Agree with statement:	17	39.53%	Strongly disagree with statement:	3	6.98%

54. Playgrounds are well equipped and appropriate for age levels.

Strongly agree with statement:	10	23.26%	Disagree with statement:	4	9.30%
Agree with statement:	27	62.79%	Strongly disagree with statement:	2	4.65%

55. Playground equipment is accessible to students with disabilities.

Strongly agree with statement:	6	13.95%	Disagree with statement:	11	25.58%
Agree with statement:	21	48.84%	Strongly disagree with statement:	5	11.63%

56. Playground equipment is free of sharp edges, of sound construction, and in good condition.

Strongly agree with statement:	12	27.91%	Disagree with statement:	1	2.33%
Agree with statement:	29	67.44%	Strongly disagree with statement:	1	2.33%

MIDDLE, JUNIOR HIGH, AND HIGH SCHOOLS ONLY

Number of Secondary Schools Reported: 29

Educational Appropriateness:

57. Size of instructional classrooms are large enough to allow for alternative room arrangements to facilitate curricular objectives.

Strongly agree with statement:	8	25.00%	Disagree with statement:	2	6.25%
Agree with statement:	22	68.75%	Strongly disagree with statement:	0	0.00%

58. Size and design of special learning areas (science labs, art, technology education, music and special education) is compatible with instructional need.

Strongly agree with statement:	12	37.50%	Disagree with statement:	6	18.75%
Agree with statement:	13	40.63%	Strongly disagree with statement:	1	3.13%

59. Adequate space is available for small work group instruction (less than 15 students).

Strongly agree with statement:	7	21.88%	Disagree with statement:	4	12.50%
Agree with statement:	21	65.63%	Strongly disagree with statement:	0	0.00%

CESA: 03

Number of schools reported for CESA 03: 63

Number of Secondary Schools reported for CESA 03: 29

60. Adequate space is available to allow instructional classrooms to maintain a class size of less than 30 students.

Strongly agree with statement:	10	31.25%	Disagree with statement:	3	9.38%
Agree with statement:	19	59.38%	Strongly disagree with statement:	0	0.00%

61. Adequate space is available for large work group instruction (more than 30 students).

Strongly agree with statement:	7	21.88%	Disagree with statement:	8	25.00%
Agree with statement:	13	40.63%	Strongly disagree with statement:	4	12.50%

Building Suitability for Education:

62. Buildings materials, color schemes, and decor provide impetus to learning.

Strongly agree with statement:	9	28.13%	Disagree with statement:	1	3.13%
Agree with statement:	20	62.50%	Strongly disagree with statement:	2	6.25%

63. Drinking fountain and restroom facilities are an appropriate height and size for the school building population and conveniently located.

Strongly agree with statement:	14	43.75%	Disagree with statement:	3	9.38%
Agree with statement:	15	46.88%	Strongly disagree with statement:	0	0.00%

64. Student services areas (e.g., counselor and medical) ensure privacy and are of sufficient size.

Strongly agree with statement:	9	28.13%	Disagree with statement:	7	21.88%
Agree with statement:	15	46.88%	Strongly disagree with statement:	1	3.13%

65. Building is accessible to students with disabilities.

Strongly agree with statement:	11	34.38%	Disagree with statement:	3	9.38%
Agree with statement:	16	50.00%	Strongly disagree with statement:	2	6.25%

66. Space is available and appropriate for extended day learning opportunities, including before and after school day care.

Strongly agree with statement:	6	18.75%	Disagree with statement:	12	37.50%
Agree with statement:	13	40.63%	Strongly disagree with statement:	1	3.13%

School Site Suitability:

67. Site is large enough to meet educational needs and is accessible.

Strongly agree with statement:	8	25.00%	Disagree with statement:	3	9.38%
Agree with statement:	19	59.38%	Strongly disagree with statement:	2	6.25%

68. Site has a safe outdoor space where students can engage in a variety of games, sports, and motor activities.

Strongly agree with statement:	10	31.25%	Disagree with statement:	2	6.25%
Agree with statement:	18	56.25%	Strongly disagree with statement:	2	6.25%

69. Student loading areas are segregated from other vehicular traffic and pedestrian walkways.

Strongly agree with statement:	10	31.25%	Disagree with statement:	12	37.50%
Agree with statement:	8	25.00%	Strongly disagree with statement:	2	6.25%

End of Survey