

W I S C O N S I N

2018 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Physical education and physical activity	56.4	49.4 - 63.1	135	49.3	43.4 - 55.2	165	50.6	41.7 - 59.5	42	52.2	48.1 - 56.3	342
b. Nutrition	56.4	48.8 - 63.7	135	48.6	42.8 - 54.4	165	50.6	41.3 - 59.9	42	51.9	47.6 - 56.1	342
c. Tobacco-use prevention	51.9	44.4 - 59.3	135	47.9	42.3 - 53.6	165	46.8	37.4 - 56.4	41	49.4	45.2 - 53.6	341
d. Chronic health conditions (e.g., asthma, food allergies)	36.8	29.8 - 44.3	134	33.9	28.3 - 40.0	164	33.1	23.9 - 43.7	42	35.0	30.8 - 39.3	340
e. Unintentional injury and violence prevention (safety)	44.4	37.6 - 51.4	133	42.4	36.9 - 48.2	163	34.0	25.1 - 44.1	42	42.3	38.3 - 46.4	338
f. Sexual health, including HIV, other STD, and pregnancy prevention	52.6	45.0 - 60.1	133	46.5	40.9 - 52.1	162	50.6	42.6 - 58.6	42	49.3	45.1 - 53.5	337

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Health education	27.1	21.2 - 34.0	129	24.3	19.2 - 30.3	154	18.9	9.7 - 33.6	36	24.9	21.1 - 29.1	319
b. Physical education	26.3	20.6 - 33.1	129	25.5	20.4 - 31.4	154	16.4	8.0 - 30.7	36	25.0	21.3 - 29.1	319
c. Physical activity	23.2	17.7 - 29.8	129	24.6	19.7 - 30.4	153	17.0	8.3 - 31.7	35	23.3	19.8 - 27.4	317
d. School meal programs	23.9	18.2 - 30.7	129	19.9	15.4 - 25.3	154	22.1	11.8 - 37.6	36	21.7	18.2 - 25.7	319
e. Foods and beverages available at school outside the school meal programs	23.0	17.5 - 29.7	129	16.2	12.0 - 21.6	152	16.4	8.0 - 30.7	36	19.0	15.7 - 22.9	317
f. Health services	29.5	23.8 - 36.0	128	21.8	17.0 - 27.4	153	27.9	16.1 - 43.8	36	25.5	21.8 - 29.5	317
g. Counseling, psychological, and social services	39.0	33.0 - 45.3	128	32.7	27.0 - 39.0	154	36.1	23.2 - 51.4	36	35.6	31.5 - 39.8	318
h. Physical environment	33.0	26.9 - 39.7	128	30.1	24.3 - 36.7	153	24.6	13.9 - 39.8	36	30.7	26.6 - 35.1	317
i. Social and emotional climate	46.6	40.9 - 52.4	129	50.3	44.0 - 56.6	154	43.5	30.5 - 57.6	36	48.1	44.0 - 52.3	319
j. Family engagement	45.1	38.7 - 51.5	129	42.7	36.8 - 48.8	154	49.3	35.2 - 63.4	36	44.3	40.1 - 48.5	319
k. Community involvement	42.7	36.1 - 49.6	129	41.0	35.0 - 47.2	154	41.8	27.8 - 57.2	36	41.8	37.5 - 46.2	319
l. Employee wellness	34.0	27.8 - 40.9	132	30.8	24.8 - 37.5	160	26.3	15.2 - 41.7	38	31.6	27.4 - 36.1	330

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
78.8	72.4 - 84.0	122	77.2	71.2 - 82.3	149	79.0	67.5 - 87.1	35	78.0	74.0 - 81.5	306

*Among schools that engaged in an improvement planning process during the past year.

N = Unweighted number of observations

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that did the following activities during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Reviewed district's local wellness policy	88.9	83.3 - 92.7	136	83.1	78.0 - 87.2	166	75.7	63.6 - 84.8	41	84.6	81.2 - 87.5	343
b. Helped revise district's local wellness policy	72.2	65.2 - 78.3	134	65.4	59.8 - 70.7	164	43.3	30.1 - 57.5	42	65.7	61.5 - 69.7	340
c. Communicated to school staff about district's local wellness policy	82.9	76.9 - 87.6	134	81.8	76.5 - 86.1	165	73.4	60.0 - 83.5	41	81.3	77.7 - 84.5	340
d. Communicated to parents and families about district's local wellness policy	57.2	50.0 - 64.2	135	53.2	46.7 - 59.6	163	51.0	39.8 - 62.1	42	54.6	50.1 - 59.0	340
e. Communicated to students about district's local wellness policy	56.9	49.8 - 63.7	134	55.6	49.4 - 61.7	165	63.1	51.9 - 73.1	42	56.9	52.6 - 61.1	341
f. Measured school's compliance with district's local wellness policy	60.8	54.4 - 66.9	136	54.7	48.4 - 60.9	163	49.6	39.0 - 60.2	41	56.6	52.5 - 60.7	340
g. Developed an action plan that describes steps to meet requirements of district's local wellness policy	58.3	51.3 - 65.0	133	55.6	48.9 - 62.1	162	34.2	24.1 - 46.0	42	54.4	49.9 - 58.7	337

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
87.6	81.8 - 91.7	136	84.2	79.0 - 88.3	165	81.7	68.8 - 90.1	42	85.3	81.8 - 88.2	343

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have one or more than one group (e.g., a school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
64.6	57.7 - 70.9	136	61.1	55.0 - 66.9	166	41.2	29.7 - 53.7	42	60.4	56.1 - 64.4	344

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
			N			N			N			N
a. Identified student health needs based on a review of relevant data	73.1	66.0 - 79.2	88	70.7	62.8 - 77.5	100	57.7	40.6 - 73.2	17	70.8	65.7 - 75.4	205
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	74.0	66.8 - 80.1	88	73.8	66.8 - 79.8	100	76.3	56.2 - 89.0	17	74.1	69.3 - 78.3	205
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	58.0	49.9 - 65.6	88	62.1	54.7 - 68.9	100	69.6	46.3 - 85.9	17	60.9	55.6 - 65.9	205
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	83.1	75.5 - 88.7	88	82.5	76.0 - 87.5	100	74.8	54.3 - 88.1	17	82.2	77.6 - 86.0	205
e. Reviewed health-related curricula or instructional materials	75.9	67.1 - 82.9	88	77.5	71.0 - 82.9	100	59.3	37.2 - 78.2	17	75.5	70.4 - 79.9	205
f. Assessed the availability of physical activity opportunities for students	74.9	67.0 - 81.5	88	86.8	80.0 - 91.6	99	52.6	35.4 - 69.2	17	79.2	74.4 - 83.4	204
g. Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	25.3	18.6 - 33.4	88	30.1	22.7 - 38.7	100	13.4	4.1 - 35.8	17	26.8	21.9 - 32.4	205

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
73.8	68.2 - 78.7	132	48.2	41.7 - 54.7	162	36.9	25.8 - 49.6	42	57.0	52.9 - 61.1	336

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	88.1	82.4 - 92.2	135	93.8	90.3 - 96.1	164	91.5	81.6 - 96.3	42	91.3	88.5 - 93.5	341
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	68.8	62.2 - 74.6	134	65.3	58.8 - 71.3	163	62.2	47.3 - 75.1	42	66.3	62.0 - 70.5	339

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
56.2	49.7 - 62.5	135	22.6	17.6 - 28.6	166	16.1	9.0 - 27.1	42	35.1	31.4 - 39.1	343

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
			N			N			N			N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	92.7	88.0 - 95.7	135	72.8	66.9 - 78.0	164	83.9	71.3 - 91.6	42	81.8	78.3 - 84.9	341
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	98.6	95.6 - 99.5	135	96.1	93.4 - 97.7	164	95.1	85.3 - 98.5	42	97.0	95.3 - 98.1	341
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	77.3	70.5 - 82.8	135	70.6	64.3 - 76.3	164	74.7	63.5 - 83.4	42	73.7	69.5 - 77.5	341
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	70.4	62.5 - 77.3	135	46.8	41.1 - 52.6	164	62.6	50.8 - 73.1	42	57.9	53.5 - 62.1	341
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	71.9	64.4 - 78.3	135	52.7	47.2 - 58.2	164	57.7	42.8 - 71.3	41	60.8	56.6 - 65.0	340

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
68.8	61.9 - 74.9	134	65.3	59.2 - 71.0	164	56.1	42.2 - 69.0	42	65.7	61.4 - 69.7	340

WISCONSIN

**2018 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
96.2	92.3 - 98.2	135	96.3	92.9 - 98.1	166	97.9	89.8 - 99.6	42	96.4	94.3 - 97.8	343

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
94.9	90.7 - 97.2	135	94.7	90.9 - 96.9	165	85.3	75.2 - 91.8	42	93.8	91.3 - 95.5	342

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Sixth grade	§	§	§	100.0	†	149	96.4	84.0 - 99.3	24	99.6	97.8 - 99.9	173
b. Seventh grade	§	§	§	100.0	†	164	97.6	89.0 - 99.5	37	99.6	98.1 - 99.9	201
c. Eighth grade	§	§	§	100.0	†	164	97.7	89.3 - 99.5	38	99.6	98.1 - 99.9	202
d. Ninth grade	91.4	86.2 - 94.8	129	-	-	1	92.2	81.4 - 97.0	41	91.6	87.3 - 94.6	171
e. Tenth grade	86.3	80.6 - 90.6	132	§	§	§	85.0	76.3 - 90.9	41	86.1	81.3 - 89.7	173
f. Eleventh grade	76.4	69.8 - 82.0	131	§	§	§	81.1	70.5 - 88.6	39	77.4	71.8 - 82.2	170
g. Twelfth grade	48.6	41.3 - 56.0	120	§	§	§	69.7	55.6 - 80.8	38	53.1	46.6 - 59.5	158

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
85.0	79.4 - 89.2	134	88.5	83.6 - 92.1	163	67.7	54.6 - 78.4	41	84.9	81.5 - 87.8	338

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Goals, objectives, and expected outcomes for physical education	93.3	88.7 - 96.1	135	96.8	93.4 - 98.4	164	81.6	68.8 - 89.9	40	93.8	91.3 - 95.7	339
b. A chart describing the annual scope and sequence of instruction for physical education	82.0	76.6 - 86.4	134	82.6	77.1 - 87.0	163	72.0	59.0 - 82.2	40	81.3	77.7 - 84.4	337
c. Plans for how to assess student performance in physical education	85.2	79.8 - 89.4	135	88.7	84.0 - 92.2	163	77.1	65.1 - 85.9	40	86.1	82.9 - 88.8	338
d. A written physical education curriculum	86.4	81.2 - 90.3	134	84.0	78.2 - 88.4	164	74.9	64.4 - 83.2	40	84.0	80.5 - 87.0	338
e. Resources for fitness testing	90.2	84.9 - 93.8	134	95.0	91.2 - 97.2	163	81.6	72.8 - 88.0	40	91.7	89.0 - 93.8	337
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	87.0	81.4 - 91.1	134	82.0	77.1 - 86.1	162	65.6	52.9 - 76.5	40	82.3	78.9 - 85.3	336

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
36.1	29.9 - 42.8	135	80.7	75.4 - 85.1	165	68.8	56.4 - 79.0	40	61.8	58.0 - 65.5	340

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
69.0	62.2 - 75.1	135	76.5	70.9 - 81.4	165	55.7	41.1 - 69.3	40	71.4	67.3 - 75.2	340

WISCONSIN

**2018 School Health Profiles Report
Weighted Principal Survey Results**

20. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.4	91.3 - 97.6	134	94.0	90.6 - 96.2	164	83.8	71.8 - 91.3	40	93.5	91.1 - 95.3	338

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Before the school day	74.9	68.0 - 80.7	132	50.0	43.9 - 56.2	163	61.2	49.4 - 71.8	40	61.0	56.7 - 65.0	335
b. After the school day	96.1	93.2 - 97.8	133	89.7	84.9 - 93.1	165	81.0	69.3 - 88.9	40	91.3	88.6 - 93.5	338

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity or sports facilities	69.5	62.5 - 75.7	134	70.6	64.6 - 76.0	165	60.5	45.6 - 73.7	40	69.1	64.8 - 73.1	339
b. Kitchen facilities and equipment	42.5	36.3 - 49.0	132	35.1	29.9 - 40.8	164	38.8	26.6 - 52.6	40	38.4	34.6 - 42.4	336

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	136	96.0	92.7 - 97.8	165	94.9	84.7 - 98.4	40	97.5	95.7 - 98.5	341

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

24. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Cigarettes	99.2	96.1 - 99.8	135	94.7	91.0 - 96.9	164	92.0	80.6 - 97.0	40	96.2	94.1 - 97.6	339
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	99.2	96.1 - 99.8	135	94.7	91.0 - 96.9	164	92.0	80.6 - 97.0	40	96.2	94.1 - 97.6	339
c. Cigars	97.1	93.5 - 98.7	135	93.5	89.4 - 96.0	164	89.8	78.0 - 95.6	40	94.5	92.1 - 96.2	339
d. Pipes	97.1	93.5 - 98.7	135	93.4	89.4 - 96.0	163	89.8	78.0 - 95.6	40	94.5	92.1 - 96.2	338
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	95.5	91.3 - 97.7	134	88.4	84.0 - 91.7	164	86.9	74.9 - 93.7	40	91.0	88.3 - 93.2	338

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

24. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	96.2	92.3 - 98.2	133	94.6	90.9 - 96.9	162	91.9	80.4 - 96.9	39	95.0	92.6 - 96.6	334
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	95.5	92.2 - 97.4	133	93.3	89.2 - 95.9	162	91.6	79.9 - 96.8	38	94.0	91.5 - 95.8	333
c. Cigars	94.7	90.4 - 97.2	132	92.7	88.5 - 95.5	162	89.3	77.1 - 95.3	38	93.2	90.4 - 95.1	332
d. Pipes	94.7	90.3 - 97.1	131	92.7	88.5 - 95.5	162	89.3	77.1 - 95.3	38	93.1	90.4 - 95.1	331
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	91.0	86.2 - 94.2	132	87.7	82.7 - 91.3	162	83.9	71.3 - 91.6	38	88.6	85.4 - 91.1	332

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

24. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	96.9	93.1 - 98.6	133	93.2	89.1 - 95.9	161	91.9	80.4 - 96.9	39	94.6	92.1 - 96.3	333
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	94.7	91.2 - 96.9	133	92.5	88.2 - 95.4	160	91.9	80.4 - 96.9	39	93.3	90.8 - 95.2	332
c. Cigars	94.6	90.2 - 97.1	131	92.0	87.5 - 94.9	161	89.6	77.8 - 95.5	39	92.8	90.0 - 94.8	331
d. Pipes	95.4	91.2 - 97.6	131	92.0	87.5 - 94.9	161	89.6	77.8 - 95.5	39	93.1	90.3 - 95.1	331
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	90.9	86.1 - 94.1	131	86.8	81.7 - 90.6	160	84.4	72.1 - 91.9	39	88.2	85.0 - 90.8	330

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	100.0	†	135	94.8	91.2 - 97.0	164	94.9	84.7 - 98.4	40	96.9	94.9 - 98.1	339
b. During non-school hours	97.8	96.2 - 98.7	134	90.5	86.2 - 93.6	163	88.0	78.9 - 93.5	39	93.2	90.9 - 94.9	336

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	97.8	94.5 - 99.1	134	94.1	90.2 - 96.5	163	94.9	84.7 - 98.4	40	95.7	93.4 - 97.2	337
b. During non-school hours	91.0	87.5 - 93.6	133	82.6	77.3 - 86.9	162	82.5	70.8 - 90.2	40	85.9	82.8 - 88.5	335

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	97.7	94.3 - 99.1	134	93.4	89.3 - 96.0	162	94.9	84.7 - 98.4	40	95.3	92.9 - 96.9	336
b. During non-school hours	91.7	88.4 - 94.1	132	81.1	76.2 - 85.2	161	82.5	70.8 - 90.2	40	85.4	82.5 - 88.0	333

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	100.0	†	135	96.0	92.6 - 97.8	164	94.9	84.7 - 98.4	40	97.5	95.7 - 98.5	339
b. Outside on school grounds, including parking lots and playing fields	100.0	†	135	95.3	91.7 - 97.4	164	92.7	82.1 - 97.2	40	96.9	95.0 - 98.1	339
c. On school buses or other vehicles used to transport students	100.0	†	135	95.3	91.7 - 97.4	164	94.9	84.7 - 98.4	40	97.1	95.2 - 98.3	339
d. At off-campus, school-sponsored events	98.5	95.5 - 99.5	135	90.4	85.7 - 93.6	164	94.8	84.3 - 98.4	39	94.1	91.5 - 95.9	338

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	98.5	95.5 - 99.5	135	95.9	92.6 - 97.8	163	94.9	84.7 - 98.4	40	96.9	94.9 - 98.1	338
b. Outside on school grounds, including parking lots and playing fields	97.8	94.5 - 99.1	134	95.3	91.7 - 97.3	163	92.7	82.1 - 97.2	40	96.0	93.8 - 97.4	337
c. On school buses or other vehicles used to transport students	97.8	94.5 - 99.1	135	95.9	92.6 - 97.8	163	92.7	82.1 - 97.2	40	96.3	94.3 - 97.7	338
d. At off-campus, school-sponsored events	91.3	86.8 - 94.4	135	88.0	83.2 - 91.6	163	89.8	78.5 - 95.5	40	89.5	86.5 - 91.9	338

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	99.3	96.3 - 99.9	134	95.2	91.6 - 97.3	162	94.9	84.7 - 98.4	40	96.8	94.8 - 98.0	336
b. Outside on school grounds, including parking lots and playing fields	97.8	94.4 - 99.1	135	94.5	90.6 - 96.8	160	92.7	82.1 - 97.2	40	95.6	93.4 - 97.1	335
c. On school buses or other vehicles used to transport students	97.1	93.5 - 98.7	135	94.5	90.6 - 96.8	160	92.7	82.1 - 97.2	40	95.3	93.0 - 96.9	335
d. At off-campus, school-sponsored events	79.2	72.8 - 84.5	135	74.5	68.1 - 80.0	162	86.9	74.6 - 93.8	40	77.7	73.6 - 81.3	337

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

26N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
70.3	63.1 - 76.7	128	61.6	55.2 - 67.6	158	68.0	55.0 - 78.7	38	65.7	61.2 - 69.9	324

*Responses to question 24 (a, b, c, and d), question 25 (a and b), and question 26 (a, b, c, and d) are all "yes."

N = Unweighted number of observations

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
77.5	70.6 - 83.1	134	73.0	67.2 - 78.1	163	75.2	65.1 - 83.0	40	75.0	71.0 - 78.6	337

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

28. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at celebrations when foods and beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Foods or beverages are not offered at school celebrations	2.2	0.9 - 5.6	134	2.4	1.1 - 5.4	164	0.0	†	40	2.1	1.1 - 3.8	338
b. Never	1.5	0.5 - 4.5	134	1.7	0.7 - 4.4	164	0.0	†	40	1.4	0.7 - 3.0	338
c. Rarely	9.5	6.5 - 13.8	134	12.5	9.2 - 16.8	164	5.1	1.6 - 15.1	40	10.6	8.4 - 13.3	338
d. Sometimes	54.6	47.5 - 61.5	134	63.3	57.2 - 69.1	164	64.7	52.3 - 75.5	40	60.0	55.7 - 64.2	338
e. Always or almost always	32.2	25.7 - 39.6	134	20.0	15.2 - 26.0	164	30.2	20.7 - 41.7	40	25.9	22.1 - 30.1	338

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that offer fruits or non-fried vegetables in vending machines or school stores, and almost always or always at celebrations when foods and beverages are offered.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
13.4	9.3 - 19.0	135	3.7	1.9 - 7.0	163	7.5	2.8 - 18.4	39	7.9	5.9 - 10.7	337

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
78.3	72.0 - 83.5	135	42.8	37.6 - 48.2	164	69.8	59.7 - 78.3	40	59.7	56.0 - 63.3	339

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Chocolate candy	14.7	10.4 - 20.3	135	6.8	4.1 - 10.9	163	10.2	4.4 - 21.7	40	10.3	7.9 - 13.3	338
b. Other kinds of candy	18.5	14.3 - 23.6	134	9.9	6.6 - 14.6	162	12.4	5.9 - 24.3	40	13.6	11.0 - 16.7	336
c. Salty snacks that are not low in fat (e.g., regular potato chips)	28.0	22.4 - 34.4	135	13.7	9.6 - 19.1	162	11.8	5.6 - 23.1	40	19.2	16.0 - 22.9	337
d. Low sodium or "no added salt" pretzels, crackers, or chips	60.5	53.6 - 67.0	135	31.6	26.2 - 37.5	163	45.2	32.2 - 58.9	40	44.5	40.4 - 48.7	338
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	28.7	23.3 - 34.7	135	14.0	10.1 - 19.1	163	15.3	7.6 - 28.5	40	20.0	16.8 - 23.6	338
f. Ice cream or frozen yogurt that is not low in fat	11.9	8.3 - 16.8	135	2.3	1.0 - 5.2	163	0.0	†	40	5.9	4.3 - 8.1	338
g. 2% or whole milk (plain or flavored)	30.4	24.4 - 37.0	135	9.1	6.1 - 13.4	162	10.2	4.4 - 22.1	40	17.7	14.7 - 21.2	337
h. Nonfat or 1% (low-fat) milk (plain)	54.8	47.3 - 62.0	135	19.4	14.9 - 24.9	162	21.1	13.5 - 31.4	40	33.7	29.9 - 37.8	337
i. Water ices or frozen slushes that do not contain juice	14.1	10.4 - 18.9	135	3.5	1.8 - 6.7	163	9.5	4.1 - 20.7	40	8.3	6.4 - 10.8	338
j. Soda pop or fruit drinks that are not 100% juice	25.3	19.5 - 32.1	134	8.1	5.1 - 12.5	162	13.1	6.1 - 25.9	40	15.4	12.5 - 19.0	336
k. Sports drinks (e.g., Gatorade)	59.8	52.6 - 66.5	135	19.9	15.7 - 24.9	163	48.7	36.5 - 61.1	40	38.7	35.0 - 42.6	338

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
l. Energy drinks (e.g., Red Bull, Monster)	10.5	6.8 - 15.9	133	1.8	0.7 - 4.6	163	7.3	2.8 - 17.9	40	5.8	4.0 - 8.3	336
m. Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	75.3	69.1 - 80.6	135	34.6	29.7 - 39.8	163	58.7	46.1 - 70.2	39	53.3	49.7 - 56.9	337
n. Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	60.5	53.2 - 67.4	135	25.7	21.5 - 30.4	163	50.1	38.2 - 61.9	40	42.1	38.3 - 45.9	338
o. 100% fruit or vegetable juice	55.5	48.6 - 62.3	135	23.6	18.7 - 29.2	163	44.3	33.4 - 55.9	40	38.5	34.6 - 42.5	338
p. Foods or beverages containing caffeine	35.5	29.0 - 42.7	135	5.4	3.2 - 9.2	162	29.0	19.5 - 40.9	40	19.9	16.8 - 23.4	337
q. Fruits (not fruit juice)	35.5	29.0 - 42.7	135	14.4	10.6 - 19.3	163	14.0	7.9 - 23.4	40	22.8	19.4 - 26.6	338
r. Non-fried vegetables (not vegetable juice)	22.1	17.2 - 27.9	135	12.6	8.8 - 17.7	163	10.4	5.3 - 19.4	39	16.2	13.3 - 19.5	337

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	15.2	11.1 - 20.6	133	12.2	8.7 - 16.8	159	7.0	2.7 - 17.0	38	12.9	10.3 - 16.0	330
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	51.9	45.1 - 58.6	134	44.1	38.3 - 50.1	159	41.3	28.3 - 55.7	38	47.0	42.7 - 51.2	331
c. Provided information to students or families on the nutrition and caloric content of foods available	59.1	51.0 - 66.8	134	61.0	54.4 - 67.2	158	31.6	22.2 - 42.8	38	57.3	52.6 - 61.9	330
d. Conducted taste tests to determine food preferences for nutritious items	36.8	30.0 - 44.2	133	40.6	34.7 - 46.8	159	23.7	14.3 - 36.5	38	37.4	33.2 - 41.8	330
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	26.5	21.4 - 32.5	133	23.1	17.8 - 29.5	160	17.0	9.8 - 27.6	38	23.9	20.3 - 27.8	331
f. Served locally or regionally grown foods in the cafeteria or classrooms	58.2	51.0 - 65.0	134	49.1	42.7 - 55.6	160	66.4	56.0 - 75.4	38	54.5	50.1 - 58.8	332
g. Planted a school food or vegetable garden	43.4	37.0 - 50.1	134	37.2	31.7 - 42.9	160	54.7	42.5 - 66.4	38	41.4	37.5 - 45.5	332
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	78.7	72.4 - 83.9	133	65.1	59.4 - 70.3	159	54.1	40.0 - 67.6	38	69.4	65.5 - 73.1	330

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
i. Used attractive displays for fruits and vegetables in the cafeteria	74.2	67.8 - 79.7	134	60.7	54.5 - 66.6	160	71.7	56.4 - 83.2	38	67.2	63.0 - 71.2	332
j. Offered a self-serve salad bar to students	71.9	65.3 - 77.6	132	55.3	49.2 - 61.2	160	69.4	56.5 - 79.8	38	63.3	59.2 - 67.3	330
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	40.8	33.8 - 48.2	133	39.1	32.7 - 46.0	159	29.7	18.8 - 43.6	38	38.8	34.4 - 43.5	330
l. Encouraged students to drink plain water	82.2	75.9 - 87.2	134	84.5	79.3 - 88.5	160	95.4	86.4 - 98.5	38	84.7	81.1 - 87.6	332
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	33.0	26.4 - 40.4	133	22.3	17.2 - 28.4	159	16.7	8.3 - 30.7	38	26.1	22.1 - 30.4	330
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	36.7	30.4 - 43.5	134	32.0	26.4 - 38.1	159	35.1	22.6 - 49.9	38	34.2	30.1 - 38.5	331

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In the school building	60.5	53.6 - 67.0	134	64.5	57.8 - 70.7	160	68.2	56.7 - 77.8	37	63.3	58.8 - 67.5	331
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	51.6	44.9 - 58.3	134	61.9	55.2 - 68.2	159	61.3	48.7 - 72.4	38	57.7	53.2 - 62.0	331
c. On school buses or other vehicles used to transport students	59.8	52.9 - 66.4	134	66.3	59.8 - 72.2	159	65.0	51.9 - 76.1	38	63.6	59.1 - 67.7	331
d. In school publications (e.g., newsletters, newspapers, web sites, other school publications)	54.5	47.9 - 60.9	134	66.0	59.2 - 72.2	160	61.9	49.0 - 73.4	38	60.9	56.5 - 65.2	332
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	59.8	53.2 - 66.1	134	64.6	57.7 - 71.0	160	67.0	54.0 - 77.8	37	62.9	58.4 - 67.2	331

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	88.7	83.6 - 92.4	135	80.2	75.5 - 84.2	161	82.5	68.8 - 90.9	40	83.9	80.6 - 86.6	336
b. Yes, in certain locations	9.1	5.9 - 13.7	135	17.3	13.6 - 21.7	161	17.5	9.1 - 31.2	40	14.0	11.5 - 17.0	336
c. No	2.2	0.9 - 5.5	135	2.5	1.1 - 5.6	161	0.0	†	40	2.1	1.2 - 3.9	336

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

33N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
97.8	94.5 - 99.1	135	97.5	94.4 - 98.9	161	100.0	†	40	97.9	96.1 - 98.8	336

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cafeteria during breakfast	96.1	93.2 - 97.7	130	93.9	89.8 - 96.4	145	85.9	72.2 - 93.5	35	94.0	91.6 - 95.8	310
b. Cafeteria during lunch	96.9	93.1 - 98.6	130	95.2	91.3 - 97.4	145	85.9	72.2 - 93.5	35	95.0	92.5 - 96.7	310
c. Gymnasium or other indoor physical activity facilities	97.8	94.5 - 99.1	133	92.9	88.7 - 95.7	160	95.2	86.1 - 98.5	37	95.1	92.7 - 96.8	330
d. Outdoor physical activity facilities or sports fields	76.8	69.8 - 82.5	129	56.6	49.6 - 63.3	146	68.8	58.7 - 77.3	33	66.1	61.6 - 70.4	308
e. Hallways throughout the school	99.3	96.5 - 99.9	135	100.0	†	161	100.0	†	36	99.7	98.6 - 99.9	332

*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
32.3	26.4 - 38.8	135	20.7	15.9 - 26.5	161	22.2	13.8 - 33.6	39	25.5	22.0 - 29.5	335

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
71.0	64.1 - 77.0	134	75.9	70.1 - 80.8	160	61.2	48.4 - 72.7	39	72.4	68.3 - 76.2	333

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
16.4	12.1 - 21.8	134	14.7	10.9 - 19.4	161	5.9	1.9 - 16.9	39	14.5	11.8 - 17.7	334

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	0.0	†	135	0.0	†	160	0.0	†	39	0.0	†	334
b. HIV treatment (ongoing medical care for persons living with HIV)	0.0	†	135	0.0	†	161	0.0	†	39	0.0	†	335
c. STD testing	0.0	†	135	0.0	†	161	0.0	†	39	0.0	†	335
d. STD treatment	0.0	†	135	0.0	†	161	0.0	†	39	0.0	†	335
e. Pregnancy testing	1.5	0.5 - 4.6	134	2.0	0.8 - 4.9	160	0.0	†	38	1.6	0.8 - 3.2	332
f. Provision of condoms	2.3	0.9 - 5.7	131	0.7	0.1 - 3.4	159	8.1	3.1 - 19.9	39	2.1	1.1 - 3.8	329
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.8	0.1 - 3.7	133	0.0	†	161	2.9	0.6 - 13.9	39	0.6	0.2 - 1.9	333
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.0	†	134	0.0	†	161	0.0	†	39	0.0	†	334
i. Prenatal care	3.2	1.4 - 7.0	129	2.1	0.8 - 5.2	159	5.3	1.6 - 16.0	38	2.8	1.6 - 4.8	326

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
j. Human papillomavirus (HPV) vaccine administration	3.0	1.3 - 6.7	135	0.0	†	161	2.3	0.4 - 10.9	39	1.4	0.7 - 3.0	335
k. Assessment for alcohol or other drug use, abuse, or dependency	21.5	16.7 - 27.2	135	9.1	5.9 - 13.7	161	17.2	9.7 - 28.6	39	14.9	12.2 - 18.1	335
l. Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	91.8	86.9 - 95.0	135	87.4	82.1 - 91.3	161	88.0	78.9 - 93.5	39	89.2	86.0 - 91.8	335
m. Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	82.2	76.3 - 86.9	135	75.3	69.4 - 80.4	161	72.1	61.4 - 80.7	39	77.7	73.9 - 81.1	335
n. Case management for students with chronic health conditions (e.g., asthma, diabetes)	80.8	74.7 - 85.7	134	80.3	74.4 - 85.1	161	68.7	53.9 - 80.4	39	79.3	75.3 - 82.8	334

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	51.6	44.4 - 58.8	113	18.7	14.0 - 24.7	149	47.4	32.5 - 62.7	34	34.1	30.0 - 38.5	296
b. HIV treatment (ongoing medical care for persons living with HIV)	51.9	44.6 - 59.1	134	23.7	18.5 - 29.9	160	49.2	34.6 - 64.0	39	37.6	33.4 - 42.1	333
c. nPEP (non-occupational post-exposure prophylaxis for HIV-- a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	50.3	43.2 - 57.4	134	21.0	16.0 - 27.0	160	43.3	30.5 - 57.1	39	35.0	31.0 - 39.4	333
d. STD testing	53.9	46.7 - 61.0	110	20.3	15.2 - 26.4	147	50.8	36.5 - 64.9	34	36.0	31.8 - 40.5	291
e. STD treatment	48.1	40.4 - 55.9	111	19.0	14.2 - 25.0	147	49.1	34.8 - 63.6	35	33.1	28.8 - 37.7	293
f. Pregnancy testing	55.9	48.8 - 62.8	108	20.1	15.1 - 26.3	148	54.8	39.6 - 69.2	33	36.9	32.7 - 41.3	289
g. Provision of condoms	41.8	34.5 - 49.4	116	13.6	9.8 - 18.6	152	43.0	30.1 - 56.8	35	27.3	23.6 - 31.4	303

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
h. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	39.7	32.6 - 47.3	117	12.4	8.8 - 17.1	152	38.7	25.8 - 53.4	36	25.5	21.9 - 29.6	305
i. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	41.8	34.5 - 49.5	116	13.6	9.8 - 18.6	152	44.4	30.9 - 58.8	34	27.4	23.6 - 31.6	302
j. Prenatal care	55.1	47.9 - 62.2	106	19.8	14.8 - 25.9	146	56.4	41.8 - 69.9	34	36.6	32.4 - 41.1	286
k. Human papillomavirus (HPV) vaccine administration	53.3	46.1 - 60.4	134	22.4	17.7 - 28.0	159	56.7	41.3 - 70.9	39	38.4	34.3 - 42.6	332
l. Alcohol or other drug abuse treatment	76.3	70.2 - 81.6	134	46.4	39.5 - 53.4	159	77.0	63.0 - 86.9	38	61.5	57.1 - 65.8	331

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
61.5	54.8 - 67.8	130	60.5	53.6 - 67.1	158	45.0	31.6 - 59.1	38	59.3	54.7 - 63.8	326

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	94.7	90.5 - 97.2	134	96.8	93.4 - 98.4	160	97.1	86.2 - 99.4	39	96.0	93.7 - 97.4	333
b. Food allergies	94.8	90.5 - 97.2	134	97.4	94.3 - 98.9	160	97.1	86.2 - 99.4	39	96.3	94.2 - 97.7	333
c. Diabetes	95.5	91.5 - 97.7	134	98.0	95.1 - 99.2	160	97.1	86.2 - 99.4	39	96.9	94.9 - 98.2	333
d. Epilepsy or seizure disorder	95.5	91.5 - 97.7	134	96.9	93.6 - 98.5	160	97.1	86.2 - 99.4	39	96.3	94.2 - 97.7	333
e. Obesity	36.7	30.4 - 43.5	133	28.2	22.6 - 34.6	158	28.5	18.3 - 41.6	38	31.7	27.7 - 36.0	329
f. Hypertension/high blood pressure	76.3	69.9 - 81.7	134	61.1	54.4 - 67.4	158	56.7	41.3 - 70.9	39	66.8	62.3 - 70.9	331
g. Oral health condition (e.g., abscess, tooth decay)	52.1	45.3 - 58.8	133	46.6	39.8 - 53.6	159	37.2	25.7 - 50.3	39	47.8	43.3 - 52.4	331

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Asthma	51.5	44.4 - 58.6	132	47.8	41.1 - 54.6	160	59.7	44.2 - 73.4	39	50.5	45.8 - 55.2	331
b. Food allergies	50.8	43.7 - 57.8	132	46.6	40.3 - 53.1	160	57.4	42.6 - 70.9	39	49.4	44.9 - 53.9	331
c. Diabetes	51.5	44.4 - 58.6	132	49.2	42.6 - 55.8	160	59.7	44.2 - 73.4	39	51.2	46.6 - 55.8	331
d. Epilepsy or seizure disorder	51.5	44.4 - 58.6	132	49.1	42.5 - 55.7	160	59.7	44.2 - 73.4	39	51.2	46.5 - 55.8	331
e. Obesity	34.4	27.6 - 41.9	131	36.1	30.2 - 42.3	159	42.4	30.4 - 55.3	39	36.1	31.8 - 40.5	329
f. Hypertension/high blood pressure	47.8	40.9 - 54.8	132	42.3	36.1 - 48.8	160	46.9	34.2 - 60.1	39	45.0	40.6 - 49.5	331
g. Oral health condition (e.g., abscess, tooth decay)	51.3	43.8 - 58.8	129	49.9	43.2 - 56.6	160	55.7	41.4 - 69.1	38	51.0	46.3 - 55.8	327

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not provide any sexual or reproductive health services	77.4	70.4 - 83.2	121	85.8	79.9 - 90.1	153	82.0	70.8 - 89.5	37	82.1	78.1 - 85.5	311
b. Parental consent is required before any sexual or reproductive health services are provided	9.9	6.1 - 15.6	121	8.7	5.5 - 13.5	153	7.8	3.0 - 18.9	37	9.1	6.7 - 12.3	311
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	2.5	1.0 - 6.2	121	0.0	†	153	5.4	1.7 - 16.4	37	1.5	0.7 - 3.1	311
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	5.1	2.6 - 9.6	121	2.0	0.8 - 5.2	153	0.0	†	37	3.0	1.7 - 5.1	311
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	3.4	1.5 - 7.5	121	2.0	0.8 - 5.2	153	2.4	0.5 - 11.4	37	2.6	1.5 - 4.6	311
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	1.7	0.5 - 5.3	121	1.4	0.5 - 4.4	153	2.4	0.5 - 11.0	37	1.6	0.8 - 3.4	311

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not refer any sexual or reproductive health services	39.8	32.8 - 47.3	102	67.4	60.0 - 74.1	144	38.3	25.1 - 53.6	31	54.5	49.5 - 59.4	277
b. Parental consent is required before any sexual or reproductive health services are referred	19.6	14.0 - 26.7	102	15.5	10.8 - 21.7	144	18.8	9.6 - 33.3	31	17.3	13.7 - 21.5	277
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about referrals provided only upon request	6.0	3.0 - 11.4	102	3.5	1.7 - 7.1	144	3.7	0.7 - 16.7	31	4.4	2.7 - 7.0	277
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the referral provided	23.7	17.7 - 31.0	102	5.0	3.0 - 8.3	144	30.7	18.8 - 45.8	31	14.4	11.5 - 17.8	277
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all referrals provided	4.9	2.3 - 9.8	102	4.1	2.1 - 8.0	144	2.8	0.5 - 13.5	31	4.3	2.7 - 6.8	277
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any referrals provided	6.0	3.1 - 11.4	102	4.5	2.6 - 7.5	144	5.7	1.7 - 17.1	31	5.2	3.5 - 7.6	277

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	27.7	21.3 - 35.3	130	33.8	27.9 - 40.4	160	19.5	10.8 - 32.6	39	29.9	25.8 - 34.5	329
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	47.7	40.9 - 54.6	132	61.9	55.5 - 67.9	161	32.2	21.0 - 45.9	39	53.2	48.9 - 57.5	332
c. Involved parents as school volunteers in the delivery of health education activities and services	17.4	13.0 - 23.0	133	19.6	14.9 - 25.3	160	23.8	15.0 - 35.7	39	19.2	16.0 - 22.9	332
d. Linked parents and families to health services and programs in the community	77.4	72.2 - 81.8	132	75.5	69.3 - 80.8	161	64.9	51.6 - 76.2	39	75.2	71.3 - 78.7	332
e. Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	42.2	35.4 - 49.3	131	48.3	42.7 - 53.9	158	30.6	21.3 - 41.9	39	44.0	40.0 - 48.1	328

WISCONSIN

**2018 School Health Profiles Report
Weighted Principal Survey Results**

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
86.6	81.8 - 90.3	134	81.7	76.4 - 86.1	162	68.4	53.3 - 80.5	38	82.4	78.9 - 85.4	334

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
39.6	33.5 - 46.1	134	39.0	33.5 - 44.7	162	21.8	12.4 - 35.3	39	37.5	33.6 - 41.5	335

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
89.0	84.3 - 92.4	134	67.6	61.4 - 73.2	161	79.8	65.9 - 89.0	39	77.4	73.6 - 80.7	334

W I S C O N S I N

**2018 School Health Profiles Report
Weighted Principal Survey Results**

49. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
88.5	82.8 - 92.5	134	68.9	62.5 - 74.7	161	85.7	73.6 - 92.8	39	78.5	74.5 - 82.0	334

WISCONSIN

2018 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
36.6	30.3 - 43.4	131	32.2	26.5 - 38.5	160	30.6	20.6 - 42.9	39	33.8	29.8 - 38.1	330