

WISCONSIN

2022 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical education and physical activity	47.5	40.0 - 55.1	118	45.0	39.3 - 50.9	157	54.9	41.2 - 67.9	37	47.1	42.7 - 51.5	312
b. Nutrition	50.2	42.5 - 57.9	118	42.0	36.7 - 47.5	157	60.2	47.7 - 71.4	37	47.3	43.0 - 51.6	312
c. Tobacco-use prevention	55.3	47.7 - 62.6	118	46.9	41.0 - 52.8	157	54.4	42.2 - 66.1	37	51.0	46.6 - 55.3	312
d. Alcohol- and other drug-use prevention	54.8	47.3 - 62.0	119	46.2	40.2 - 52.3	157	54.4	42.2 - 66.1	37	50.5	46.1 - 54.8	313
e. Chronic health conditions (e.g., asthma, food allergies)	36.7	29.7 - 44.3	118	38.1	32.4 - 44.1	156	41.6	27.4 - 57.4	37	37.9	33.6 - 42.5	311
f. Unintentional injury and violence prevention (safety)	42.2	34.8 - 49.9	119	38.7	32.7 - 45.2	156	52.0	39.4 - 64.4	37	41.6	37.1 - 46.2	312
g. Sexual health, including HIV, other STD, and pregnancy prevention	50.1	42.6 - 57.6	118	41.0	34.9 - 47.4	156	57.3	45.8 - 68.1	35	46.3	41.9 - 50.8	309

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

2. Percentage of schools that did the following activities during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Reviewed district’s local wellness policy	81.1	75.0 - 86.0	120	86.2	80.8 - 90.3	159	87.2	74.4 - 94.1	37	84.3	80.7 - 87.4	316
b. Helped revise district’s local wellness policy	58.0	50.5 - 65.1	119	54.8	48.2 - 61.3	158	68.3	55.3 - 79.0	37	57.6	52.9 - 62.1	314
c. Communicated to school staff about district’s local wellness policy	76.3	69.7 - 81.8	120	77.3	71.0 - 82.5	159	90.2	78.6 - 95.8	37	78.3	74.3 - 81.9	316
d. Communicated to parents and families about district’s local wellness policy	63.1	55.4 - 70.2	117	62.7	55.7 - 69.2	154	63.8	49.1 - 76.3	37	63.0	58.2 - 67.6	308
e. Communicated to students about district’s local wellness policy	59.8	52.2 - 67.0	117	59.6	52.4 - 66.5	154	71.3	55.5 - 83.2	37	61.1	56.1 - 65.8	308
f. Measured school’s compliance with district’s local wellness policy	62.9	56.4 - 69.0	119	52.9	46.4 - 59.4	157	70.4	59.4 - 79.5	37	58.8	54.5 - 63.0	313
g. Developed an action plan that describes steps to meet requirements of district’s local wellness policy	55.1	47.9 - 62.2	119	50.8	44.0 - 57.5	155	68.7	57.7 - 78.0	37	54.5	50.0 - 59.0	311

WISCONSIN

2022 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
84.7	78.8 - 89.2	121	85.3	79.7 - 89.6	162	89.0	76.4 - 95.3	37	85.5	81.8 - 88.5	320

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

4. Percentage of schools that have one or more than one group (e.g., school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
59.7	52.6 - 66.4	119	52.9	45.8 - 59.9	161	52.2	39.0 - 65.1	37	55.4	50.7 - 60.1	317

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

5. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Identified student health needs based on a review of relevant data	81.1	73.0 - 87.2	71	76.6	67.8 - 83.7	85	75.4	59.5 - 86.5	20	78.4	72.9 - 83.0	176
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	78.4	69.4 - 85.3	71	72.7	64.2 - 79.8	85	79.0	57.6 - 91.3	20	75.7	70.0 - 80.7	176
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	72.6	62.0 - 81.2	69	63.2	53.6 - 71.8	82	70.0	50.6 - 84.2	20	67.8	61.3 - 73.7	171
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	80.2	71.6 - 86.7	68	78.2	69.5 - 84.9	83	79.9	60.2 - 91.3	20	79.2	73.6 - 83.9	171
e. Reviewed health-related curricula or instructional materials	88.7	81.9 - 93.1	68	82.2	74.8 - 87.7	83	65.7	47.8 - 80.0	20	83.0	78.3 - 86.9	171

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.
N = Unweighted number of observations

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that use the following types of security staff during the regular school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Security guards (private or school employees/contractors)	21.1	16.7 - 26.2	118	10.8	7.4 - 15.5	159	20.5	12.4 - 31.9	35	15.8	13.1 - 19.0	312
b. School resource officers (SROs)	56.9	49.0 - 64.3	119	49.8	44.7 - 54.8	161	50.9	36.0 - 65.6	37	52.6	48.3 - 56.9	317
c. Police officers other than SROs (i.e., county or local law enforcement)	29.8	23.2 - 37.4	119	23.0	18.0 - 28.9	159	24.1	17.1 - 32.9	35	25.8	22.0 - 30.0	313

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

7. Percentage of schools that have taken any of the following actions related to before- or after-school programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Included before- or after-school settings as part of the School Improvement Plan	38.4	31.3 - 46.0	118	41.6	34.7 - 48.9	158	43.1	29.8 - 57.5	37	40.5	35.8 - 45.5	313
b. Encouraged before- or after-school program staff or leaders to participate in school health council, committee, or team meetings	42.8	35.9 - 50.1	118	28.4	22.4 - 35.2	156	36.0	23.6 - 50.6	37	34.9	30.5 - 39.5	311
c. Partnered with community-based organizations (e.g., Boys & Girls Clubs, YMCA, 4H Clubs) to provide students with before- or after-school programming	34.9	28.3 - 42.0	118	33.3	27.4 - 39.9	157	39.9	28.1 - 53.0	37	34.7	30.5 - 39.2	312

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
64.2	57.1 - 70.7	115	46.8	40.8 - 52.9	159	47.0	36.0 - 58.3	37	53.4	49.1 - 57.6	311

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

9. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	95.9	91.5 - 98.0	118	86.1	80.9 - 90.0	158	94.2	82.7 - 98.2	37	90.8	87.8 - 93.1	313
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	100.0	†	120	98.2	95.3 - 99.3	163	97.2	86.5 - 99.5	37	98.8	97.2 - 99.5	320
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	88.5	82.9 - 92.4	118	79.4	73.9 - 83.9	159	94.8	84.3 - 98.4	37	84.6	81.2 - 87.5	314
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	62.4	55.2 - 69.0	118	48.1	42.1 - 54.1	157	44.1	32.5 - 56.4	37	53.2	48.9 - 57.4	312
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	75.7	69.3 - 81.1	118	64.4	57.3 - 70.8	157	63.2	51.5 - 73.5	37	68.6	64.2 - 72.7	312

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

10. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
76.6	69.7 - 82.3	119	68.7	62.5 - 74.3	163	65.1	57.4 - 72.1	37	71.3	67.3 - 75.1	319

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

11. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
93.2	88.2 - 96.2	118	91.5	86.9 - 94.6	160	100.0	†	37	93.1	90.3 - 95.2	315

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

12. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
97.5	93.7 - 99.0	120	95.3	91.7 - 97.4	161	88.8	75.9 - 95.3	37	95.4	93.1 - 97.0	318

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools that have written protocols for the following suicide prevention practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Assessing student suicide risk	91.2	86.4 - 94.5	119	90.7	86.4 - 93.8	159	84.3	73.3 - 91.4	37	90.2	87.3 - 92.5	315
b. Notifying parents when a student is at risk for suicide	90.4	85.4 - 93.9	119	91.0	87.1 - 93.7	159	84.3	73.3 - 91.4	37	90.0	87.2 - 92.3	315
c. Referring students at risk for suicide to mental health services	91.8	87.2 - 94.9	118	90.2	85.7 - 93.4	159	89.5	77.4 - 95.5	37	90.8	87.8 - 93.0	314
d. Responding to a suicide attempt at school	92.7	88.3 - 95.5	119	85.9	80.6 - 89.8	159	82.6	71.3 - 90.1	37	88.1	85.0 - 90.7	315
e. Supporting students returning to school after a suicide attempt	87.9	82.9 - 91.6	119	79.2	73.5 - 83.9	158	82.2	70.4 - 89.9	37	82.9	79.4 - 85.9	314
f. Responding to the death of a student or staff member from suicide	95.1	90.5 - 97.5	119	84.9	79.9 - 88.9	159	85.0	72.0 - 92.6	37	88.9	85.7 - 91.4	315

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Grade 6	§	§	§	99.2	96.2 - 99.9	140	-	-	18	98.1	95.2 - 99.3	158
b. Grade 7	§	§	§	99.3	96.7 - 99.9	160	96.6	84.0 - 99.4	33	98.9	96.5 - 99.7	193
c. Grade 8	§	§	§	99.3	96.7 - 99.9	158	93.9	81.8 - 98.2	33	98.4	96.0 - 99.4	191
d. Grade 9	90.8	85.3 - 94.4	118	-	-	1	91.5	79.0 - 96.8	36	91.0	86.3 - 94.2	155
e. Grade 10	85.4	80.0 - 89.6	120	§	§	§	81.7	70.2 - 89.5	36	84.6	79.8 - 88.4	156
f. Grade 11	75.3	67.7 - 81.7	119	§	§	§	73.2	62.6 - 81.6	35	74.9	68.5 - 80.3	154
g. Grade 12	48.1	40.4 - 55.9	111	§	§	§	61.7	47.3 - 74.2	35	51.2	44.4 - 57.9	146

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

15. Percentage of schools in which any physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
70.7	63.7 - 76.7	119	73.3	67.2 - 78.5	162	58.8	45.0 - 71.4	37	70.6	66.4 - 74.6	318

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

16. Percentage of schools that engage in the following physical education practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
			N			N			N			N
a. Provide physical education teachers with a written physical education curriculum that aligns with national standards for physical education	81.6	74.8 - 86.9	119	86.7	81.2 - 90.7	160	74.5	63.4 - 83.1	36	83.4	79.6 - 86.6	315
b. Require physical education teachers to follow a written physical education curriculum	73.3	66.3 - 79.3	119	81.8	76.4 - 86.1	161	68.7	56.1 - 79.0	36	77.1	73.1 - 80.6	316
c. Allow the use of waivers, exemptions, or substitutions for physical education requirements for one grading period or longer	63.9	56.8 - 70.5	119	48.2	41.7 - 54.7	158	63.6	48.7 - 76.2	36	56.0	51.5 - 60.5	313
d. Allow teachers to exclude students from physical education to punish them for inappropriate behavior or failure to complete class work in another class	8.1	4.5 - 13.9	118	7.6	4.7 - 12.2	159	6.1	1.8 - 18.5	36	7.6	5.4 - 10.7	313
e. Require physical education teachers to be certified, licensed, or endorsed by the state in physical education	93.5	88.0 - 96.6	119	99.4	96.7 - 99.9	161	85.2	75.3 - 91.5	37	95.5	93.2 - 97.1	317
f. Limit physical education class sizes so that they are the same size as other subject areas	61.9	54.5 - 68.8	119	62.3	56.2 - 68.1	158	60.5	44.0 - 74.9	36	61.9	57.4 - 66.3	313
g. Have a dedicated budget for physical education materials and equipment	88.3	82.3 - 92.4	119	96.8	94.5 - 98.2	159	80.1	67.6 - 88.6	36	91.6	88.9 - 93.8	314
h. Provide adapted physical education (i.e., special courses separate from regular PE courses) for students with disabilities as appropriate	85.2	78.7 - 90.0	119	89.0	84.4 - 92.4	159	86.4	72.8 - 93.8	37	87.3	83.8 - 90.1	315
i. Include students with disabilities in regular physical education courses as appropriate	97.6	92.5 - 99.3	118	100.0	†	159	97.1	85.9 - 99.5	37	98.8	96.8 - 99.5	314

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

17. Percentage of schools in which students participate in physical activity in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
51.4	43.2 - 59.6	119	75.1	69.0 - 80.3	160	85.0	71.9 - 92.6	36	67.0	62.4 - 71.3	315

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

18. Percentage of schools that offer opportunities for all students to be physically active during the school day, such as recess, lunchtime intramural activities, or physical activity clubs.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
76.0	69.1 - 81.8	120	96.4	93.0 - 98.2	162	91.6	79.4 - 96.9	37	88.0	84.8 - 90.6	319

*Not including physical education and classroom physical activity.
N = Unweighted number of observations

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

19. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
93.0	90.1 - 95.0	119	93.7	89.5 - 96.3	162	86.1	80.8 - 90.1	37	92.6	90.4 - 94.3	318

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

20. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Before the school day	78.3	71.7 - 83.7	117	53.4	47.1 - 59.6	156	57.6	43.8 - 70.4	35	63.6	59.3 - 67.6	308
b. After the school day	95.2	91.1 - 97.5	117	90.2	85.6 - 93.4	157	87.4	73.6 - 94.5	35	91.8	88.9 - 94.0	309

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

21. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical activity or sports facilities	69.6	62.0 - 76.2	116	72.3	65.8 - 78.0	157	51.6	37.6 - 65.5	37	68.9	64.3 - 73.1	310
b. Kitchen facilities and equipment	30.8	23.8 - 38.8	116	31.2	25.3 - 37.8	156	32.0	22.1 - 43.8	34	31.2	26.9 - 35.8	306
c. Gardens (e.g., herb or vegetable plots)	20.1	14.3 - 27.7	116	16.2	11.6 - 22.1	155	20.0	11.3 - 33.0	34	18.1	14.6 - 22.3	305

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

22. Percentage of schools that have a written plan for providing opportunities for students to be physically active before, during, and after school.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
16.0	10.9 - 22.8	117	21.2	16.3 - 27.2	158	32.4	21.7 - 45.2	36	20.4	16.9 - 24.5	311

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

23. Percentage of schools that have assessed opportunities available to students to be physically active before, during, or after school.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
51.4	44.1 - 58.7	117	49.1	43.4 - 54.9	157	55.8	42.3 - 68.5	37	50.8	46.4 - 55.1	311

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

24. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	120	96.9	93.6 - 98.6	161	90.1	76.0 - 96.3	37	97.4	95.3 - 98.5	318

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

25A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	98.3	94.6 - 99.5	120	94.6	90.7 - 96.9	161	90.1	76.0 - 96.3	37	95.5	93.0 - 97.1	318
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	98.4	94.8 - 99.5	120	93.9	89.9 - 96.4	161	87.7	73.6 - 94.8	37	94.9	92.4 - 96.7	318
c. Cigars	98.3	94.5 - 99.5	119	91.4	86.8 - 94.5	161	87.7	73.6 - 94.8	37	93.6	90.8 - 95.6	317
d. Pipes	98.3	94.6 - 99.5	120	91.4	86.8 - 94.5	161	85.4	71.0 - 93.3	37	93.4	90.6 - 95.4	318
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	99.1	95.6 - 99.8	120	95.2	91.4 - 97.3	161	90.1	76.0 - 96.3	37	96.1	93.8 - 97.6	318

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

25B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	98.3	94.5 - 99.5	119	93.9	89.8 - 96.4	161	89.8	75.5 - 96.2	36	95.1	92.6 - 96.8	316
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	98.3	94.8 - 99.5	119	93.2	89.0 - 95.9	161	87.4	73.0 - 94.7	36	94.6	91.9 - 96.4	316
c. Cigars	98.3	94.5 - 99.5	119	91.4	86.7 - 94.5	161	87.4	73.0 - 94.7	36	93.6	90.8 - 95.6	316
d. Pipes	98.2	94.5 - 99.5	118	91.4	86.7 - 94.5	161	87.4	73.0 - 94.7	36	93.6	90.8 - 95.6	315
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	99.1	95.6 - 99.8	119	93.9	89.9 - 96.4	161	89.8	75.5 - 96.2	36	95.5	93.0 - 97.1	316

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

25C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	98.3	94.5 - 99.5	119	93.2	88.8 - 95.9	160	89.8	75.5 - 96.2	36	94.8	92.1 - 96.5	315
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	98.3	94.8 - 99.5	118	91.8	87.2 - 94.9	160	87.4	73.0 - 94.7	36	93.9	91.1 - 95.8	314
c. Cigars	98.2	94.4 - 99.4	117	90.0	85.0 - 93.4	160	87.4	73.0 - 94.7	36	92.9	89.9 - 95.0	313
d. Pipes	98.3	94.5 - 99.5	119	90.6	85.8 - 93.9	160	87.4	73.0 - 94.7	36	93.2	90.3 - 95.3	315
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	98.3	94.8 - 99.5	119	93.8	89.6 - 96.3	160	89.8	75.5 - 96.2	36	95.1	92.5 - 96.8	315

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

26A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	98.4	94.8 - 99.5	120	95.8	92.3 - 97.8	161	87.7	73.6 - 94.8	37	95.9	93.5 - 97.4	318
b. During non-school hours	91.7	85.7 - 95.3	119	87.3	82.6 - 90.9	160	81.7	69.9 - 89.6	37	88.4	85.1 - 91.0	316

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

26B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	98.4	94.8 - 99.5	120	93.8	89.7 - 96.4	160	87.7	73.6 - 94.8	37	94.9	92.3 - 96.6	317
b. During non-school hours	87.4	81.1 - 91.8	118	82.8	77.5 - 87.1	160	70.7	58.7 - 80.3	37	83.2	79.5 - 86.3	315

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

26C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	98.4	94.8 - 99.5	120	93.3	89.1 - 96.0	160	87.7	73.6 - 94.8	37	94.6	92.0 - 96.4	317
b. During non-school hours	86.6	80.1 - 91.2	118	83.3	77.7 - 87.7	159	67.9	55.0 - 78.4	37	82.8	79.0 - 86.0	314

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

27A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. In school buildings	100.0	†	120	95.1	91.3 - 97.3	161	90.1	76.0 - 96.3	37	96.4	94.2 - 97.9	318
b. Outside on school grounds, including parking lots and playing fields	100.0	†	120	95.1	91.3 - 97.3	161	90.1	76.0 - 96.3	37	96.4	94.2 - 97.9	318
c. On school buses or other vehicles used to transport students	100.0	†	120	94.5	90.5 - 96.8	161	85.4	71.0 - 93.3	37	95.6	93.2 - 97.2	318
d. At off-campus, school-sponsored events	94.7	89.8 - 97.3	119	92.6	88.2 - 95.5	160	80.0	64.7 - 89.8	37	92.0	88.9 - 94.3	316

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

27B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	100.0	†	120	95.1	91.3 - 97.3	161	87.4	73.0 - 94.7	36	96.2	93.9 - 97.6	317
b. Outside on school grounds, including parking lots and playing fields	100.0	†	120	93.4	89.2 - 96.0	161	87.4	73.0 - 94.7	36	95.3	92.8 - 96.9	317
c. On school buses or other vehicles used to transport students	100.0	†	120	94.5	90.5 - 96.8	161	87.4	73.0 - 94.7	36	95.8	93.5 - 97.4	317
d. At off-campus, school-sponsored events	92.3	86.8 - 95.6	120	89.7	84.7 - 93.2	159	79.6	63.9 - 89.5	36	89.6	86.2 - 92.2	315

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

27C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. In school buildings	100.0	†	120	95.1	91.3 - 97.3	161	87.4	73.0 - 94.7	36	96.2	93.9 - 97.6	317
b. Outside on school grounds, including parking lots and playing fields	100.0	†	120	92.8	88.5 - 95.6	161	87.4	73.0 - 94.7	36	95.0	92.5 - 96.7	317
c. On school buses or other vehicles used to transport students	100.0	†	120	94.5	90.5 - 96.8	161	87.4	73.0 - 94.7	36	95.8	93.5 - 97.4	317
d. At off-campus, school-sponsored events	85.1	78.7 - 89.8	120	79.6	73.8 - 84.4	157	66.1	48.7 - 80.0	36	80.2	76.1 - 83.8	313

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

27N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
71.9	64.4 - 78.3	113	65.3	58.5 - 71.5	155	47.5	33.8 - 61.7	37	65.7	61.1 - 70.1	305

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

TOBVAP. Percentage of schools that follow a policy that mandates a "tobacco-free environment" including prohibiting electronic vapor products (EVPs). A "tobacco-free environment" is one that prohibits tobacco and EVP use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
71.9	64.4 - 78.3	113	65.3	58.5 - 71.5	155	47.5	33.8 - 61.7	37	65.7	61.1 - 70.1	305

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

28_1. (Never) Percentage of schools that never take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Issue a warning to the student	27.1	20.4 - 35.0	115	25.0	19.8 - 31.0	152	32.9	20.9 - 47.5	35	26.7	22.6 - 31.2	302
b. Confiscate product	0.0	†	116	0.0	†	154	3.3	0.7 - 15.0	36	0.4	0.1 - 1.9	306
c. Notify parents or guardians	0.0	†	115	0.0	†	154	3.3	0.7 - 15.0	36	0.4	0.1 - 1.9	305
d. Develop a behavior contract with the student	7.8	4.8 - 12.5	116	4.4	2.3 - 8.1	150	17.5	8.8 - 31.8	36	7.2	5.2 - 10.0	302
e. Refer to a school counselor	4.3	2.0 - 8.8	116	1.3	0.4 - 4.0	152	15.7	7.4 - 30.3	34	4.0	2.5 - 6.4	302
f. Refer to a school administrator	0.0	†	116	0.0	†	154	3.3	0.7 - 15.0	36	0.4	0.1 - 1.9	306
g. Refer to an assistance, education, or cessation program	12.2	7.7 - 18.6	116	9.5	6.3 - 14.1	151	3.4	0.6 - 16.3	33	9.9	7.4 - 13.2	300
h. Refer to legal authorities (e.g., school resource officer)	5.0	2.3 - 10.3	116	8.3	5.4 - 12.7	152	6.1	1.8 - 18.6	33	6.8	4.7 - 9.7	301
i. Issue an in-school suspension (half day or full day)	14.6	10.0 - 20.8	116	14.1	10.4 - 18.8	153	17.0	9.0 - 29.8	35	14.6	11.7 - 18.1	304
j. Issue an after-school or weekend detention	63.7	56.3 - 70.4	116	66.0	59.7 - 71.8	150	66.7	54.5 - 76.9	33	65.1	60.7 - 69.3	299
k. Issue an out-of-school suspension	16.9	11.9 - 23.5	115	13.2	9.3 - 18.5	152	6.5	2.0 - 19.4	33	14.0	11.0 - 17.6	300
l. Expel from school	62.6	54.3 - 70.2	116	68.4	62.4 - 73.9	152	60.6	43.9 - 75.1	34	65.3	60.5 - 69.7	302

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

28_2. (Rarely) Percentage of schools that rarely take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Issue a warning to the student	8.5	5.1 - 14.1	115	9.8	6.5 - 14.4	152	5.0	1.5 - 15.1	35	8.8	6.4 - 11.8	302
b. Confiscate product	0.0	†	116	0.0	†	154	0.0	†	36	0.0	†	306
c. Notify parents or guardians	0.0	†	115	0.0	†	154	0.0	†	36	0.0	†	305
d. Develop a behavior contract with the student	21.5	15.5 - 29.0	116	17.8	12.9 - 24.1	150	10.2	5.4 - 18.3	36	18.4	14.8 - 22.6	302
e. Refer to a school counselor	14.3	10.0 - 20.1	116	9.9	6.6 - 14.4	152	12.1	5.2 - 25.5	34	11.9	9.2 - 15.1	302
f. Refer to a school administrator	1.8	0.6 - 5.6	116	0.0	†	154	0.0	†	36	0.7	0.2 - 2.2	306
g. Refer to an assistance, education, or cessation program	22.8	17.0 - 29.8	116	27.6	22.0 - 33.9	151	15.3	10.5 - 21.8	33	24.4	20.6 - 28.6	300
h. Refer to legal authorities (e.g., school resource officer)	6.8	3.8 - 12.0	116	8.4	5.3 - 13.1	152	9.2	3.4 - 22.4	33	7.9	5.6 - 10.9	301
i. Issue an in-school suspension (half day or full day)	16.9	11.6 - 23.8	116	11.3	7.8 - 16.3	153	14.0	6.5 - 27.8	35	13.8	10.8 - 17.5	304
j. Issue an after-school or weekend detention	17.3	12.2 - 23.8	116	16.6	11.9 - 22.6	150	16.1	7.4 - 31.5	33	16.8	13.4 - 20.8	299
k. Issue an out-of-school suspension	20.6	14.8 - 27.9	115	19.4	14.6 - 25.5	152	16.7	7.9 - 31.9	33	19.6	16.0 - 23.9	300
l. Expel from school	27.2	20.8 - 34.7	116	23.4	18.6 - 28.9	152	30.4	17.3 - 47.7	34	25.6	21.7 - 30.0	302

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

28_3. (Sometimes) Percentage of schools that sometimes take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Issue a warning to the student	19.0	13.4 - 26.2	115	8.9	5.6 - 13.9	152	9.0	3.4 - 22.1	35	12.9	9.9 - 16.6	302
b. Confiscate product	2.4	0.9 - 6.0	116	0.0	†	154	0.0	†	36	0.9	0.4 - 2.4	306
c. Notify parents or guardians	2.5	1.0 - 6.4	115	0.7	0.1 - 3.7	154	0.0	†	36	1.3	0.6 - 3.0	305
d. Develop a behavior contract with the student	52.3	43.9 - 60.5	116	46.2	39.4 - 53.2	150	49.4	35.2 - 63.6	36	49.0	44.0 - 54.0	302
e. Refer to a school counselor	52.6	45.4 - 59.7	116	49.5	42.4 - 56.7	152	42.9	29.5 - 57.3	34	50.0	45.2 - 54.8	302
f. Refer to a school administrator	7.6	4.4 - 13.0	116	1.3	0.4 - 4.0	154	5.3	1.6 - 16.2	36	4.2	2.7 - 6.6	306
g. Refer to an assistance, education, or cessation program	45.5	38.1 - 53.1	116	38.0	31.6 - 44.8	151	52.0	39.2 - 64.6	33	42.4	37.8 - 47.1	300
h. Refer to legal authorities (e.g., school resource officer)	44.4	36.9 - 52.1	116	37.7	31.5 - 44.3	152	37.0	26.0 - 49.6	33	40.3	35.8 - 44.9	301
i. Issue an in-school suspension (half day or full day)	36.4	29.3 - 44.1	116	39.3	33.1 - 46.0	153	39.5	28.6 - 51.7	35	38.2	33.8 - 42.8	304
j. Issue an after-school or weekend detention	14.7	10.1 - 20.9	116	14.8	11.1 - 19.6	150	11.9	5.0 - 25.6	33	14.5	11.6 - 17.9	299
k. Issue an out-of-school suspension	37.2	30.8 - 44.2	115	41.0	34.5 - 47.9	152	50.5	34.8 - 66.1	33	40.5	36.0 - 45.2	300
l. Expel from school	9.4	5.7 - 15.3	116	7.5	4.7 - 12.0	152	9.0	3.4 - 22.2	34	8.5	6.1 - 11.6	302

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

28_4. (Always or almost always) Percentage of schools that always or almost always take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Issue a warning to the student	45.4	37.6 - 53.3	115	56.3	49.7 - 62.7	152	53.1	38.3 - 67.5	35	51.7	46.9 - 56.4	302
b. Confiscate product	97.6	94.0 - 99.1	116	100.0	†	154	96.7	85.0 - 99.3	36	98.7	97.1 - 99.4	306
c. Notify parents or guardians	97.5	93.6 - 99.0	115	99.3	96.3 - 99.9	154	96.7	85.0 - 99.3	36	98.3	96.5 - 99.2	305
d. Develop a behavior contract with the student	18.4	12.8 - 25.9	116	31.5	25.8 - 37.9	150	22.9	12.2 - 39.0	36	25.4	21.4 - 29.8	302
e. Refer to a school counselor	28.8	22.1 - 36.6	116	39.3	32.6 - 46.5	152	29.3	18.7 - 42.8	34	34.1	29.6 - 39.0	302
f. Refer to a school administrator	90.6	84.8 - 94.3	116	98.7	96.0 - 99.6	154	91.4	79.5 - 96.7	36	94.7	92.1 - 96.5	306
g. Refer to an assistance, education, or cessation program	19.6	14.4 - 26.0	116	25.0	19.6 - 31.2	151	29.2	18.2 - 43.3	33	23.3	19.6 - 27.4	300
h. Refer to legal authorities (e.g., school resource officer)	43.8	35.8 - 52.1	116	45.6	39.3 - 52.0	152	47.7	37.1 - 58.5	33	45.1	40.5 - 49.8	301
i. Issue an in-school suspension (half day or full day)	32.1	25.4 - 39.7	116	35.2	29.5 - 41.5	153	29.4	16.6 - 46.6	35	33.4	29.1 - 38.0	304
j. Issue an after-school or weekend detention	4.4	2.5 - 7.6	116	2.6	1.1 - 5.8	150	5.4	1.6 - 16.4	33	3.6	2.3 - 5.6	299
k. Issue an out-of-school suspension	25.3	19.1 - 32.6	115	26.3	20.8 - 32.8	152	26.3	17.0 - 38.4	33	25.9	22.0 - 30.3	300
l. Expel from school	0.8	0.2 - 4.0	116	0.7	0.1 - 3.5	152	0.0	†	34	0.7	0.2 - 2.1	302

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

29. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Foods or beverages are not offered at school celebrations	6.8	3.8 - 12.0	116	3.1	1.5 - 6.4	156	5.5	1.7 - 16.7	36	4.8	3.1 - 7.3	308
b. Never	2.5	1.0 - 6.4	116	0.0	†	156	0.0	†	36	1.0	0.4 - 2.5	308
c. Rarely	13.8	9.1 - 20.3	116	14.9	10.6 - 20.5	156	10.6	4.5 - 23.1	36	14.0	10.9 - 17.8	308
d. Sometimes	52.6	45.2 - 59.9	116	59.6	53.4 - 65.6	156	36.7	25.3 - 49.8	36	54.3	49.9 - 58.7	308
e. Always or almost always	24.2	18.4 - 31.2	116	22.4	17.2 - 28.7	156	47.2	34.4 - 60.3	36	25.9	22.0 - 30.2	308

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

30. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
74.6	67.9 - 80.3	117	48.2	42.1 - 54.3	158	33.2	23.3 - 44.8	37	56.6	52.5 - 60.7	312

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Chocolate candy	21.8	16.4 - 28.3	117	5.2	2.9 - 9.1	156	3.1	0.6 - 14.6	36	11.4	8.8 - 14.5	309
b. Other kinds of candy	25.0	19.1 - 32.1	117	8.8	5.7 - 13.6	156	3.1	0.6 - 15.0	35	14.5	11.6 - 18.1	308
c. Salty snacks that are not low in fat (e.g., regular potato chips)	30.6	24.4 - 37.5	117	17.7	13.1 - 23.6	156	10.7	4.6 - 23.3	36	21.9	18.3 - 26.0	309
d. Low sodium or "no added salt" pretzels, crackers, or chips	51.1	43.6 - 58.4	115	33.0	27.5 - 38.9	155	17.5	9.9 - 29.0	37	38.1	34.0 - 42.4	307
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	33.4	26.4 - 41.2	116	17.4	13.1 - 22.7	156	10.7	4.6 - 23.3	36	22.8	19.2 - 26.9	308
f. Ice cream or frozen yogurt that is not low in fat	16.2	11.6 - 22.1	117	11.5	7.8 - 16.7	156	5.5	1.7 - 16.6	36	12.6	9.9 - 16.1	309
g. 2% or whole milk (plain or flavored)	30.0	24.3 - 36.5	117	17.1	13.0 - 22.1	156	10.3	4.4 - 22.3	36	21.3	18.1 - 25.0	309
h. Nonfat or 1% (low-fat) milk (plain)	38.4	31.3 - 46.0	117	25.3	20.4 - 30.8	156	15.1	8.4 - 25.6	36	29.2	25.4 - 33.4	309
i. Water ices or frozen slushes that do not contain juice	16.2	11.3 - 22.8	117	9.3	6.0 - 14.2	156	5.5	1.7 - 16.6	36	11.6	8.8 - 15.0	309
j. Soda pop or fruit drinks that are not 100% juice	33.7	27.4 - 40.6	117	10.8	7.2 - 15.8	156	6.1	2.6 - 13.5	36	19.2	16.0 - 22.7	309
k. Sports drinks (e.g., Gatorade)	52.1	44.3 - 59.8	117	29.1	23.6 - 35.4	156	21.5	13.1 - 33.2	36	37.2	32.9 - 41.7	309
l. Energy drinks (e.g., Red Bull, Monster)	11.3	7.1 - 17.4	117	0.7	0.1 - 3.6	155	0.0	†	36	4.7	3.0 - 7.3	308

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	N		N	N		N	N			
m. Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	68.6	61.3 - 75.0	117	43.3	37.1 - 49.6	156	31.6	22.1 - 42.8	36	51.8	47.5 - 56.0	309
n. Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	59.6	51.7 - 67.0	115	32.8	27.1 - 39.2	155	29.2	19.3 - 41.4	36	42.7	38.3 - 47.2	306
o. 100% fruit or vegetable juice	42.5	34.9 - 50.6	117	24.6	19.1 - 31.0	155	18.4	9.5 - 32.7	36	30.9	26.6 - 35.5	308
p. Foods or beverages containing caffeine	31.7	25.4 - 38.7	117	7.2	4.4 - 11.6	156	10.9	5.4 - 21.0	36	17.1	14.1 - 20.6	309
q. Fruits (not fruit juice)	25.1	19.3 - 32.0	117	17.2	12.9 - 22.6	156	12.7	5.9 - 25.3	36	19.8	16.4 - 23.6	309
r. Non-fried vegetables (not vegetable juice)	20.0	14.6 - 26.7	117	8.1	5.1 - 12.9	155	5.5	1.7 - 16.6	36	12.4	9.7 - 15.9	308

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	9.9	6.5 - 14.8	116	13.2	9.5 - 18.1	154	21.0	10.9 - 36.6	35	12.8	10.1 - 16.1	305
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	32.3	26.7 - 38.5	116	31.9	26.4 - 38.1	156	48.4	35.9 - 61.1	35	33.9	30.0 - 38.0	307
c. Provided information to students or families on the nutrition and caloric content of foods available	52.5	44.8 - 60.1	116	56.1	49.8 - 62.2	157	57.4	43.9 - 69.9	35	54.9	50.3 - 59.4	308
d. Conducted taste tests to determine food preferences for nutritious items	26.0	19.7 - 33.3	116	23.2	17.9 - 29.4	156	41.8	29.6 - 55.0	35	26.3	22.3 - 30.7	307
e. Served locally or regionally grown foods in the cafeteria or classrooms	58.7	50.6 - 66.4	117	42.5	36.6 - 48.6	155	60.0	46.7 - 72.0	35	50.7	46.2 - 55.3	307
f. Planted a school food or vegetable garden	43.9	36.3 - 51.7	116	36.1	30.4 - 42.4	155	38.2	26.5 - 51.3	33	39.4	35.0 - 43.9	304
g. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	67.2	59.8 - 73.7	116	56.5	50.3 - 62.5	155	68.5	57.8 - 77.5	36	62.0	57.7 - 66.1	307
h. Used attractive displays for fruits and vegetables in the cafeteria	58.5	51.0 - 65.7	116	57.6	51.3 - 63.7	155	52.1	41.2 - 62.8	36	57.3	52.9 - 61.7	307
i. Offered a self-serve salad bar to students	50.0	42.5 - 57.5	115	49.6	43.3 - 55.9	156	57.8	47.1 - 67.7	36	50.7	46.2 - 55.1	307

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
j. Provided students with at least 20 minutes to eat lunch after they receive their meal	94.1	89.2 - 96.9	118	90.9	86.0 - 94.2	158	92.3	81.1 - 97.1	36	92.3	89.3 - 94.5	312
k. Encouraged students to drink plain water	87.4	81.6 - 91.6	116	92.6	88.1 - 95.5	157	96.8	84.9 - 99.4	35	91.1	88.0 - 93.4	308
l. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	18.5	13.1 - 25.5	115	20.1	15.6 - 25.5	155	26.2	15.9 - 40.1	33	20.1	16.7 - 24.1	303
m. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	21.5	15.9 - 28.4	116	22.1	17.3 - 27.8	155	32.2	20.2 - 47.1	35	23.0	19.3 - 27.1	306

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	50.7	42.3 - 59.0	115	61.5	55.2 - 67.4	156	57.3	45.1 - 68.6	36	56.8	52.1 - 61.5	307
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	48.6	40.2 - 57.1	115	58.0	51.3 - 64.5	157	54.4	41.9 - 66.4	36	54.0	49.1 - 58.9	308
c. On school buses or other vehicles used to transport students	58.9	50.4 - 66.9	117	63.2	57.0 - 69.1	158	60.4	46.6 - 72.7	36	61.2	56.5 - 65.8	311
d. In school publications (e.g., newsletters, newspapers, web sites, other school publications)	53.5	45.2 - 61.6	115	59.9	53.5 - 66.1	157	57.3	45.1 - 68.6	36	57.2	52.4 - 61.8	308
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	51.4	43.6 - 59.2	115	56.9	50.5 - 63.0	156	46.8	34.5 - 59.6	35	53.7	49.1 - 58.2	306

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	92.4	87.0 - 95.6	116	95.6	92.4 - 97.5	158	89.9	82.4 - 94.4	36	93.7	91.2 - 95.5	310
b. Yes, in certain locations	7.6	4.4 - 13.0	116	3.8	2.1 - 6.6	158	4.8	1.5 - 14.2	36	5.4	3.7 - 7.8	310
c. No	0.0	†	116	0.7	0.1 - 3.3	158	5.3	1.6 - 15.9	36	0.9	0.4 - 2.4	310

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	116	99.3	96.7 - 99.9	158	94.7	84.1 - 98.4	36	99.1	97.6 - 99.6	310

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

35. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Cafeteria during breakfast	96.5	92.1 - 98.5	112	95.8	91.9 - 97.9	140	94.0	82.2 - 98.1	33	95.9	93.4 - 97.4	285
b. Cafeteria during lunch	97.4	93.4 - 99.0	113	96.6	93.0 - 98.4	141	94.0	82.2 - 98.1	33	96.6	94.4 - 98.0	287
c. Gymnasium or other indoor physical activity facilities	91.9	86.3 - 95.3	113	94.2	90.6 - 96.5	155	97.5	88.0 - 99.5	35	93.7	91.0 - 95.6	303
d. Outdoor physical activity facilities or sports fields	73.1	66.5 - 78.8	109	64.6	57.7 - 70.9	144	71.2	57.9 - 81.7	32	68.6	64.2 - 72.8	285
e. Hallways throughout the school	100.0	†	116	100.0	†	158	97.5	88.4 - 99.5	35	99.7	98.6 - 99.9	309

*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
52.0	44.5 - 59.4	118	32.3	26.6 - 38.7	159	25.8	19.0 - 34.0	36	39.2	35.0 - 43.6	313

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
52.7	45.9 - 59.5	118	71.1	65.3 - 76.2	158	67.1	52.4 - 79.0	36	63.5	59.3 - 67.5	312

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

38. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N
Percent			Percent			Percent			Percent		
15.0	10.2 - 21.6	118	12.6	8.6 - 18.0	158	7.2	2.7 - 17.7	36	12.9	10.0 - 16.6	312

WISCONSIN

2022 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	0.0	†	118	0.7	0.1 - 3.6	156	0.0	†	33	0.4	0.1 - 1.8	307
b. HIV treatment (ongoing medical care for persons living with HIV)	0.9	0.2 - 4.4	118	0.7	0.1 - 3.6	156	0.0	†	33	0.7	0.2 - 2.2	307
c. STD testing	0.9	0.2 - 4.4	118	0.7	0.1 - 3.6	156	0.0	†	33	0.7	0.2 - 2.2	307
d. STD treatment	0.9	0.2 - 4.5	117	0.7	0.1 - 3.6	156	0.0	†	33	0.7	0.2 - 2.2	306
e. Pregnancy testing	7.7	4.2 - 13.6	117	2.6	1.2 - 5.9	155	8.7	3.3 - 21.1	33	5.3	3.4 - 8.0	305
f. Provision of condoms	11.1	6.8 - 17.6	118	4.0	2.0 - 7.6	156	15.1	8.6 - 25.1	33	7.9	5.7 - 11.0	307
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	6.2	3.3 - 11.4	118	2.6	1.1 - 5.9	156	8.7	3.3 - 21.1	33	4.7	3.0 - 7.2	307
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.0	†	117	0.7	0.1 - 3.6	156	0.0	†	33	0.4	0.1 - 1.8	306
i. Prenatal care	4.4	2.1 - 9.0	118	1.4	0.4 - 4.4	156	3.2	0.6 - 15.3	33	2.8	1.6 - 4.9	307
j. Human papillomavirus (HPV) vaccine administration	0.0	†	118	0.7	0.1 - 3.6	155	0.0	†	33	0.4	0.1 - 1.8	306
k. Assessment for alcohol or other drug use, abuse, or dependency	20.3	15.0 - 26.9	118	13.9	10.0 - 18.9	156	20.3	11.9 - 32.5	33	17.1	13.9 - 20.7	307

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
l. Tobacco-use cessation (e.g., individual or group counseling)	20.6	15.4 - 27.0	117	19.3	14.9 - 24.7	156	23.0	13.8 - 35.8	33	20.2	16.9 - 24.0	306
m. Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	84.0	77.1 - 89.2	118	90.7	86.3 - 93.7	159	89.0	76.1 - 95.4	36	87.9	84.4 - 90.7	313
n. Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	74.3	66.1 - 81.1	118	80.0	74.1 - 84.9	157	83.1	68.6 - 91.7	36	78.1	73.7 - 82.0	311
o. Case management for students with chronic health conditions (e.g., asthma, diabetes)	80.2	73.3 - 85.7	118	82.7	77.2 - 87.1	156	81.8	67.6 - 90.7	36	81.6	77.7 - 85.0	310

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	37.5	30.6 - 44.9	117	29.3	24.0 - 35.2	154	36.6	23.4 - 52.2	34	33.3	29.2 - 37.7	305
b. HIV treatment (ongoing medical care for persons living with HIV)	35.8	28.9 - 43.4	117	29.3	24.0 - 35.2	154	36.6	23.4 - 52.2	34	32.7	28.5 - 37.1	305
c. nPEP (non-occupational post-exposure prophylaxis for HIV—a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	29.6	23.0 - 37.1	117	26.6	21.6 - 32.3	154	25.9	13.9 - 43.0	33	27.7	23.7 - 32.1	304
d. PrEP (pre-exposure prophylaxis for HIV—medication taken daily to prevent HIV infection for those at substantial risk for HIV)	29.6	23.0 - 37.1	117	26.6	21.6 - 32.3	154	28.2	16.5 - 43.8	34	27.9	24.0 - 32.3	305
e. STD testing	37.5	30.6 - 44.9	117	29.3	24.0 - 35.2	154	39.2	25.6 - 54.6	34	33.6	29.4 - 38.0	305
f. STD treatment	36.7	29.8 - 44.3	117	29.3	24.0 - 35.2	154	36.6	23.4 - 52.2	34	33.0	28.8 - 37.4	305
g. Pregnancy testing	40.9	33.7 - 48.5	117	31.4	25.9 - 37.4	153	39.2	25.6 - 54.6	34	35.9	31.7 - 40.5	304
h. Provision of condoms	34.6	27.6 - 42.4	115	28.8	23.3 - 35.0	153	36.6	23.4 - 52.2	34	31.9	27.7 - 36.5	302
i. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	34.3	27.4 - 42.0	116	27.0	21.8 - 33.0	152	36.6	23.4 - 52.2	34	30.9	26.8 - 35.4	302
j. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	36.1	29.1 - 43.8	116	27.5	22.2 - 33.6	153	39.2	25.6 - 54.6	34	32.2	27.9 - 36.7	303

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
k. Prenatal care	39.2	32.1 - 46.8	117	31.3	25.7 - 37.5	154	42.4	28.4 - 57.6	34	35.6	31.3 - 40.2	305
l. Human papillomavirus (HPV) vaccine administration	37.0	30.0 - 44.6	116	28.7	23.7 - 34.3	154	36.6	23.4 - 52.2	34	32.8	28.7 - 37.1	304
m. Alcohol or other drug abuse treatment	63.5	55.4 - 70.8	117	47.6	40.9 - 54.3	155	59.5	45.2 - 72.3	35	55.1	50.3 - 59.8	307
n. Tobacco-use cessation (e.g., individual or group counseling)	61.8	53.7 - 69.3	117	48.5	42.0 - 55.1	154	54.4	38.6 - 69.3	34	54.4	49.5 - 59.1	305

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
66.0	58.6 - 72.7	118	58.1	51.3 - 64.5	157	57.6	44.4 - 69.9	36	61.1	56.5 - 65.6	311

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	100.0	†	117	98.6	95.7 - 99.6	157	100.0	†	36	99.3	97.8 - 99.8	310
b. Food allergies	99.2	95.8 - 99.8	117	99.3	96.4 - 99.9	157	100.0	†	36	99.3	97.9 - 99.8	310
c. Diabetes	98.3	94.5 - 99.5	116	99.3	96.4 - 99.9	157	100.0	†	36	99.0	97.4 - 99.6	309
d. Epilepsy or seizure disorder	100.0	†	117	98.6	95.7 - 99.6	157	100.0	†	36	99.3	97.8 - 99.8	310
e. Obesity	31.8	25.2 - 39.4	117	30.9	25.4 - 37.0	157	30.5	18.5 - 46.0	36	31.2	27.1 - 35.7	310
f. Hypertension/high blood pressure	62.7	54.7 - 70.0	117	59.3	53.0 - 65.3	157	58.1	44.0 - 70.9	36	60.4	55.8 - 64.9	310
g. Oral health condition (e.g., abscess, tooth decay)	46.0	38.7 - 53.5	117	52.4	45.9 - 58.8	156	41.8	28.5 - 56.5	36	48.8	44.1 - 53.4	309

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	52.5	45.4 - 59.5	117	42.3	36.4 - 48.4	154	33.6	23.3 - 45.7	34	45.4	41.2 - 49.7	305
b. Food allergies	50.8	44.0 - 57.5	117	40.9	35.3 - 46.8	154	33.6	23.3 - 45.7	34	44.0	40.0 - 48.2	305
c. Diabetes	52.1	45.2 - 59.0	116	41.5	35.8 - 47.5	154	33.6	23.3 - 45.7	34	44.8	40.7 - 49.0	304
d. Epilepsy or seizure disorder	51.6	44.7 - 58.5	117	40.9	35.1 - 47.0	154	33.6	23.3 - 45.7	34	44.3	40.2 - 48.6	305
e. Obesity	36.7	30.8 - 43.0	117	29.0	24.0 - 34.6	154	27.9	17.4 - 41.6	34	31.9	28.2 - 35.9	305
f. Hypertension/high blood pressure	46.0	39.5 - 52.6	117	33.8	28.5 - 39.5	154	31.0	21.1 - 43.0	34	38.3	34.4 - 42.3	305
g. Oral health condition (e.g., abscess, tooth decay)	51.8	44.8 - 58.6	117	48.7	42.4 - 55.1	154	45.5	35.9 - 55.4	35	49.6	45.3 - 53.9	306

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

44. Percentage of schools in which any staff received professional development on each of the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Basic sexual health overview including community-specific information about STD, HIV, and unplanned pregnancy rates and prevention strategies	32.3	26.0 - 39.2	117	25.0	19.4 - 31.7	155	36.2	23.2 - 51.5	34	29.1	24.9 - 33.6	306
b. Sexual health services that adolescents should receive	28.9	22.3 - 36.5	116	24.1	18.4 - 30.8	153	39.3	25.4 - 55.1	34	27.6	23.3 - 32.3	303
c. Laws and policies related to adolescent sexual health services, such as minor consent for sexual health services	40.6	33.5 - 48.1	116	30.8	25.1 - 37.1	156	57.4	42.7 - 70.9	35	37.5	33.1 - 42.1	307
d. Importance of maintaining student confidentiality for sexual health services	53.7	46.1 - 61.1	115	42.0	35.7 - 48.6	155	61.0	46.1 - 74.1	34	48.6	43.9 - 53.2	304
e. How to create or use a student referral guide for sexual health services	15.6	11.3 - 21.2	114	19.4	14.4 - 25.6	154	18.2	10.2 - 30.3	34	17.8	14.5 - 21.6	302
f. How to make successful referrals of students to sexual health services	24.4	18.4 - 31.7	116	21.2	16.2 - 27.4	155	18.2	10.2 - 30.3	34	22.2	18.4 - 26.4	305
g. Best practices for adolescent sexual health services provision, such as making services youth-friendly	20.8	15.1 - 28.0	116	21.0	15.8 - 27.4	155	21.3	12.1 - 34.6	34	21.0	17.2 - 25.3	305
h. Ensuring sexual health services are inclusive of lesbian, gay, bisexual, and transgender students	36.2	29.8 - 43.2	116	25.2	19.5 - 31.9	155	32.8	21.1 - 47.2	34	30.3	26.1 - 34.8	305

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

45. Percentage of schools that provide the following mental health programs or services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Universal mental health promotion programs (e.g., Positive Behavioral Interventions and Supports, Social-Emotional Learning programs or supports)	89.9	84.1 - 93.8	118	95.6	91.8 - 97.7	157	91.3	84.0 - 95.4	36	92.9	90.1 - 95.0	311
b. Confidential mental health screening to identify students in need of services (e.g., students at risk of mental health disorders, students experiencing trauma)	74.4	66.7 - 80.8	114	85.2	80.2 - 89.1	153	65.3	54.4 - 74.8	36	78.8	74.8 - 82.2	303
c. School-wide trauma-informed practices (i.e., efforts to ensure that all students, including those affected by trauma, are experiencing social, emotional, and educational success)	88.5	83.5 - 92.1	118	90.4	86.0 - 93.6	157	88.2	74.7 - 95.0	36	89.4	86.4 - 91.8	311
d. Cognitive behavioral therapy groups (e.g., for students with depression, anxiety, or other mental health disorders)	53.4	46.5 - 60.1	116	55.5	49.1 - 61.8	150	40.1	29.1 - 52.2	36	52.9	48.5 - 57.2	302
e. Pro-social skills training (e.g., school counseling groups)	75.1	69.2 - 80.1	115	92.3	88.0 - 95.1	154	77.6	68.2 - 84.9	36	84.0	80.9 - 86.6	305
f. Small groups for specific issues (e.g., depression, parental divorce)	68.3	60.9 - 74.9	116	82.7	76.8 - 87.4	152	56.7	45.5 - 67.3	35	74.2	70.0 - 78.0	303

WISCONSIN

2022 School Health Profiles Report
Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Provided parents with information to support parent-adolescent communication about sex	21.4	16.0 - 28.1	116	17.9	13.7 - 23.0	149	24.1	14.2 - 37.9	34	20.0	16.6 - 23.8	299
b. Provided parents with information to support parent-adolescent communication about topics other than sex	40.0	32.7 - 47.8	116	35.4	29.6 - 41.6	149	38.2	25.7 - 52.5	34	37.5	33.2 - 42.1	299
c. Provided parents with information about how to monitor their teen (e.g., setting parental expectations, keeping track of their teen, responding when their teen breaks the rules)	36.7	30.6 - 43.4	116	39.0	32.3 - 46.1	149	50.2	36.8 - 63.5	34	39.3	34.9 - 43.9	299
d. Provided parents with information to support one-on-one time between adolescents and their health care providers	23.1	17.6 - 29.8	116	18.1	13.6 - 23.6	149	27.2	16.3 - 41.8	34	21.1	17.6 - 25.1	299
e. Provided parents with information about physical education and physical activity programs	61.3	53.1 - 68.9	116	68.2	62.1 - 73.8	150	70.3	60.2 - 78.7	35	65.7	61.2 - 70.0	301
f. Involved parents as school volunteers in the delivery of health education activities and services	17.4	12.6 - 23.5	115	16.2	11.9 - 21.6	149	27.9	17.4 - 41.6	34	17.9	14.7 - 21.7	298
g. Involved parents as school volunteers in physical education or physical activity programs	20.6	15.7 - 26.6	116	22.8	17.6 - 28.9	150	35.9	23.6 - 50.4	34	23.4	19.7 - 27.4	300
h. Linked parents and families to health services and programs in the community	69.1	62.0 - 75.3	117	73.6	67.3 - 79.0	154	71.1	55.9 - 82.7	35	71.6	67.2 - 75.6	306

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
i. Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	40.3	33.6 - 47.3	116	36.9	31.3 - 42.9	149	37.6	25.3 - 51.8	35	38.3	34.2 - 42.6	300
j. Provided parents with information about before- or after-school programs available in the community	66.6	58.7 - 73.7	116	76.0	69.8 - 81.4	149	80.7	68.7 - 88.9	36	72.9	68.4 - 76.9	301

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

47. Percentage of schools that currently implement any of the following school-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	63.2	55.5 - 70.3	114	39.3	32.7 - 46.4	156	59.0	41.1 - 74.8	34	50.6	45.7 - 55.5	304
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	56.5	48.9 - 63.8	114	39.8	33.7 - 46.4	156	59.5	46.7 - 71.1	34	48.4	43.8 - 52.9	304

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

48. Percentage of schools that currently connect students to any of the following community-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	58.0	50.5 - 65.1	114	35.7	29.9 - 41.9	156	55.1	39.0 - 70.2	33	46.3	41.8 - 50.8	303
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	56.3	48.7 - 63.7	114	44.9	38.3 - 51.8	157	52.2	42.4 - 61.9	33	50.1	45.4 - 54.7	304

WISCONSIN

**2022 School Health Profiles Report
Weighted Principal Survey Results**

49. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
38.0	30.5 - 46.2	112	34.5	28.6 - 40.9	156	27.1	15.2 - 43.6	35	35.0	30.5 - 39.8	303