

Wisconsin 2019 Youth Risk Behavior Survey Comparison Tables

Contents

Purpose of this Report	2
Tables of Overall Results	3
Tables by Sex	6
Tables by Grade	10
Tables by Race/Ethnicity	15
Tables by LGBT Status	22
Tables by Average Grades (Self-Reported)	25
Tables by Physical Disability (Self-Reported)	30
Tables by Special Education Services (Self-Reported)	33
Tables by Food Insecurity (Self-Reported)	37
TECHNICAL NOTES	40

Purpose of this Report

The primary purpose of this document is to allow Wisconsin high schools, counties, and CESA's with results from their participation in the 2019 Youth Risk Behavior Survey (YRBS) to compare their local results to the 2019 Wisconsin state-level results. Thus, this report presents state-level results in the same format as the tables that appear in Appendix A of the local 2019 results.

This document can be used on its own or in conjunction with the 2019 YRBS Summary Report produced by the Department of Public Instruction (DPI), as well as 2019 Wisconsin tables and graphs produced by the Centers for Disease Control and Prevention (CDC). All official Wisconsin 2019 YRBS state-level reports are based on the same scientific sample of Wisconsin public high schools; that sample is selected to represent the state as a whole.

Note that this document is **only produced at the high school level** because Wisconsin does not collect statewide data at the middle school level, even though many middle schools in Wisconsin choose to participate at the local level.

Please review your local report for any cautionary notes about comparisons with state data. For instance, if your school only surveyed certain grades, your ability to compare that school's results with the state data will be compromised. Similarly, if a school or district report indicates a low response rate, use caution in comparing to the state data.

Tables of Overall Results

Weighted YRBS Results	
Behavior	Percent
Most of the time or always wear a seatbelt	87.9%
Rode with driver who drank (past 30 days)	16.2%
Drove after drinking (past 30 days)	5.5%
Text/email while driving (past 30 days)	47.5%
Missed school due to safety concerns at school or en route (past 30 days)	6.8%
Brought a gun to school (past 30 days)	1.0%
Threatened or injured with weapon at school (past 12 months)	7.2%
Most of the time or always feel safe at school	82.8%
In a physical fight on school property (past 12 months)	11.2%
Agree/strongly agree that violence is a problem at school	23.1%
Most of the time or always feel safe in their neighborhood	89.7%
Ever been raped	6.9%
Ever been forced to do anything sexual	19.9%
Dating partner forced something sexual (past 12 months)	13.4%
Physical violence by dating partner (past 12 months)	8.3%
Composite measure: answered affirmatively to any sexual or dating violence question	24.1%
Sent, received or shared sexual photos or images (past 30 days)	24.9%
Bullied on school property (past 12 months)	22.3%
Electronically bullied (past 12 months)	17.4%
Composite measure: answered affirmatively to being bullied online and/or at school	28.7%
Agree/strongly agree that bullying is a problem at school	42.9%
Self-harm (past 12 months)	18.5%
Problems with anxiety (past 12 months)	49.0%
So sad or hopeless that stopped usual activities (past 12 months)	28.5%
Seriously considered suicide (past 12 months)	15.7%
Made a suicide plan (past 12 months)	13.0%
Attempted suicide (past 12 months)	7.4%
Composite measure: answered affirmatively to any of the previous six mental health questions	59.4%
Among students who attempted suicide, percent who received medical attention (past 12 months)	26.9%

¹ - means numbers too small to report at this level.

² Composite measures combine responses across two or more questions.

Weighted YRBS Results	
Behavior	Percent
Ever tried cigarettes	19.1%
Among smokers, the percent who tried cigarettes before age 13	30.9%
Smoke cigarettes (past 30 days)	5.7%
Ever tried vaping/juul/e-cigarettes	45.5%
Vape/juul/e-cigarettes (past 30 days)	20.6%
Use chew, dip, other smokeless tobacco (past 30 days)	3.3%
Smoke cigars/cigarillos (past 30 days)	4.7%
Among students who vaped or used other tobacco products, the percent who tried to quit (past 12 months)	45.0%
Ever had an alcoholic beverage	58.4%
Among students who have drunk alcohol, percent whose first drink was before age 13	29.5%
Drank alcohol (past 30 days)	29.8%
Binge drinking (past 30 days)	12.7%
Ever used marijuana	30.6%
Among students who tried marijuana, the percent who first tried it before age 13	14.2%
Use marijuana (past 30 days)	19.9%
Ever misused a prescription pain medicine	11.4%
Ever misused an over-the-counter drug	5.5%
Ever used heroin	1.4%
Ever used methamphetamines	1.9%
Were offered, sold, or given drugs on school property (past 12 months)	13.7%
Attended school under the influence of alcohol or drugs (past 12 months)	12.2%
Used any illegal drugs besides marijuana (past 12 months)	4.6%
Ever had sexual intercourse	34.6%
Among sexually active students, the percent whose first sexual intercourse was before age 13	7.3%
Among sexually active students, the percent who have had 4 or more sexual partners	22.0%
Currently sexually active (past 3 months)	25.0%
Among sexually active students, the percent who used a condom during last sexual intercourse	57.4%
Among sexually active students, the percent who had sex without any pregnancy prevention method	11.7%
Identify as lesbian, gay, bisexual and/or transgender	9.7%

¹ - means numbers too small to report at this level.

² Composite measures combine responses across two or more questions.

Weighted YRBS Results	
Behavior	Percent
Ate fruit every day (past 7 days)	43.3%
Ate vegetables every day (past 7 days)	40.0%
Drank water every day (past 7 days)	81.3%
Ate breakfast every day (past 7 days)	32.0%
Exercise most days (past 7 days)	56.6%
Watch 3 or more hours of TV per day	17.7%
Spend 3 or more hours per day on phone, Xbox, or other device (excluding use for school work)	48.9%
Use phone, Xbox or other device after midnight on a school night (past 7 days)	54.1%
Had sports-induced concussion (past 12 months)	14.0%
Saw a dentist (past 12 months)	79.4%
Ever diagnosed with asthma	19.6%
Most of the time or always wear sunscreen when outside	18.5%
Sleep 8 or more hours per night	26.7%
Lived in 4 or more residences	34.1%
Experienced hunger due to lack of food at home (past 30 days)	24.7%
Have at least one supportive adult besides parent(s)	84.0%
Participate in school activities, teams, or clubs	68.4%
Agree or strongly agree that they belong at school	61.1%
Have at least one teacher or other adult at school to talk to	71.5%
Most of the time or always get emotional support when needed	23.9%
List adult as most likely source of emotional support	33.8%
In excellent or very good health	49.5%
Have physical disability or chronic health problem	11.8%

¹ - means numbers too small to report at this level.

² Composite measures combine responses across two or more questions.

Tables by Sex

Weighted YRBS Results By Sex		
Behavior	Female	Male
Most of the time or always wear a seatbelt	90.3%	85.7%
Rode with driver who drank (past 30 days)	18.1%	14.4%
Drove after drinking (past 30 days)	5.5%	5.5%
Text/email while driving(past 30 days)	48.5%	46.4%
Missed school due to safety concerns (past 30 days)	8.4%	5.2%
Brought a gun to school (past 30 days)	0.1%	1.8%
Threatened or injured with weapon at school (past 12 months)	5.9%	8.1%
Most of the time or always feel safe at school	83.3%	82.3%
In a physical fight on school property (past 12 months)	7.3%	14.6%
Agree/strongly agree that violence is a problem at school	27.0%	19.5%
Most of the time or always feel safe in their neighborhood	88.6%	90.8%
Ever been raped	9.9%	3.9%
Ever been forced to do anything sexual	31.8%	8.4%
Dating partner forced something sexual (past 12 months)	20.0%	6.7%
Physical violence by dating partner (past 12 months)	10.7%	5.8%
Composite measure: answered affirmatively to any sexual or dating violence question	35.6%	12.9%
Sent, received or shared sexual photos or images (past 30 days)	24.9%	24.7%
Bullied on school property (past 12 months)	24.3%	20.2%
Electronically bullied (past 12 months)	22.9%	12.0%
Composite measure: answered affirmatively to being bullied online and/or at school	33.7%	23.9%
Agree/strongly agree that bullying is a problem at school	53.6%	32.9%
Self-harm (past 12 months)	25.1%	12.2%
Problems with anxiety (past 12 months)	63.3%	35.5%
So sad or hopeless that stopped usual activities (past 12 months)	37.1%	20.4%

¹ - means numbers too small to report at this level.

² Composite measures combine responses across two or more questions.

Weighted YRBS Results By Sex		
Behavior	Female	Male
Seriously considered suicide (past 12 months)	20.1%	11.5%
Made a suicide plan (past 12 months)	16.9%	9.2%
Attempted suicide (past 12 months)	9.3%	5.3%
Composite measure: answered affirmatively to any of the previous six mental health questions	70.8%	48.0%
Among students who attempted suicide, percent who received medical attention (past 12 months)	-	-
Ever tried cigarettes	18.4%	19.8%
Among smokers, the percent who tried cigarettes before age 13	31.0%	30.6%
Smoke cigarettes (past 30 days)	5.6%	5.8%
Ever tried vaping/juul/e-cigarettes	47.1%	44.1%
Vape/juul/e-cigarettes (past 30 days)	21.4%	20.0%
Use chew, dip, other smokeless tobacco (past 30 days)	1.7%	4.7%
Smoke cigars/cigarillos (past 30 days)	3.0%	6.3%
Among students who vaped or used other tobacco products, the percent who tried to quit (past 12 months)	48.8%	41.6%
Ever had an alcoholic beverage	62.4%	54.6%
Among students who have drunk alcohol, percent whose first drink was before age 13	23.4%	35.6%
Drank alcohol (past 30 days)	32.3%	27.1%
Binge drinking (past 30 days)	13.7%	11.9%
Ever used marijuana	31.2%	30.1%
Among students who tried marijuana, the percent who first tried it before age 13	9.1%	19.0%
Use marijuana (past 30 days)	19.9%	19.8%
Ever misused a prescription pain medicine	11.0%	11.7%
Ever misused an over-the-counter drug	4.4%	6.3%
Ever used heroin	0.8%	2.0%
Ever used methamphetamines	1.3%	2.4%
Were offered, sold, or given drugs on school property (past 12 months)	13.3%	14.0%
Attended school under the influence of alcohol or drugs (past 12 months)	11.0%	13.3%
Used any illegal drugs besides marijuana (past 12 months)	3.0%	5.9%
Ever had sexual intercourse	34.2%	34.9%

¹ - means numbers too small to report at this level.

Weighted YRBS Results By Sex		
Behavior	Female	Male
Among sexually active students, the percent whose first sexual intercourse was before age 13	3.3%	10.8%
Among sexually active students, the percent who have had 4 or more sexual partners	17.5%	26.4%
Currently sexually active (past 3 months)	25.8%	24.4%
Among sexually active students, the percent who used a condom during last sexual intercourse	53.2%	61.7%
Among sexually active students, the percent who had sex without any pregnancy prevention method	10.4%	13.0%
Identify as lesbian, gay, bisexual and/or transgender	13.2%	6.2%
Ate fruit every day (past 7 days)	43.1%	43.5%
Ate vegetables every day (past 7 days)	38.2%	41.4%
Drank water every day (past 7 days)	81.7%	81.1%
Ate breakfast every day (past 7 days)	29.4%	34.2%
Exercise most days (past 7 days)	49.7%	62.9%
Watch 3 or more hours of TV per day	17.6%	17.8%
Spend 3 or more hours per day on phone, Xbox, or other device (excluding use for school work)	46.1%	51.6%
Use phone, Xbox or other device after midnight on a school night (past 7 days)	53.4%	54.5%
Had sports-induced concussion (past 12 months)	11.8%	16.0%
Saw a dentist (past 12 months)	80.3%	78.3%
Ever diagnosed with asthma	19.7%	19.6%
Most of the time or always wear sunscreen when outside	23.3%	14.0%
Sleep 8 or more hours per night	25.8%	27.8%
Lived in 4 or more residences	36.6%	31.7%
Experienced hunger due to lack of food at home (past 30 days)	24.8%	24.5%
Have at least one supportive adult besides parent(s)	87.8%	80.8%
Participate in school activities, teams, or clubs	69.3%	67.7%
Agree or strongly agree that they belong at school	58.1%	64.3%
Have at least one teacher or other adult at school to talk to	74.7%	68.6%

¹ - means numbers too small to report at this level.

Weighted YRBS Results By Sex		
Behavior	Female	Male
Most of the time or always get emotional support when needed	25.5%	21.8%
List adult as most likely source of emotional support	33.9%	33.7%
In excellent or very good health	41.4%	57.1%
Have physical disability or chronic health problem	12.6%	11.0%

¹ - means numbers too small to report at this level.

Tables by Grade

Weighted YRBS Results By Grade				
Behavior	9th Grade	10th Grade	11th Grade	12th Grade
Most of the time or always wear a seatbelt	88.7%	84.1%	92.3%	86.9%
Rode with driver who drank (past 30 days)	17.0%	16.9%	15.6%	15.2%
Drove after drinking (past 30 days)	5.7%	3.0%	3.8%	8.7%
Text/email while driving(past 30 days)	9.9%	24.8%	56.8%	67.0%
Missed school due to safety concerns at school or en route (past 30 days)	7.0%	6.8%	7.9%	5.7%
Brought a gun to school (past 30 days)	0.3%	1.4%	1.0%	1.4%
Threatened or injured with weapon at school (past 12 months)	8.6%	7.7%	5.8%	6.6%
Most of the time or always feel safe at school	81.2%	81.2%	83.3%	85.7%
In a physical fight on school property (past 12 months)	15.0%	11.7%	8.8%	9.2%
Agree or strongly agree that violence is a problem at their school	25.6%	21.5%	22.2%	23.4%
Most of the time or always feel safe in their neighborhood	89.9%	87.2%	91.9%	90.0%
Ever been raped	4.0%	5.5%	7.1%	10.9%
Ever been forced to do anything sexual	15.6%	20.5%	20.7%	22.9%
Dating partner forced something sexual in past 12 months	15.2%	14.4%	12.3%	12.3%
Physical violence by dating partner (past 12 months)	5.5%	9.1%	5.2%	12.5%
Composite measure: answered affirmatively to any sexual or dating violence question	19.7%	24.0%	24.5%	28.5%

¹ - means numbers too small to report at this level.

² Composite measures combine responses across two or more questions.

Weighted YRBS Results By Grade				
Behavior	9th Grade	10th Grade	11th Grade	12th Grade
Sent, received or shared sexual photos or images (past 30 days)	21.7%	25.4%	22.7%	29.9%
Bullied on school property (past 12 months)	21.4%	22.6%	22.7%	22.5%
Electronically bullied (past 12 months)	18.8%	17.1%	16.8%	17.0%
Composite measure: answered affirmatively to being bullied online and/or at school	29.4%	29.3%	27.6%	28.6%
Agree/strongly agree that bullying is a problem at school	42.3%	43.2%	44.8%	41.8%
Self-harm (past 12 months)	17.5%	21.4%	18.2%	17.3%
Problems with anxiety (past 12 months)	45.4%	51.7%	52.3%	46.9%
So sad or hopeless that stopped usual activities (past 12 months)	24.0%	31.2%	30.8%	28.3%
Seriously considered suicide (past 12 months)	15.0%	15.1%	16.3%	16.9%
Made a suicide plan (past 12 months)	11.1%	14.0%	15.2%	11.8%
Attempted suicide (past 12 months)	7.9%	8.7%	7.1%	5.8%
Composite measure: answered affirmatively to any of the previous six mental health questions	55.7%	62.7%	64.6%	55.1%
Among students who attempted suicide, percent who received medical attention (past 12 months)	-	-	-	-
Ever tried cigarettes	13.3%	15.9%	20.7%	26.8%
Among smokers, the percent who tried cigarettes before age 13	-	-	-	-
Smoke cigarettes (past 30 days)	4.3%	5.0%	5.1%	8.4%
Ever tried vaping/juul/e-cigarettes	37.5%	41.5%	49.1%	54.3%
Vape/juul/e-cigarettes (past 30 days)	14.4%	16.7%	19.0%	32.2%
Use chew, dip, other smokeless tobacco (past 30 days)	1.8%	2.4%	2.2%	6.7%

¹ - means numbers too small to report at this level.

Weighted YRBS Results By Grade				
Behavior	9th Grade	10th Grade	11th Grade	12th Grade
Smoke cigars/cigarillos (past 30 days)	2.5%	3.9%	4.1%	8.3%
Among students who vaped or used other tobacco products, the percent who tried to quit (past 12 months)	41.7%	-	49.0%	40.8%
Ever had an alcoholic beverage	50.3%	54.8%	62.4%	66.7%
Among students who have drunk alcohol, percent whose first drink was before age 13	42.5%	35.6%	21.4%	22.5%
Drank alcohol (past 30 days)	19.9%	25.4%	30.6%	42.9%
Binge drinking (past 30 days)	5.9%	8.7%	12.7%	23.2%
Ever used marijuana	18.1%	29.2%	33.7%	41.6%
Among students who tried marijuana, the percent who first tried it before age 13	26.3%	19.8%	6.9%	11.0%
Use marijuana (past 30 days)	12.5%	19.4%	21.2%	26.9%
Ever misused a prescription pain medicine	9.4%	10.0%	11.6%	14.0%
Ever misused an over-the-counter drug	5.0%	6.4%	3.1%	7.1%
Ever used heroin	1.1%	2.1%	0.4%	1.8%
Ever used methamphetamines	1.4%	2.7%	1.1%	2.4%
Were offered, sold, or given drugs on school property (past 12 months)	13.8%	12.2%	11.5%	17.1%
Attended school under the influence of alcohol or drugs (past 12 months)	8.2%	12.1%	11.0%	17.6%
Used any illegal drugs besides marijuana (past 12 months)	3.2%	4.0%	3.4%	7.6%
Ever had sexual intercourse	12.7%	28.1%	41.2%	56.3%

¹ - means numbers too small to report at this level.

Weighted YRBS Results By Grade				
Behavior	9th Grade	10th Grade	11th Grade	12th Grade
Among sexually active students, the percent whose first sexual intercourse was before age 13	-	-	4.9%	6.6%
Among sexually active students, the percent who have had 4 or more sexual partners	-	-	19.7%	25.3%
Currently sexually active (past 3 months)	8.7%	17.9%	29.1%	43.9%
Among sexually active students, the percent who used a condom during last sexual intercourse	-	-	63.5%	54.1%
Among sexually active students, the percent who had sex without any pregnancy prevention method	-	-	8.2%	11.3%
Ate fruit every day (past 7 days)	44.1%	42.8%	43.8%	42.4%
Ate vegetables every day (past 7 days)	41.8%	37.8%	40.1%	39.7%
Drank water every day (past 7 days)	79.0%	79.7%	78.9%	87.3%
Ate breakfast every day (past 7 days)	33.7%	33.3%	28.6%	32.4%
Exercise most days (past 7 days)	58.5%	58.2%	55.3%	54.3%
Watch 3 or more hours of TV per day	19.2%	18.2%	15.6%	17.6%
Spend 3 or more hours per day on phone, Xbox, or other device (excluding use for school work)	51.6%	52.2%	47.9%	43.6%
Use phone, Xbox or other device after midnight on a school night (past 7 days)	49.0%	53.6%	54.4%	59.6%
Had sports-induced concussion (past 12 months)	15.2%	14.8%	12.8%	13.0%
Saw a dentist (past 12 months)	80.6%	76.4%	80.2%	80.3%
Ever diagnosed with asthma	18.6%	20.3%	19.3%	19.6%

¹ - means numbers too small to report at this level.

Weighted YRBS Results By Grade				
Behavior	9th Grade	10th Grade	11th Grade	12th Grade
Most of the time or always wear sunscreen when outside	21.4%	16.5%	20.7%	14.9%
Sleep 8 or more hours per night	31.7%	29.3%	25.0%	21.0%
Lived in 4 or more residences	29.9%	35.8%	34.1%	36.2%
Experienced hunger due to lack of food at home (past 30 days)	23.3%	24.7%	25.2%	25.7%
Have at least one supportive adult besides parent(s)	81.5%	84.2%	82.4%	87.9%
Participate in school activities, teams, or clubs	72.4%	63.7%	72.3%	65.1%
Agree or strongly agree that they belong at school	65.9%	56.2%	64.1%	58.2%
Have at least one teacher or other adult at school to talk to	61.5%	67.5%	75.4%	81.6%
Most of the time or always get emotional support when needed	23.8%	20.4%	24.6%	26.4%
List adult as most likely source of emotional support	34.6%	35.0%	33.2%	33.1%
In excellent or very good health	54.0%	45.7%	48.7%	49.3%
Have physical disability or chronic health problem	9.1%	14.9%	10.6%	12.7%

¹ - means numbers too small to report at this level.

Tables by Race/Ethnicity

Weighted YRBS Results By Race/Ethnicity						
Behavior	White	Hisp	Bl/Af-Am	Asian/PI	Am.Ind	Multiple
Most of the time or always wear a seatbelt	90.6%	82.2%	76.4%	-	-	85.9%
Rode with driver who drank (past 30 days)	15.6%	19.1%	16.3%	-	-	15.5%
Drove after drinking (past 30 days)	5.0%	6.0%	-	-	-	-
Text/email while driving(past 30 days)	49.7%	44.9%	-	-	-	-
Missed school due to safety concerns at school or en route (past 30 days)	5.6%	7.4%	13.2%	-	-	7.9%
Brought a gun to school (past 30 days)	0.5%	1.0%	3.4%	-	-	2.1%
Threatened or injured with weapon at school (past 12 months)	6.0%	10.6%	11.2%	-	-	9.5%
Most of the time or always feel safe at school	86.8%	76.3%	66.1%	-	-	81.0%
In a physical fight on school property (past 12 months)	7.0%	16.0%	31.3%	-	-	24.3%
Agree or strongly agree that violence is a problem at their school	21.2%	31.2%	21.6%	-	-	31.9%
Most of the time or always feel safe in their neighborhood	93.2%	81.3%	81.0%	-	-	85.0%
Ever been raped	6.2%	4.8%	15.0%	-	-	5.3%

¹ - means numbers too small to report at this level.

² Composite measures combine responses across two or more questions.

Weighted YRBS Results By Race/Ethnicity						
Behavior	White	Hisp	Bl/Af-Am	Asian/PI	Am.Ind	Multiple
Ever been forced to do anything sexual	19.9%	24.7%	16.9%	-	-	19.0%
Dating partner forced something sexual in past 12 months	13.4%	16.7%	-	-	-	-
Physical violence by dating partner (past 12 months)	7.3%	9.3%	-	-	-	-
Composite measure: answered affirmatively to any sexual or dating violence question	23.2%	28.5%	28.5%	-	-	24.8%
Sent, received or shared sexual photos or images (past 30 days)	24.4%	31.3%	16.8%	-	-	34.5%
Bullied on school property (past 12 months)	22.5%	24.5%	15.4%	-	-	28.3%
Electronically bullied (past 12 months)	18.9%	17.9%	7.5%	-	-	16.2%
Composite measure: answered affirmatively to being bullied online and/or at school	30.1%	30.1%	16.9%	-	-	30.6%
Agree or strongly agree that bullying is a problem at school	43.4%	51.6%	27.8%	-	-	36.0%
Self-harm (past 12 months)	19.1%	17.2%	14.4%	-	-	12.7%
Problems with anxiety (past 12 months)	49.5%	59.0%	28.7%	-	-	63.4%
So sad or hopeless that stopped usual activities (past 12 months)	27.1%	42.3%	19.8%	-	-	33.5%

¹ - means numbers too small to report at this level.

² Composite measures combine responses across two or more questions.

Weighted YRBS Results By Race/Ethnicity						
Behavior	White	Hisp	Bl/Af-Am	Asian/PI	Am.Ind	Multiple
Seriously considered suicide (past 12 months)	15.7%	20.0%	11.2%	-	-	16.9%
Made a suicide plan (past 12 months)	12.6%	16.0%	11.1%	-	-	15.0%
Attempted suicide (past 12 months)	6.6%	8.8%	-	-	-	-
Composite measure: answered affirmatively to any of the previous six mental health questions	57.4%	68.6%	56.1%	-	-	75.0%
Among students who attempted suicide, percent who received medical attention (past 12 months)	-	-	-	-	-	-
Ever tried cigarettes	18.4%	25.1%	16.7%	-	-	-
Among smokers, the percent who tried cigarettes before age 13	24.7%	-	-	-	-	-
Smoke cigarettes (past 30 days)	5.4%	7.3%	5.7%	-	-	-
Ever tried vaping/juul/e-cigarettes	45.6%	56.1%	35.9%	-	-	45.0%
Vape/juul/e-cigarettes (past 30 days)	21.4%	25.3%	-	-	-	-
Use chew, dip, other smokeless tobacco (past 30 days)	2.8%	3.7%	6.0%	-	-	4.4%
Smoke cigars/cigarillos (past 30 days)	4.0%	3.0%	11.6%	-	-	6.4%

¹ - means numbers too small to report at this level.

Weighted YRBS Results By Race/Ethnicity						
Behavior	White	Hisp	Bl/Af-Am	Asian/PI	Am.Ind	Multiple
Among students who vaped or used other tobacco products, the percent who tried to quit (past 12 months)	47.1%	-	-	-	-	-
Ever had an alcoholic beverage	61.8%	60.0%	32.6%	-	-	68.5%
Among students who have drunk alcohol, percent whose first drink was before age 13	27.8%	31.5%	-	-	-	-
Drank alcohol (past 30 days)	31.4%	34.3%	17.3%	-	-	-
Binge drinking (past 30 days)	13.3%	16.0%	7.5%	-	-	-
Ever used marijuana	27.0%	43.8%	44.8%	-	-	38.0%
Among students who tried marijuana, the percent who first tried it before age 13	9.1%	-	-	-	-	-
Use marijuana (past 30 days)	16.2%	33.4%	34.7%	-	-	21.2%
Ever misused a prescription pain medicine	10.1%	14.6%	15.8%	-	-	12.8%
Ever misused an over-the-counter drug	4.8%	6.2%	10.8%	-	-	4.8%
Ever used heroin	0.7%	2.4%	4.6%	-	-	2.0%
Ever used methamphetamines	1.2%	2.4%	6.2%	-	-	3.8%
Were offered, sold, or given drugs on school property (past 12 months)	12.2%	19.4%	15.0%	-	-	13.8%

¹ - means numbers too small to report at this level.

Weighted YRBS Results By Race/Ethnicity						
Behavior	White	Hisp	Bl/Af-Am	Asian/PI	Am.Ind	Multiple
Attended school under the influence of alcohol or drugs (past 12 months)	9.9%	26.8%	14.7%	-	-	11.9%
Used any illegal drugs besides marijuana (past 12 months)	4.1%	6.0%	5.6%	-	-	2.1%
Ever had sexual intercourse	32.3%	38.0%	-	-	-	-
Among sexually active students, the percent whose first sexual intercourse was before age 13	6.1%	-	-	-	-	-
Among sexually active students, the percent who have had 4 or more sexual partners	19.2%	-	-	-	-	-
Currently sexually active (past 3 months)	23.4%	28.7%	-	-	-	-
Among sexually active students, the percent who used a condom during last sexual intercourse	61.1%	-	-	-	-	-
Among sexually active students, the percent who had sex without any pregnancy prevention method	7.6%	-	-	-	-	-
Ate fruit every day (past 7 days)	46.4%	32.7%	28.3%	-	-	48.1%
Ate vegetables every day (past 7 days)	42.6%	27.0%	25.9%	-	-	45.1%

¹ - means numbers too small to report at this level.

Weighted YRBS Results By Race/Ethnicity						
Behavior	White	Hisp	Bl/Af-Am	Asian/PI	Am.Ind	Multiple
Drank water every day (past 7 days)	83.1%	79.3%	72.1%	-	-	78.1%
Ate breakfast every day (past 7 days)	34.5%	24.8%	28.6%	-	-	24.8%
Exercise most days (past 7 days)	59.8%	51.2%	45.1%	-	-	51.0%
Watch 3 or more hours of TV per day	15.1%	24.2%	28.1%	-	-	23.8%
Spend 3 or more hours per day on phone, Xbox, or other device (excluding use for school work)	47.4%	50.6%	52.6%	-	-	-
Use phone, Xbox or other device after midnight on a school night (past 7 days)	48.8%	69.6%	69.2%	-	-	-
Had sports-induced concussion (past 12 months)	12.9%	14.0%	19.2%	-	-	22.3%
Saw a dentist (past 12 months)	84.8%	67.9%	66.1%	-	-	72.4%
Ever diagnosed with asthma	18.7%	22.3%	21.7%	-	-	30.1%
Most of the time or always wear sunscreen when outside	21.9%	9.1%	7.8%	-	-	11.1%
Sleep 8 or more hours per night	28.9%	22.4%	20.5%	-	-	17.6%
Lived in 4 or more residences	27.5%	53.2%	54.4%	-	-	46.5%

¹ - means numbers too small to report at this level.

Weighted YRBS Results By Race/Ethnicity						
Behavior	White	Hisp	Bl/Af-Am	Asian/PI	Am.Ind	Multiple
Experienced hunger due to lack of food at home (past 30 days)	19.1%	38.1%	34.9%	-	-	-
Have at least one supportive adult besides parent(s)	86.1%	77.9%	77.4%	-	-	-
Participate in school activities, teams, or clubs	72.2%	50.4%	61.8%	-	-	-
Agree or strongly agree that they belong at school	65.5%	51.9%	49.6%	-	-	-
Have at least one teacher or other adult at school to talk to	74.5%	68.5%	57.4%	-	-	63.9%
Most of the time or always get emotional support when needed	24.8%	19.3%	-	-	-	-
List adult as most likely source of emotional support	34.1%	25.8%	-	-	-	-
In excellent or very good health	52.2%	40.2%	49.1%	-	-	-
Have physical disability or chronic health problem	11.5%	8.9%	12.9%	-	-	-

¹ - means numbers too small to report at this level.

Tables by LGBT Status

Weighted YRBS Results By Sexual Orientation and Gender Identity		
Behavior	LGBT	Straight-Cisgender
Most of the time or always wear a seatbelt	85.3%	88.1%
Rode with driver who drank (past 30 days)	17.4%	15.7%
Drove after drinking (past 30 days)	-	-
Text/email while driving(past 30 days)	-	-
Missed school due to safety concerns at school or en route (past 30 days)	16.4%	5.3%
Brought a gun to school (past 30 days)	1.7%	0.7%
Threatened or injured with weapon at school (past 12 months)	13.4%	6.1%
Most of the time or always feel safe at school	81.2%	83.8%
In a physical fight on school property (past 12 months)	14.5%	10.4%
Agree or strongly agree that violence is a problem at their school	26.7%	22.1%
Most of the time or always feel safe in their neighborhood	83.3%	90.7%
Ever been raped	20.9%	5.0%
Ever been forced to do anything sexual	43.4%	16.2%
Dating partner forced something sexual in past 12 months	24.8%	11.0%
Physical violence by dating partner (past 12 months)	19.2%	6.2%
Composite measure: answered affirmatively to any sexual or dating violence question	46.7%	20.4%
Sent, received or shared sexual photos or images (past 30 days)	32.2%	23.9%
Bullied on school property (past 12 months)	36.7%	20.3%
Electronically bullied (past 12 months)	30.4%	15.7%
Composite measure: answered affirmatively to being bullied online and/or at school	43.8%	26.8%
Agree/strongly agree that bullying is a problem at school	55.0%	41.4%
Self-harm (past 12 months)	45.9%	14.6%
Problems with anxiety (past 12 months)	78.3%	45.1%
So sad or hopeless that stopped usual activities (past 12 months)	61.1%	23.9%
Seriously considered suicide (past 12 months)	42.0%	12.3%
Made a suicide plan (past 12 months)	35.4%	9.6%

¹ - means numbers too small to report at this level.

² Composite measures combine responses across two or more questions.

Weighted YRBS Results By Sexual Orientation and Gender Identity		
Behavior	LGBT	Straight-Cisgender
Attempted suicide (past 12 months)	19.7%	5.7%
Composite measure: answered affirmatively to any of the previous six mental health questions	88.6%	55.1%
Among students who attempted suicide, percent who received medical attention (past 12 months)	-	-
Ever tried cigarettes	28.5%	18.2%
Among smokers, the percent who tried cigarettes before age 13	-	-
Smoke cigarettes (past 30 days)	10.9%	5.3%
Ever tried vaping/juul/e-cigarettes	49.3%	46.0%
Vape/juul/e-cigarettes (past 30 days)	23.8%	20.8%
Use chew, dip, other smokeless tobacco (past 30 days)	5.5%	3.0%
Smoke cigars/cigarillos (past 30 days)	5.0%	4.8%
Among students who vaped or used other tobacco products, the percent who tried to quit (past 12 months)	-	-
Ever had an alcoholic beverage	69.2%	58.0%
Among students who have drunk alcohol, percent whose first drink was before age 13	42.7%	27.4%
Drank alcohol (past 30 days)	34.7%	29.8%
Binge drinking (past 30 days)	12.8%	13.2%
Ever used marijuana	39.3%	30.0%
Among students who tried marijuana, the percent who first tried it before age 13	-	-
Use marijuana (past 30 days)	24.1%	19.5%
Ever misused a prescription pain medicine	18.5%	10.1%
Ever misused an over-the-counter drug	8.5%	4.8%
Ever used heroin	4.0%	1.0%
Ever used methamphetamines	4.8%	1.5%
Were offered, sold, or given drugs on school property (past 12 months)	22.2%	12.5%
Attended school under the influence of alcohol or drugs (past 12 months)	15.7%	11.8%
Used any illegal drugs besides marijuana (past 12 months)	9.0%	4.0%
Ever had sexual intercourse	40.5%	34.4%
Among sexually active students, the percent whose first sexual intercourse was before age 13	-	-
Among sexually active students, the percent who have had 4 or more sexual partners	-	-

¹ - means numbers too small to report at this level.

Weighted YRBS Results By Sexual Orientation and Gender Identity		
Behavior	LGBT	Straight-Cisgender
Currently sexually active (past 3 months)	30.1%	24.9%
Among sexually active students, the percent who used a condom during last sexual intercourse	-	-
Among sexually active students, the percent who had sex without any pregnancy prevention method	-	-
Ate fruit every day (past 7 days)	45.2%	42.9%
Ate vegetables every day (past 7 days)	40.7%	39.5%
Drank water every day (past 7 days)	81.0%	82.1%
Ate breakfast every day (past 7 days)	24.3%	32.9%
Exercise most days (past 7 days)	36.9%	59.7%
Watch 3 or more hours of TV per day	22.1%	16.8%
Spend 3 or more hours per day on phone, Xbox, or other device (excluding use for school work)	61.0%	47.5%
Use phone, Xbox or other device after midnight on a school night (past 7 days)	67.4%	52.4%
Had sports-induced concussion (past 12 months)	9.2%	14.6%
Saw a dentist (past 12 months)	68.3%	81.1%
Ever diagnosed with asthma	19.5%	19.2%
Most of the time or always wear sunscreen when outside	21.6%	17.6%
Sleep 8 or more hours per night	13.8%	28.3%
Lived in 4 or more residences	44.9%	33.2%
Experienced hunger due to lack of food at home (past 30 days)	38.6%	22.8%
Have at least one supportive adult besides parent(s)	74.5%	85.6%
Participate in school activities, teams, or clubs	52.7%	70.2%
Agree or strongly agree that they belong at school	38.9%	64.4%
Have at least one teacher or other adult at school to talk to	67.8%	72.2%
Most of the time or always get emotional support when needed	19.0%	24.9%
List adult as most likely source of emotional support	25.3%	36.0%
In excellent or very good health	33.1%	51.8%
Have physical disability or chronic health problem	19.2%	10.4%

¹ - means numbers too small to report at this level.

Tables by Average Grades (Self-Reported)

Weighted YRBS Results By Average Grades (Self-Reported)				
Behavior	A's	B's	C's	D's or F's
Most of the time or always wear a seatbelt	93.7%	89.4%	83.9%	63.0%
Rode with driver who drank (past 30 days)	15.7%	16.8%	15.1%	16.2%
Drove after drinking (past 30 days)	4.3%	3.9%	-	-
Text/email while driving(past 30 days)	50.3%	45.2%	-	-
Missed school due to safety concerns at school or en route (past 30 days)	3.8%	6.8%	8.0%	18.5%
Brought a gun to school (past 30 days)	0.3%	0.6%	1.1%	4.1%
Threatened or injured with weapon at school (past 12 months)	5.6%	6.1%	6.7%	17.3%
Most of the time or always feel safe at school	89.7%	82.7%	74.4%	71.5%
In a physical fight on school property (past 12 months)	6.1%	9.5%	17.7%	28.7%
Agree or strongly agree that violence is a problem at their school	21.4%	25.4%	23.2%	28.4%
Most of the time or always feel safe in their neighborhood	94.0%	91.8%	84.0%	79.4%
Ever been raped	4.7%	5.4%	9.1%	16.3%
Ever been forced to do anything sexual	18.6%	20.2%	18.4%	24.6%
Dating partner forced something sexual in past 12 months	10.8%	14.2%	-	-
Physical violence by dating partner (past 12 months)	5.5%	7.4%	-	-
Composite measure: answered affirmatively to any sexual or dating violence question	21.2%	25.1%	23.8%	31.3%
Sent, received or shared sexual photos or images (past 30 days)	20.4%	25.9%	30.3%	40.8%

¹ - means numbers too small to report at this level.

² Composite measures combine responses across two or more questions.

Weighted YRBS Results By Average Grades (Self-Reported)				
Behavior	A's	B's	C's	D's or F's
Bullied on school property (past 12 months)	20.2%	20.9%	26.6%	31.6%
Electronically bullied (past 12 months)	16.8%	15.3%	20.8%	19.7%
Composite measure: answered affirmatively to being bullied online and/or at school	27.6%	26.6%	33.4%	35.2%
Agree/strongly agree that bullying is a problem at school	41.8%	43.4%	46.4%	48.8%
Self-harm (past 12 months)	13.4%	21.0%	20.7%	27.6%
Problems with anxiety (past 12 months)	43.7%	49.7%	58.4%	57.2%
So sad or hopeless that stopped usual activities (past 12 months)	20.0%	31.9%	32.9%	47.7%
Seriously considered suicide (past 12 months)	10.7%	18.1%	19.0%	24.9%
Made a suicide plan (past 12 months)	8.8%	13.6%	15.7%	24.6%
Attempted suicide (past 12 months)	4.3%	7.2%	10.3%	17.0%
Composite measure: answered affirmatively to any of the previous six mental health questions	50.3%	62.1%	67.8%	75.2%
Among students who attempted suicide, percent who received medical attention (past 12 months)	-	-	-	-
Ever tried cigarettes	10.3%	20.6%	29.6%	42.8%
Among smokers, the percent who tried cigarettes before age 13	-	26.0%	-	-
Smoke cigarettes (past 30 days)	1.6%	5.6%	9.9%	21.8%
Ever tried vaping/juul/e-cigarettes	37.6%	47.5%	56.3%	65.6%
Vape/juul/e-cigarettes (past 30 days)	13.6%	20.3%	-	-
Use chew, dip, other smokeless tobacco (past 30 days)	1.6%	2.7%	5.9%	11.1%
Smoke cigars/cigarillos (past 30 days)	1.6%	3.7%	8.5%	15.5%

¹ - means numbers too small to report at this level.

Weighted YRBS Results By Average Grades (Self-Reported)				
Behavior	A's	B's	C's	D's or F's
Among students who vaped or used other tobacco products, the percent who tried to quit (past 12 months)	45.3%	43.3%	-	-
Ever had an alcoholic beverage	56.3%	59.1%	61.2%	70.1%
Among students who have drunk alcohol, percent whose first drink was before age 13	22.6%	28.0%	-	-
Drank alcohol (past 30 days)	25.2%	31.7%	35.2%	43.1%
Binge drinking (past 30 days)	9.0%	14.7%	15.1%	27.7%
Ever used marijuana	20.9%	29.3%	43.9%	57.9%
Among students who tried marijuana, the percent who first tried it before age 13	-	7.6%	18.0%	-
Use marijuana (past 30 days)	12.5%	19.2%	28.1%	40.4%
Ever misused a prescription pain medicine	7.7%	12.2%	13.3%	27.3%
Ever misused an over-the-counter drug	3.2%	4.2%	7.2%	18.2%
Ever used heroin	1.5%	0.8%	0.9%	5.4%
Ever used methamphetamines	1.7%	1.1%	2.2%	5.4%
Were offered, sold, or given drugs on school property (past 12 months)	10.5%	13.2%	17.2%	30.6%
Attended school under the influence of alcohol or drugs (past 12 months)	7.0%	9.9%	20.7%	34.6%
Used any illegal drugs besides marijuana (past 12 months)	2.5%	4.3%	6.2%	14.7%
Ever had sexual intercourse	27.9%	34.4%	42.9%	47.8%
Among sexually active students, the percent whose first sexual intercourse was before age 13	7.9%	3.0%	-	-
Among sexually active students, the percent who have had 4 or more sexual partners	11.3%	20.2%	-	-

¹ - means numbers too small to report at this level.

Weighted YRBS Results By Average Grades (Self-Reported)				
Behavior	A's	B's	C's	D's or F's
Currently sexually active (past 3 months)	21.6%	24.4%	30.8%	36.1%
Among sexually active students, the percent who used a condom during last sexual intercourse	64.0%	62.5%	-	-
Among sexually active students, the percent who had sex without any pregnancy prevention method	5.7%	9.2%	-	-
Ate fruit every day (past 7 days)	52.0%	40.9%	32.7%	35.4%
Ate vegetables every day (past 7 days)	45.8%	40.2%	29.8%	35.5%
Drank water every day (past 7 days)	85.9%	81.3%	76.6%	77.2%
Ate breakfast every day (past 7 days)	41.2%	28.8%	23.8%	12.2%
Exercise most days (past 7 days)	63.4%	54.8%	51.6%	44.9%
Watch 3 or more hours of TV per day	12.4%	19.1%	25.5%	27.2%
Spend 3 or more hours per day on phone, Xbox, or other device (excluding use for school work)	41.0%	53.5%	54.9%	62.3%
Use phone, Xbox or other device after midnight on a school night (past 7 days)	43.8%	54.5%	68.9%	76.9%
Had sports-induced concussion (past 12 months)	12.5%	12.3%	17.7%	27.9%
Saw a dentist (past 12 months)	86.5%	81.6%	66.6%	58.8%
Ever diagnosed with asthma	18.9%	19.5%	17.5%	24.9%
Most of the time or always wear sunscreen when outside	24.0%	18.1%	10.6%	8.7%
Sleep 8 or more hours per night	30.0%	27.1%	24.7%	14.1%
Lived in 4 or more residences	26.0%	33.9%	42.9%	56.2%
Experienced hunger due to lack of food at home (past 30 days)	16.1%	24.6%	39.2%	41.5%
Have at least one supportive adult besides parent(s)	86.3%	83.7%	86.1%	73.3%

¹ - means numbers too small to report at this level.

Weighted YRBS Results By Average Grades (Self-Reported)				
Behavior	A's	B's	C's	D's or F's
Participate in school activities, teams, or clubs	84.1%	65.3%	53.2%	35.9%
Agree or strongly agree that they belong at school	74.8%	59.0%	47.6%	30.4%
Have at least one teacher or other adult at school to talk to	76.4%	70.2%	72.3%	55.2%
Most of the time or always get emotional support when needed	26.8%	23.4%	-	-
List adult as most likely source of emotional support	37.1%	35.4%	-	-
In excellent or very good health	61.7%	45.4%	39.9%	31.1%
Have physical disability or chronic health problem	12.0%	11.5%	8.6%	14.4%

¹ - means numbers too small to report at this level.

Tables by Physical Disability (Self-Reported)

Weighted YRBS Results By Physical Disability or Chronic Health Condition		
Behavior	Have disability or condition	No disability or condition
Most of the time or always wear a seatbelt	85.5%	89.1%
Rode with driver who drank (past 30 days)	15.5%	15.5%
Drove after drinking (past 30 days)	5.6%	4.9%
Text/email while driving(past 30 days)	46.2%	48.9%
Missed school due to safety concerns at school or en route (past 30 days)	12.0%	5.2%
Brought a gun to school (past 30 days)	1.3%	0.6%
Threatened or injured with weapon at school (past 12 months)	12.4%	5.6%
Most of the time or always feel safe at school	85.4%	84.3%
In a physical fight on school property (past 12 months)	18.8%	9.2%
Agree or strongly agree that violence is a problem at their school	25.3%	21.9%
Most of the time or always feel safe in their neighborhood	84.8%	91.8%
Ever been raped	15.4%	5.3%
Ever been forced to do anything sexual	31.1%	17.6%
Dating partner forced something sexual in past 12 months	24.7%	11.2%
Physical violence by dating partner (past 12 months)	13.2%	6.9%
Composite measure: answered affirmatively to any sexual or dating violence question	34.4%	21.7%
Sent, received or shared sexual photos or images (past 30 days)	30.3%	23.8%
Bullied on school property (past 12 months)	33.8%	20.0%
Electronically bullied (past 12 months)	22.0%	15.5%
Composite measure: answered affirmatively to being bullied online and/or at school	38.9%	26.1%
Agree/strongly agree that bullying is a problem at school	54.9%	41.1%
Self-harm (past 12 months)	28.9%	16.1%
Problems with anxiety (past 12 months)	58.3%	46.9%
So sad or hopeless that stopped usual activities (past 12 months)	37.7%	26.1%
Seriously considered suicide (past 12 months)	27.0%	13.4%
Made a suicide plan (past 12 months)	25.4%	10.1%

¹ - means numbers too small to report at this level.

² Composite measures combine responses across two or more questions.

Weighted YRBS Results By Physical Disability or Chronic Health Condition		
Behavior	Have disability or condition	No disability or condition
Attempted suicide (past 12 months)	13.1%	5.8%
Composite measure: answered affirmatively to any of the previous six mental health questions	70.8%	56.3%
Among students who attempted suicide, percent who received medical attention (past 12 months)	31.0%	26.1%
Ever tried cigarettes	26.2%	17.5%
Among smokers, the percent who tried cigarettes before age 13	31.7%	29.9%
Smoke cigarettes (past 30 days)	7.1%	5.2%
Ever tried vaping/juul/e-cigarettes	52.8%	45.0%
Vape/juul/e-cigarettes (past 30 days)	27.6%	19.4%
Use chew, dip, other smokeless tobacco (past 30 days)	2.2%	2.9%
Smoke cigars/cigarillos (past 30 days)	2.5%	4.3%
Among students who vaped or used other tobacco products, the percent who tried to quit (past 12 months)	54.9%	45.0%
Ever had an alcoholic beverage	61.0%	58.6%
Among students who have drunk alcohol, percent whose first drink was before age 13	37.9%	27.2%
Drank alcohol (past 30 days)	34.0%	29.0%
Binge drinking (past 30 days)	16.4%	12.7%
Ever used marijuana	39.9%	29.1%
Among students who tried marijuana, the percent who first tried it before age 13	20.3%	12.7%
Use marijuana (past 30 days)	25.7%	18.3%
Ever misused a prescription pain medicine	17.7%	10.1%
Ever misused an over-the-counter drug	7.0%	4.6%
Ever used heroin	4.3%	0.8%
Ever used methamphetamines	5.4%	1.1%
Were offered, sold, or given drugs on school property (past 12 months)	16.7%	12.7%
Attended school under the influence of alcohol or drugs (past 12 months)	18.7%	11.1%
Used any illegal drugs besides marijuana (past 12 months)	7.6%	4.2%
Ever had sexual intercourse	38.9%	35.2%
Among sexually active students, the percent whose first sexual intercourse was before age 13	19.4%	4.4%
Among sexually active students, the percent who have had 4 or more sexual partners	26.8%	18.9%
Currently sexually active (past 3 months)	29.8%	25.1%

¹ - means numbers too small to report at this level.

² Composite measures combine responses across two or more questions.

Weighted YRBS Results By Physical Disability or Chronic Health Condition		
Behavior	Have disability or condition	No disability or condition
Among sexually active students, the percent who used a condom during last sexual intercourse	53.4%	58.5%
Among sexually active students, the percent who had sex without any pregnancy prevention method	17.3%	10.2%
Ate fruit every day (past 7 days)	37.4%	45.1%
Ate vegetables every day (past 7 days)	34.8%	41.4%
Drank water every day (past 7 days)	79.4%	82.8%
Ate breakfast every day (past 7 days)	32.5%	33.0%
Exercise most days (past 7 days)	52.8%	58.7%
Watch 3 or more hours of TV per day	21.1%	16.1%
Spend 3 or more hours per day on phone, Xbox, or other device (excluding use for school work)	53.7%	47.5%
Use phone, Xbox or other device after midnight on a school night (past 7 days)	60.1%	52.5%
Had sports-induced concussion (past 12 months)	17.6%	12.6%
Saw a dentist (past 12 months)	82.4%	80.9%
Ever diagnosed with asthma	36.8%	15.8%
Most of the time or always wear sunscreen when outside	15.9%	18.3%
Sleep 8 or more hours per night	21.8%	27.2%
Lived in 4 or more residences	32.3%	33.2%
Experienced hunger due to lack of food at home (past 30 days)	27.0%	22.6%
Have at least one supportive adult besides parent(s)	83.8%	84.8%
Participate in school activities, teams, or clubs	66.0%	70.0%
Agree or strongly agree that they belong at school	54.5%	64.1%
Have at least one teacher or other adult at school to talk to	70.3%	72.8%
Most of the time or always get emotional support when needed	20.9%	24.5%
List adult as most likely source of emotional support	35.7%	34.4%
In excellent or very good health	33.4%	54.3%

¹ - means numbers too small to report at this level.

² Composite measures combine responses across two or more questions.

Tables by Special Education Services (Self-Reported)

Weighted YRBS Results By Special Education Services Status (Self-Reported)			
Behavior	Current Services (IEP/504)	Past Services (IEP/504)	Never Services (IEP/504)
Most of the time or always wear a seatbelt	80.2%	81.2%	90.4%
Rode with driver who drank (past 30 days)	16.1%	16.1%	15.3%
Drove after drinking (past 30 days)	8.4%	8.0%	4.9%
Text/email while driving (past 30 days)	47.5%	27.8%	50.2%
Missed school due to safety concerns at school or en route (past 30 days)	16.3%	15.2%	4.2%
Brought a gun to school (past 30 days)	0.7%	1.0%	0.7%
Threatened or injured with weapon at school (past 12 months)	12.8%	8.5%	5.6%
Most of the time or always feel safe at school	75.8%	66.5%	87.1%
In a physical fight on school property (past 12 months)	19.1%	16.7%	8.8%
Agree or strongly agree that violence is a problem at their school	30.0%	20.3%	22.3%
Most of the time or always feel safe in their neighborhood	81.5%	80.0%	92.5%
Ever been raped	13.4%	10.1%	5.4%
Ever been forced to do anything sexual	26.0%	22.9%	19.4%
Dating partner forced something sexual in past 12 months	20.4%	20.4%	12.5%
Physical violence by dating partner (past 12 months)	16.4%	11.8%	6.5%
Composite measure: answered affirmatively to any sexual or dating violence question	32.5%	29.8%	22.9%
Sent, received or shared sexual photos or images (past 30 days)	29.8%	28.7%	23.8%
Bullied on school property (past 12 months)	31.2%	28.8%	20.5%
Electronically bullied (past 12 months)	25.1%	20.8%	16.9%

¹ - means numbers too small to report at this level.

² Composite measures combine responses across two or more questions.

Weighted YRBS Results By Special Education Services Status (Self-Reported)			
Behavior	Current Services (IEP/504)	Past Services (IEP/504)	Never Services (IEP/504)
Composite measure: answered affirmatively to being bullied online and/or at school	39.0%	36.5%	27.3%
Agree/strongly agree that bullying is a problem at school	54.2%	46.1%	41.8%
Self-harm (past 12 months)	34.9%	23.3%	15.4%
Problems with anxiety (past 12 months)	58.5%	55.3%	47.6%
So sad or hopeless that stopped usual activities (past 12 months)	44.4%	31.5%	25.6%
Seriously considered suicide (past 12 months)	26.8%	18.7%	14.1%
Made a suicide plan (past 12 months)	22.8%	14.0%	11.4%
Attempted suicide (past 12 months)	20.1%	10.5%	5.5%
Composite measure: answered affirmatively to any of the previous six mental health questions	75.6%	70.6%	56.1%
Among students who attempted suicide, percent who received medical attention (past 12 months)	29.8%	19.5%	23.1%
Ever tried cigarettes	27.7%	16.3%	17.7%
Among smokers, the percent who tried cigarettes before age 13	37.0%	51.9%	27.3%
Smoke cigarettes (past 30 days)	13.8%	6.2%	4.7%
Ever tried vaping/juul/e-cigarettes	49.0%	41.0%	45.9%
Vape/juul/e-cigarettes (past 30 days)	25.5%	20.4%	20.1%
Use chew, dip, other smokeless tobacco (past 30 days)	6.9%	0.9%	2.5%
Smoke cigars/cigarillos (past 30 days)	7.0%	3.3%	3.6%
Among students who vaped or used other tobacco products, the percent who tried to quit (past 12 months)	32.3%	30.4%	49.7%
Ever had an alcoholic beverage	55.8%	53.9%	60.4%
Among students who have drunk alcohol, percent whose first drink was before age 13	41.9%	39.2%	26.0%
Drank alcohol (past 30 days)	33.4%	26.1%	30.2%
Binge drinking (past 30 days)	16.4%	8.5%	12.7%
Ever used marijuana	35.7%	23.1%	30.0%

¹ - means numbers too small to report at this level.

Weighted YRBS Results By Special Education Services Status (Self-Reported)			
Behavior	Current Services (IEP/504)	Past Services (IEP/504)	Never Services (IEP/504)
Among students who tried marijuana, the percent who first tried it before age 13	16.5%	32.6%	12.8%
Use marijuana (past 30 days)	26.3%	12.3%	19.1%
Ever misused a prescription pain medicine	18.8%	18.0%	9.8%
Ever misused an over-the-counter drug	10.2%	7.1%	4.4%
Ever used heroin	3.0%	2.7%	0.9%
Ever used methamphetamines	5.6%	2.2%	1.2%
Were offered, sold, or given drugs on school property (past 12 months)	15.0%	15.4%	13.0%
Attended school under the influence of alcohol or drugs (past 12 months)	18.7%	11.5%	11.3%
Used any illegal drugs besides marijuana (past 12 months)	8.5%	5.4%	3.9%
Ever had sexual intercourse	37.4%	31.5%	34.2%
Among sexually active students, the percent whose first sexual intercourse was before age 13	18.2%	4.5%	5.8%
Among sexually active students, the percent who have had 4 or more sexual partners	43.4%	26.2%	19.0%
Currently sexually active (past 3 months)	28.8%	19.4%	24.9%
Among sexually active students, the percent who used a condom during last sexual intercourse	42.7%	59.3%	59.2%
Among sexually active students, the percent who had sex without any pregnancy prevention method	23.0%	22.9%	8.5%
Ate fruit every day (past 7 days)	37.9%	39.0%	45.2%
Ate vegetables every day (past 7 days)	36.7%	38.4%	41.1%
Drank water every day (past 7 days)	75.7%	78.3%	83.5%
Ate breakfast every day (past 7 days)	28.2%	27.3%	33.2%
Exercise most days (past 7 days)	44.5%	49.0%	59.2%
Watch 3 or more hours of TV per day	25.4%	17.9%	16.0%
Spend 3 or more hours per day on phone, Xbox, or other device (excluding use for school work)	54.5%	54.3%	47.5%

¹ - means numbers too small to report at this level.

Weighted YRBS Results By Special Education Services Status (Self-Reported)			
Behavior	Current Services (IEP/504)	Past Services (IEP/504)	Never Services (IEP/504)
Use phone, Xbox or other device after midnight on a school night (past 7 days)	64.4%	61.0%	51.9%
Had sports-induced concussion (past 12 months)	18.8%	21.5%	12.8%
Saw a dentist (past 12 months)	71.0%	76.8%	83.3%
Ever diagnosed with asthma	25.7%	23.0%	19.4%
Most of the time or always wear sunscreen when outside	15.4%	11.0%	19.3%
Sleep 8 or more hours per night	26.7%	22.3%	26.4%
Lived in 4 or more residences	34.9%	37.6%	32.8%
Experienced hunger due to lack of food at home (past 30 days)	34.5%	39.7%	21.0%
Have at least one supportive adult besides parent(s)	80.4%	81.7%	85.4%
Participate in school activities, teams, or clubs	54.1%	56.0%	71.5%
Agree or strongly agree that they belong at school	51.9%	53.6%	63.7%
Have at least one teacher or other adult at school to talk to	77.2%	66.6%	71.7%
Most of the time or always get emotional support when needed	30.0%	23.8%	23.3%
List adult as most likely source of emotional support	39.0%	36.1%	33.7%
In excellent or very good health	43.6%	44.6%	52.2%
Have physical disability or chronic health problem	26.9%	13.5%	10.1%

¹ - means numbers too small to report at this level.

Tables by Food Insecurity (Self-Reported)

Weighted YRBS Results By Food Insecurity Status		
Behavior	Food Insecure	Not Food Insecure
Most of the time or always wear a seatbelt	79.8%	90.7%
Rode with driver who drank (past 30 days)	20.7%	14.2%
Drove after drinking (past 30 days)	8.3%	4.6%
Text/email while driving (past 30 days)	46.2%	47.9%
Missed school due to safety concerns at school or en route (past 30 days)	15.1%	3.9%
Brought a gun to school (past 30 days)	1.9%	0.6%
Threatened or injured with weapon at school (past 12 months)	11.4%	5.3%
Most of the time or always feel safe at school	69.5%	87.5%
In a physical fight on school property (past 12 months)	17.2%	8.6%
Agree or strongly agree that violence is a problem at their school	28.6%	21.2%
Most of the time or always feel safe in their neighborhood	78.7%	93.7%
Ever been raped	13.2%	4.4%
Ever been forced to do anything sexual	28.8%	16.6%
Dating partner forced something sexual in past 12 months	22.2%	9.7%
Physical violence by dating partner (past 12 months)	13.4%	5.9%
Composite measure: answered affirmatively to any sexual or dating violence question	34.9%	20.1%
Sent, received or shared sexual photos or images (past 30 days)	33.8%	21.9%
Bullied on school property (past 12 months)	33.0%	18.8%
Electronically bullied (past 12 months)	25.2%	14.6%
Composite measure: answered affirmatively to being bullied online and/or at school	40.2%	24.9%
Agree/strongly agree that bullying is a problem at school	53.3%	39.7%
Self-harm (past 12 months)	31.9%	13.9%
Problems with anxiety (past 12 months)	62.7%	44.5%
So sad or hopeless that stopped usual activities (past 12 months)	43.3%	23.4%
Seriously considered suicide (past 12 months)	27.1%	11.9%
Made a suicide plan (past 12 months)	22.8%	9.6%
Attempted suicide (past 12 months)	14.8%	4.9%

¹ - means numbers too small to report at this level.

² Composite measures combine responses across two or more questions.

Weighted YRBS Results By Food Insecurity Status		
Behavior	Food Insecure	Not Food Insecure
Composite measure: answered affirmatively to any of the previous six mental health questions	76.6%	53.6%
Among students who attempted suicide, percent who received medical attention (past 12 months)	41.7%	14.7%
Ever tried cigarettes	29.4%	15.7%
Among smokers, the percent who tried cigarettes before age 13	38.9%	26.6%
Smoke cigarettes (past 30 days)	11.2%	3.9%
Ever tried vaping/juul/e-cigarettes	56.6%	41.9%
Vape/juul/e-cigarettes (past 30 days)	29.1%	17.6%
Use chew, dip, other smokeless tobacco (past 30 days)	5.0%	2.7%
Smoke cigars/cigarillos (past 30 days)	7.8%	3.4%
Among students who vaped or used other tobacco products, the percent who tried to quit (past 12 months)	48.0%	44.9%
Ever had an alcoholic beverage	63.5%	56.8%
Among students who have drunk alcohol, percent whose first drink was before age 13	38.0%	25.7%
Drank alcohol (past 30 days)	35.8%	27.8%
Binge drinking (past 30 days)	15.1%	12.0%
Ever used marijuana	42.8%	26.3%
Among students who tried marijuana, the percent who first tried it before age 13	22.5%	8.6%
Use marijuana (past 30 days)	28.2%	16.9%
Ever misused a prescription pain medicine	17.5%	9.3%
Ever misused an over-the-counter drug	9.9%	3.9%
Ever used heroin	2.6%	0.9%
Ever used methamphetamines	4.3%	1.0%
Were offered, sold, or given drugs on school property (past 12 months)	19.0%	11.9%
Attended school under the influence of alcohol or drugs (past 12 months)	20.1%	9.6%
Used any illegal drugs besides marijuana (past 12 months)	8.6%	3.2%
Ever had sexual intercourse	43.1%	31.5%
Among sexually active students, the percent whose first sexual intercourse was before age 13	10.1%	5.7%
Among sexually active students, the percent who have had 4 or more sexual partners	36.1%	15.2%
Currently sexually active (past 3 months)	32.4%	22.2%
Among sexually active students, the percent who used a condom during last sexual intercourse	50.0%	61.2%

¹ - means numbers too small to report at this level.

Weighted YRBS Results By Food Insecurity Status		
Behavior	Food Insecure	Not Food Insecure
Among sexually active students, the percent who had sex without any pregnancy prevention method	16.1%	8.6%
Ate fruit every day (past 7 days)	34.7%	46.1%
Ate vegetables every day (past 7 days)	33.9%	42.0%
Drank water every day (past 7 days)	79.8%	82.0%
Ate breakfast every day (past 7 days)	20.6%	35.7%
Exercise most days (past 7 days)	51.5%	58.3%
Watch 3 or more hours of TV per day	24.0%	15.8%
Spend 3 or more hours per day on phone, Xbox, or other device (excluding use for school work)	59.1%	45.6%
Use phone, Xbox or other device after midnight on a school night (past 7 days)	70.2%	48.7%
Had sports-induced concussion (past 12 months)	19.7%	12.1%
Saw a dentist (past 12 months)	64.8%	84.2%
Ever diagnosed with asthma	21.1%	19.0%
Most of the time or always wear sunscreen when outside	16.1%	19.2%
Sleep 8 or more hours per night	18.5%	29.4%
Lived in 4 or more residences	47.2%	29.7%
Experienced hunger due to lack of food at home (past 30 days)	100.0%	0.0%
Have at least one supportive adult besides parent(s)	79.2%	85.6%
Participate in school activities, teams, or clubs	59.7%	71.3%
Agree or strongly agree that they belong at school	43.1%	67.0%
Have at least one teacher or other adult at school to talk to	66.3%	73.1%
Most of the time or always get emotional support when needed	19.2%	25.8%
List adult as most likely source of emotional support	28.2%	36.1%
In excellent or very good health	35.7%	54.0%
Have physical disability or chronic health problem	13.0%	11.4%

¹ - means numbers too small to report at this level.

TECHNICAL NOTES

Data used in this report was generated from a scientific sample of Wisconsin public high schools. For additional information on the sample, data preparation, and analysis, see the CDC's most recent YRBS Data User's Guide or the CDC's YRBSS Methods page: <https://www.cdc.gov/healthyouth/data/yrbs/methods.htm>.

STATISTICAL SIGNIFICANCE

Differences between groups may be considered statistically significant if the confidence intervals between groups do not overlap. If confidence intervals do overlap, the differences across groups are not statistically significant at the .05 level. County and CESA reports include confidence intervals. If the corresponding state data point falls within the confidence interval for the same question on the county or CESA report, you may conclude that differences between the county (or CESA) and state are not statistically significant. Affirming a statistically significant result requires also checking the confidence intervals for the state data. Those numbers can be found on the 2019 YRBS Summary Tables report produced by the Centers for Disease Control and Prevention (CDC), which is posted on the Department of Public Instruction's website.

REDACTION

Results for the state-level results in this document are reported if at least 100 students in the respective subgroup answered the question. This aligns with the CDC reporting practice used in the Wisconsin 2019 Summary Tables.

CITING THIS REPORT:

The report can be cited as:

McCoy, Katherine and Carl Frederick. 2020. "Wisconsin 2019 Youth Risk Behavior Survey Comparison Tables". Madison: Wisconsin Department of Public Instruction.

The Youth Risk Behavior Survey is supported by the Centers for Disease Control and Prevention (CDC). CDC Disclaimer: *This report was supported by Grant number NU87PS004346, funded by the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention or the Department of Health and Human Services.*