

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity	52.4	43.6 - 61.0	110	48.6	41.5 - 55.8	144	48.2	35.2 - 61.4	39	49.9	44.8 - 55.1	293
b. Nutrition	53.5	44.6 - 62.1	110	51.1	44.2 - 58.0	145	43.3	29.7 - 58.0	39	51.1	46.0 - 56.2	294
c. Tobacco-use prevention	50.4	41.7 - 59.2	110	43.3	36.8 - 49.9	145	40.9	28.0 - 55.3	39	45.6	40.7 - 50.6	294
d. Asthma	30.7	23.9 - 38.5	110	23.6	18.2 - 30.1	144	13.2	8.4 - 20.1	39	25.0	21.1 - 29.4	293
e. Injury and violence prevention	40.7	32.8 - 49.1	110	38.9	32.4 - 45.8	145	31.2	21.0 - 43.6	39	38.7	34.0 - 43.6	294
f. HIV, STD, and teen pregnancy prevention	43.1	34.9 - 51.7	109	28.6	22.5 - 35.7	144	35.9	24.5 - 49.1	38	34.8	30.1 - 39.8	291

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	25.7	19.2 - 33.5	106	32.5	26.5 - 39.2	137	27.2	15.9 - 42.5	34	29.4	25.1 - 34.1	277
b. Physical education	23.1	16.6 - 31.3	106	31.7	24.9 - 39.4	136	21.7	11.0 - 38.2	34	27.4	22.8 - 32.5	276
c. Physical activity	19.7	13.7 - 27.3	106	30.6	24.2 - 37.8	136	18.3	8.9 - 33.7	33	25.1	20.9 - 30.0	275
d. School meal programs	22.2	16.1 - 29.9	106	28.4	22.0 - 35.7	135	17.8	8.9 - 32.4	34	24.9	20.6 - 29.7	275
e. Foods and beverages available at school outside the school meal programs	18.8	13.5 - 25.7	106	26.5	20.8 - 33.2	136	17.8	8.8 - 32.7	34	22.7	18.8 - 27.1	276
f. Health services	22.1	16.0 - 29.8	105	27.9	22.0 - 34.7	136	17.8	8.7 - 32.9	34	24.6	20.5 - 29.3	275
g. Counseling, psychological, and social services	34.6	27.9 - 42.0	106	40.3	33.2 - 47.8	136	31.2	19.3 - 46.1	34	37.1	32.4 - 42.1	276
h. Physical environment	26.8	20.1 - 34.8	105	37.9	31.1 - 45.2	135	23.3	12.7 - 38.7	34	32.1	27.5 - 37.1	274
i. Social and emotional climate	46.6	39.4 - 54.0	107	53.8	46.6 - 60.8	136	36.7	23.8 - 51.9	34	49.2	44.4 - 54.1	277
j. Family engagement	39.4	31.9 - 47.4	106	54.7	47.2 - 62.0	136	33.9	21.8 - 48.6	34	46.6	41.6 - 51.7	276
k. Community involvement	40.3	32.5 - 48.5	106	50.1	42.5 - 57.6	136	33.9	21.4 - 49.2	34	44.6	39.5 - 49.9	276
l. Employee wellness	27.3	20.5 - 35.4	107	31.2	25.0 - 38.0	141	24.7	14.6 - 38.5	36	29.0	24.7 - 33.8	284

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
82.2	74.3 - 88.1	105	76.1	69.8 - 81.5	132	69.8	51.8 - 83.3	33	77.8	73.1 - 81.8	270

*Among schools that engaged in an improvement planning process during the past year.
N = Unweighted number of observations

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
91.3	86.2 - 94.7	114	84.3	78.0 - 89.0	147	84.4	70.6 - 92.4	39	86.9	83.1 - 90.0	300

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
63.7	56.6 - 70.3	114	63.8	57.0 - 70.0	147	65.3	52.0 - 76.7	39	63.9	59.4 - 68.2	300

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Identified student health needs based on a review of relevant data	79.0	69.8 - 86.0	72	71.1	62.7 - 78.3	92	73.0	54.2 - 86.1	25	74.3	68.6 - 79.3	189
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	82.2	75.0 - 87.6	73	70.2	61.6 - 77.5	92	70.3	50.9 - 84.4	26	74.7	69.2 - 79.4	191
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	67.4	57.6 - 75.9	73	53.2	44.6 - 61.7	92	55.6	40.0 - 70.3	25	58.8	52.9 - 64.5	190
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	88.6	80.5 - 93.6	73	82.8	74.6 - 88.7	92	80.7	61.9 - 91.5	25	84.7	79.5 - 88.8	190
e. Reviewed health-related curricula or instructional materials	74.3	64.4 - 82.2	73	78.6	70.1 - 85.1	91	52.2	37.0 - 67.1	26	73.8	68.1 - 78.9	190
f. Assessed the availability of physical activity opportunities for students	68.3	58.3 - 76.9	73	72.1	62.7 - 79.8	92	66.6	52.8 - 78.0	26	70.0	63.9 - 75.5	191
g. Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	26.0	18.9 - 34.5	73	26.6	19.3 - 35.4	92	9.4	2.9 - 26.4	25	24.4	19.6 - 29.9	190

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
70.6	64.1 - 76.4	114	45.1	38.4 - 52.1	144	56.5	42.1 - 69.8	37	56.1	51.5 - 60.5	295

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	89.5	83.2 - 93.6	114	92.0	87.0 - 95.2	146	92.7	81.9 - 97.3	39	91.1	87.8 - 93.6	299
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	72.5	65.7 - 78.4	112	66.9	60.5 - 72.7	145	73.3	59.7 - 83.6	39	69.7	65.4 - 73.7	296

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
53.5	47.0 - 59.9	114	17.9	13.5 - 23.5	146	21.5	11.9 - 35.8	39	31.6	28.0 - 35.5	299

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	81.0	74.4 - 86.2	114	66.1	59.5 - 72.2	146	80.4	68.4 - 88.6	39	73.3	69.1 - 77.2	299
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	96.8	91.8 - 98.8	114	98.1	95.2 - 99.3	147	100.0	†	39	97.9	95.8 - 98.9	300
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	75.9	68.2 - 82.3	114	65.6	59.0 - 71.6	147	64.0	49.4 - 76.3	39	69.2	64.6 - 73.5	300
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	62.1	53.4 - 70.2	114	39.2	32.2 - 46.6	147	50.3	35.3 - 65.1	39	49.0	43.9 - 54.2	300
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	62.4	54.4 - 69.8	114	43.7	36.9 - 50.8	145	62.7	52.1 - 72.2	38	52.9	48.1 - 57.6	297

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

11. Percentage of schools in which staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
63.7	55.9 - 70.8	114	68.2	61.7 - 74.0	147	69.8	57.4 - 79.9	39	66.7	62.1 - 71.0	300

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

12. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
92.4	87.7 - 95.4	114	95.7	91.6 - 97.9	147	97.6	88.0 - 99.5	39	94.7	92.1 - 96.4	300

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
95.4	90.5 - 97.9	114	92.9	87.9 - 96.0	147	94.1	81.8 - 98.3	39	94.0	90.9 - 96.1	300

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Sixth grade	§	§	§	100.0	†	127	-	-	17	97.8	96.7 - 98.6	144
b. Seventh grade	§	§	§	100.0	†	144	89.0	83.1 - 93.0	33	98.2	97.3 - 98.8	177
c. Eighth grade	§	§	§	100.0	†	144	89.3	83.6 - 93.2	34	98.2	97.3 - 98.8	178
d. Ninth grade	94.0	89.9 - 96.5	112	-	-	2	83.1	68.7 - 91.7	36	91.7	87.4 - 94.6	150
e. Tenth grade	88.7	82.9 - 92.7	114	§	§	§	77.9	62.1 - 88.4	36	86.3	80.8 - 90.4	150
f. Eleventh grade	74.1	67.6 - 79.7	113	§	§	§	59.9	44.3 - 73.7	36	70.9	64.8 - 76.4	149
g. Twelfth grade	41.3	33.1 - 50.1	101	§	§	§	40.0	27.0 - 54.6	35	41.0	33.9 - 48.5	136

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
83.6	76.5 - 88.9	114	88.5	83.0 - 92.4	147	73.0	58.1 - 84.0	38	85.0	81.0 - 88.3	299

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Goals, objectives, and expected outcomes for physical education	96.2	91.5 - 98.4	114	94.3	89.8 - 96.9	146	89.3	76.4 - 95.5	39	94.4	91.6 - 96.3	299
b. A chart describing the annual scope and sequence of instruction for physical education	81.5	74.3 - 87.1	114	82.8	76.9 - 87.4	146	69.7	54.7 - 81.4	39	80.8	76.6 - 84.4	299
c. Plans for how to assess student performance in physical education	88.5	83.0 - 92.4	114	86.3	80.1 - 90.8	146	84.4	70.6 - 92.4	39	86.9	83.1 - 90.0	299
d. A written physical education curriculum	88.5	82.5 - 92.6	114	84.6	79.0 - 88.9	146	83.0	72.1 - 90.2	39	85.9	82.2 - 88.9	299
e. Resources for fitness testing	97.1	92.4 - 98.9	114	98.6	95.4 - 99.6	147	95.0	84.8 - 98.5	38	97.6	95.5 - 98.7	299
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	87.5	81.1 - 92.0	113	83.0	77.3 - 87.5	145	84.4	70.6 - 92.4	39	84.9	81.0 - 88.1	297

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
37.0	30.1 - 44.4	114	68.8	62.4 - 74.5	147	66.0	56.5 - 74.4	39	56.6	52.3 - 60.8	300

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

18. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
63.8	55.6 - 71.2	113	76.5	69.3 - 82.4	147	40.9	28.2 - 55.0	39	67.7	62.8 - 72.2	299

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

19. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
94.4	89.0 - 97.2	114	88.9	84.3 - 92.3	147	85.4	76.7 - 91.2	38	90.6	87.6 - 92.9	299

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

20. Percentage of schools that offer opportunities for students to participate in physical activity before the school day through organized physical activities or access to facilities or equipment for physical activity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
63.5	55.7 - 70.6	112	47.9	41.4 - 54.4	145	63.6	48.2 - 76.6	38	55.5	50.8 - 60.1	295

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

21. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
62.5	54.3 - 70.1	114	64.4	57.1 - 71.2	147	61.4	50.3 - 71.4	39	63.4	58.4 - 68.1	300

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
96.3	91.5 - 98.4	114	94.3	89.8 - 96.9	147	100.0	†	39	95.7	93.0 - 97.3	300

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	95.5	90.6 - 97.9	114	94.2	89.7 - 96.8	145	100.0	†	39	95.4	92.6 - 97.1	298
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	92.8	87.2 - 96.1	114	92.9	88.1 - 95.9	144	95.1	85.1 - 98.5	39	93.1	90.0 - 95.3	297
c. Cigars	92.7	87.2 - 96.0	110	90.7	85.4 - 94.2	141	97.3	86.4 - 99.5	37	92.2	88.9 - 94.5	288
d. Pipes	89.1	82.7 - 93.3	110	79.6	73.3 - 84.8	141	97.2	86.1 - 99.5	36	85.1	81.2 - 88.4	287
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	91.6	85.6 - 95.2	109	90.1	84.7 - 93.7	139	91.1	86.0 - 94.4	37	90.7	87.4 - 93.2	285

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	95.5	90.6 - 97.9	114	92.8	87.9 - 95.8	145	100.0	†	39	94.6	91.8 - 96.5	298
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	92.8	87.1 - 96.0	114	82.2	76.3 - 86.9	145	100.0	†	39	88.2	84.7 - 91.0	298
c. Cigars	91.7	85.7 - 95.2	110	90.9	85.7 - 94.3	141	94.5	83.5 - 98.3	36	91.6	88.2 - 94.0	287
d. Pipes	94.4	89.2 - 97.2	109	91.4	86.3 - 94.7	139	97.3	86.4 - 99.5	37	93.2	90.1 - 95.4	285
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	92.4	86.6 - 95.8	109	90.0	84.7 - 93.6	138	91.1	86.0 - 94.4	37	91.0	87.8 - 93.5	284

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Cigarettes	92.8	87.2 - 96.1	114	93.0	88.2 - 95.9	145	97.6	88.0 - 99.5	39	93.4	90.4 - 95.5	298
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	94.4	89.2 - 97.2	110	92.1	87.2 - 95.3	141	97.3	86.4 - 99.5	37	93.6	90.6 - 95.7	288
c. Cigars	91.6	85.6 - 95.2	109	90.7	85.5 - 94.2	139	97.2	86.1 - 99.5	36	91.8	88.4 - 94.2	284
d. Pipes	91.8	85.9 - 95.3	108	88.4	83.1 - 92.3	138	93.6	92.0 - 94.9	37	90.3	87.0 - 92.8	283
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	85.4	78.3 - 90.5	110	76.7	69.9 - 82.4	140	91.1	85.5 - 94.7	37	81.6	77.3 - 85.2	287

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

24. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	95.5	90.6 - 97.9	114	94.2	89.7 - 96.8	145	100.0	†	39	95.4	92.6 - 97.1	298
b. During non-school hours	82.5	77.1 - 86.9	112	81.0	74.7 - 86.1	139	76.3	63.2 - 85.8	37	81.0	77.1 - 84.5	288

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

24. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	90.1	83.9 - 94.1	112	85.9	80.0 - 90.2	143	88.2	74.2 - 95.1	39	87.7	83.9 - 90.8	294
b. During non-school hours	93.5	88.0 - 96.5	112	91.2	86.0 - 94.6	140	100.0	†	37	93.1	89.9 - 95.3	289

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

24. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	94.6	89.5 - 97.3	112	91.9	86.7 - 95.1	140	100.0	†	37	93.8	90.8 - 95.9	289
b. During non-school hours	82.0	75.8 - 86.9	112	81.4	75.1 - 86.4	137	76.3	63.2 - 85.8	37	81.0	77.0 - 84.5	286

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	96.3	91.5 - 98.4	114	94.2	89.7 - 96.8	145	100.0	†	39	95.7	93.0 - 97.3	298
b. Outside on school grounds, including parking lots and playing fields	92.7	87.1 - 96.0	114	90.0	84.6 - 93.6	144	100.0	†	39	92.2	88.9 - 94.5	297
c. On school buses or other vehicles used to transport students	94.6	89.5 - 97.3	112	91.8	86.6 - 95.1	139	100.0	†	39	93.8	90.8 - 95.9	290
d. At off-campus, school-sponsored events	92.6	86.9 - 95.9	111	90.0	85.4 - 93.3	138	100.0	†	39	92.2	89.2 - 94.4	288

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	95.5	90.6 - 97.9	114	93.6	88.9 - 96.4	145	100.0	†	39	95.0	92.3 - 96.8	298
b. Outside on school grounds, including parking lots and playing fields	95.4	90.5 - 97.8	112	93.4	88.6 - 96.2	140	100.0	†	39	94.9	92.1 - 96.8	291
c. On school buses or other vehicles used to transport students	85.1	78.6 - 89.9	112	87.5	81.5 - 91.7	139	97.6	88.0 - 99.5	39	87.8	84.1 - 90.8	290
d. At off-campus, school-sponsored events	92.7	87.0 - 96.0	112	88.4	83.0 - 92.2	137	100.0	†	39	91.4	88.1 - 93.8	288

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	95.5	90.6 - 97.9	114	92.1	87.1 - 95.3	144	100.0	†	39	94.3	91.4 - 96.2	297
b. Outside on school grounds, including parking lots and playing fields	94.6	89.5 - 97.3	112	93.4	88.6 - 96.2	140	100.0	†	39	94.6	91.8 - 96.5	291
c. On school buses or other vehicles used to transport students	95.1	89.9 - 97.7	112	91.4	86.6 - 94.5	139	100.0	†	39	93.8	91.0 - 95.8	290
d. At off-campus, school-sponsored events	74.3	66.6 - 80.7	111	76.5	69.7 - 82.1	135	85.1	72.4 - 92.5	38	76.7	72.1 - 80.6	284

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

25N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
62.0	54.0 - 69.4	108	54.5	47.3 - 61.5	137	51.6	37.4 - 65.6	35	57.0	52.0 - 61.9	280

*Responses to question 23 (a, b, c, and d), question 24 (a and b), and question 25 (a, b, c, and d) are all "yes."
N = Unweighted number of observations

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

26. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
79.1	72.3 - 84.6	114	81.0	75.6 - 85.4	145	80.8	68.9 - 88.8	39	80.3	76.4 - 83.6	298

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	27.6	22.2 - 33.8	114	31.4	25.5 - 37.9	147	23.0	13.0 - 37.5	39	29.0	25.1 - 33.3	300
b. Students	22.8	17.5 - 29.2	114	22.5	17.3 - 28.7	145	20.6	10.9 - 35.5	39	22.4	18.7 - 26.5	298

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

28. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Faculty and staff	37.6	29.7 - 46.2	114	45.2	37.8 - 52.7	144	34.8	22.7 - 49.3	39	41.1	36.1 - 46.4	297
b. Students	25.8	19.3 - 33.5	114	24.6	18.8 - 31.4	143	24.1	13.1 - 40.0	39	25.0	20.8 - 29.7	296

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that provide tobacco-use cessation services to faculty, staff, and students through direct service at school or arrangements with providers not on school property.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
28.2	21.6 - 35.9	114	22.5	17.0 - 29.1	146	23.0	13.0 - 37.5	39	24.7	20.6 - 29.3	299

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that never, rarely, sometimes, or almost always or always offer fruits or non-fried vegetables at celebrations when foods and beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Foods or beverages are not offered at school celebrations	5.4	2.7 - 10.5	114	0.8	0.2 - 4.2	146	0.0	†	39	2.4	1.3 - 4.5	299
b. Never	1.1	0.2 - 5.5	114	2.1	0.8 - 5.3	146	0.0	†	39	1.5	0.6 - 3.3	299
c. Rarely	15.3	10.3 - 22.3	114	13.2	8.9 - 19.1	146	12.3	5.6 - 24.8	39	13.9	10.7 - 17.8	299
d. Sometimes	46.1	37.6 - 54.8	114	53.7	47.6 - 59.8	146	53.0	40.0 - 65.6	39	50.8	46.1 - 55.5	299
e. Always or almost always	32.1	25.4 - 39.6	114	30.2	25.3 - 35.6	146	34.7	24.3 - 46.8	39	31.4	27.6 - 35.6	299

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

29N. Percentage of schools that offer fruits or non-fried vegetables in vending machines or school stores, and almost always or always at celebrations when foods and beverages are offered.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		N	Percent	95% Confidence Interval		N	
	Interval	N		Interval	N			Interval	N		
18.2	13.0 - 24.8	114	7.6	4.9 - 11.7	147	9.7	4.1 - 21.2	39	11.8	9.2 - 15.0	300

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

30. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
81.6	74.8 - 86.9	114	49.4	43.3 - 55.4	147	59.3	45.3 - 71.9	39	62.5	58.3 - 66.6	300

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Chocolate candy	17.5	11.9 - 25.0	114	5.9	3.4 - 10.2	147	9.7	4.1 - 21.2	39	10.7	7.9 - 14.2	300
b. Other kinds of candy	24.8	18.1 - 33.0	113	8.8	6.0 - 12.8	147	12.1	5.6 - 24.3	39	15.1	12.0 - 18.9	299
c. Salty snacks that are not low in fat (e.g., regular potato chips)	24.3	18.2 - 31.6	114	19.2	14.4 - 25.2	147	17.0	8.8 - 30.3	39	20.9	17.2 - 25.1	300
d. Low sodium or "no added salt" pretzels, crackers, or chips	61.2	53.3 - 68.6	114	32.6	26.5 - 39.3	147	36.4	24.3 - 50.5	39	43.7	39.1 - 48.4	300
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	20.5	14.8 - 27.6	114	15.4	10.9 - 21.2	147	15.6	7.7 - 29.2	39	17.3	13.8 - 21.4	300
f. Ice cream or frozen yogurt that is not low in fat	6.0	3.2 - 11.1	114	5.8	3.3 - 10.0	146	4.9	1.5 - 14.9	39	5.8	3.9 - 8.5	299
g. 2% or whole milk (plain or flavored)	26.2	20.4 - 33.1	114	15.4	11.1 - 21.1	146	14.6	8.2 - 24.5	39	19.4	16.0 - 23.2	299
h. Nonfat or 1% (low-fat) milk (plain)	48.6	41.2 - 56.0	114	29.3	23.8 - 35.5	147	29.1	18.1 - 43.2	39	36.4	32.2 - 40.9	300
i. Water ices or frozen slushes that do not contain juice	12.7	8.3 - 19.1	114	7.0	4.3 - 11.2	146	9.7	5.3 - 17.1	39	9.4	7.0 - 12.5	299
j. Soda pop or fruit drinks that are not 100% juice	25.3	18.5 - 33.6	114	10.6	7.2 - 15.5	147	17.0	8.8 - 30.3	39	16.8	13.4 - 20.9	300
k. Sports drinks (e.g., Gatorade)	63.6	55.5 - 71.0	114	26.8	21.1 - 33.3	147	44.7	31.2 - 59.0	39	42.5	38.1 - 47.2	300

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
l. Energy drinks (e.g., Red Bull, Monster)	5.2	2.9 - 9.1	114	2.0	0.8 - 5.3	147	2.4	0.5 - 12.0	39	3.3	2.0 - 5.2	300
m. Bottled water	80.0	72.9 - 85.6	114	43.2	37.3 - 49.3	147	56.8	43.6 - 69.1	39	58.5	54.2 - 62.6	300
n. 100% fruit or vegetable juice	63.3	55.5 - 70.5	112	32.6	26.3 - 39.5	147	46.1	32.8 - 60.0	39	45.5	40.8 - 50.2	298
o. Foods or beverages containing caffeine	39.8	31.7 - 48.5	113	7.7	4.9 - 11.9	147	14.6	8.2 - 24.5	39	20.4	16.9 - 24.4	299
p. Fruits (not fruit juice)	41.1	34.5 - 48.0	112	16.8	12.3 - 22.5	147	21.8	12.1 - 36.2	39	26.3	22.6 - 30.4	298
q. Non-fried vegetables (not vegetable juice)	25.2	19.2 - 32.2	113	7.6	5.1 - 11.2	147	12.1	5.6 - 24.3	39	14.6	11.8 - 18.0	299

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	14.4	10.0 - 20.3	113	8.1	5.3 - 12.1	145	2.4	0.5 - 12.0	39	9.8	7.5 - 12.7	297
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	48.7	41.3 - 56.2	113	38.7	32.3 - 45.4	146	38.6	26.1 - 52.9	39	42.4	37.8 - 47.1	298
c. Provided information to students or families on the nutrition and caloric content of foods available	58.4	51.4 - 65.1	113	63.8	56.5 - 70.5	146	52.2	38.6 - 65.4	39	60.5	55.7 - 65.0	298
d. Conducted taste tests to determine food preferences for nutritious items	35.9	28.5 - 44.0	113	38.3	31.8 - 45.4	146	38.6	25.2 - 54.0	39	37.5	32.7 - 42.5	298
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	25.2	18.3 - 33.7	113	20.9	15.9 - 27.0	145	32.4	21.4 - 45.7	39	23.9	19.8 - 28.4	297
f. Served locally or regionally grown foods in the cafeteria or classrooms	49.9	42.1 - 57.8	113	54.8	47.7 - 61.7	146	48.2	34.4 - 62.2	39	52.2	47.3 - 57.1	298
g. Planted a school food or vegetable garden	42.6	34.7 - 50.9	111	35.7	29.4 - 42.7	146	50.8	39.5 - 62.0	39	40.0	35.3 - 44.8	296
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	77.7	70.1 - 83.9	113	69.0	62.4 - 74.9	146	66.2	50.3 - 79.1	39	71.9	67.3 - 76.1	298

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	77.5	70.9 - 83.0	113	66.3	59.4 - 72.5	146	59.0	44.4 - 72.1	38	69.6	65.1 - 73.8	297
j. Offered a self-serve salad bar to students	70.0	62.4 - 76.7	112	59.5	52.6 - 66.1	146	63.8	50.1 - 75.5	39	63.9	59.1 - 68.4	297
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	43.5	35.6 - 51.7	113	39.0	31.9 - 46.5	146	32.6	22.3 - 44.8	39	39.9	35.0 - 45.0	298
l. Encouraged students to drink plain water	81.0	73.8 - 86.6	111	84.1	78.8 - 88.3	146	75.7	61.0 - 86.2	39	82.0	78.0 - 85.4	296
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	20.1	14.2 - 27.7	113	18.9	13.7 - 25.5	146	21.5	14.5 - 30.6	39	19.6	15.9 - 24.0	298
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	38.4	31.3 - 46.0	112	30.9	25.2 - 37.3	144	31.5	20.8 - 44.6	39	33.8	29.5 - 38.3	295

W I S C O N S I N

2016 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. In school buildings	61.5	53.8 - 68.7	114	69.4	63.1 - 75.0	145	53.2	39.9 - 66.1	39	64.6	60.0 - 68.9	298
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	55.8	48.3 - 63.1	114	65.1	58.5 - 71.3	146	49.4	35.8 - 63.1	39	59.8	55.2 - 64.3	299
c. On school buses or other vehicles used to transport students	63.3	55.0 - 70.9	113	67.0	60.1 - 73.3	144	56.7	43.1 - 69.3	39	64.4	59.5 - 69.1	296
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	61.7	54.1 - 68.8	114	68.3	61.7 - 74.2	145	56.7	42.5 - 69.8	39	64.5	59.8 - 68.8	298
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	59.7	51.8 - 67.0	114	67.8	60.9 - 74.0	146	44.5	32.9 - 56.8	39	62.1	57.3 - 66.6	299

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	84.3	77.7 - 89.3	114	72.5	65.8 - 78.3	146	91.7	79.2 - 97.0	39	79.1	74.9 - 82.8	299
b. Yes, in certain locations	11.9	7.8 - 17.6	114	22.2	17.1 - 28.3	146	8.3	3.0 - 20.8	39	16.7	13.5 - 20.5	299
c. No	3.8	1.6 - 8.6	114	5.4	2.9 - 9.6	146	0.0	†	39	4.2	2.6 - 6.7	299

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
96.2	91.4 - 98.4	114	94.6	90.4 - 97.1	146	100.0	†	39	95.8	93.3 - 97.4	299

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Cafeteria during breakfast	94.5	89.3 - 97.3	112	92.9	87.7 - 96.0	130	91.2	78.2 - 96.8	37	93.3	90.1 - 95.5	279
b. Cafeteria during lunch	94.5	89.3 - 97.3	112	93.7	88.8 - 96.6	129	91.2	78.2 - 96.8	37	93.7	90.7 - 95.9	278
c. Gymnasium or other indoor physical activity facilities	95.4	90.4 - 97.8	113	96.1	91.8 - 98.1	144	94.0	81.4 - 98.2	38	95.6	92.9 - 97.3	295
d. Outdoor physical activity facilities and sports fields	76.0	67.8 - 82.6	109	55.0	47.5 - 62.3	134	64.3	49.5 - 76.7	36	64.1	59.1 - 68.8	279
e. Hallways throughout the school	100.0	†	111	100.0	†	145	100.0	†	38	100.0	†	294

*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
26.3	21.2 - 32.2	114	23.1	17.9 - 29.3	147	21.8	14.8 - 30.9	39	24.2	20.7 - 28.0	300

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
68.4	60.3 - 75.6	114	67.4	60.7 - 73.4	147	66.2	54.8 - 76.0	39	67.6	63.0 - 72.0	300

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

38. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
22.6	17.3 - 28.9	114	19.6	15.0 - 25.1	147	21.8	14.2 - 32.1	39	21.0	17.6 - 24.7	300

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	1.1	0.2 - 5.5	113	0.0	†	146	0.0	†	39	0.4	0.1 - 2.1	298
b. HIV treatment (ongoing medical care for persons living with HIV)	1.1	0.2 - 5.5	113	0.0	†	146	0.0	†	39	0.4	0.1 - 2.1	298
c. STD testing	1.9	0.6 - 6.1	112	0.0	†	146	0.0	†	39	0.7	0.2 - 2.3	297
d. STD treatment	1.9	0.6 - 6.0	113	0.0	†	146	0.0	†	39	0.7	0.2 - 2.3	298
e. Pregnancy testing	5.2	2.6 - 10.1	112	2.1	0.8 - 5.4	146	7.5	2.8 - 18.5	38	3.8	2.4 - 6.2	296
f. Provision of condoms	6.9	3.8 - 12.3	112	0.0	†	145	4.9	1.5 - 14.9	39	3.1	1.8 - 5.3	296
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	1.9	0.6 - 6.2	112	0.0	†	144	4.9	1.5 - 14.9	39	1.3	0.6 - 3.0	295
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	2.7	1.0 - 7.0	112	0.0	†	146	2.4	0.5 - 12.0	39	1.3	0.6 - 3.0	297
i. Prenatal care	9.8	5.8 - 15.9	108	0.6	0.1 - 3.3	145	7.5	2.8 - 18.5	38	4.7	3.1 - 7.2	291
j. Human papillomavirus (HPV) vaccine administration	2.8	1.0 - 7.1	110	0.6	0.1 - 3.2	146	0.0	†	38	1.3	0.6 - 3.1	294

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. HIV testing	45.2	36.4 - 54.3	95	18.0	13.2 - 24.1	138	49.0	35.1 - 63.0	29	30.7	26.3 - 35.5	262
b. HIV treatment (ongoing medical care for persons living with HIV)	51.1	42.4 - 59.8	112	20.5	15.4 - 26.6	146	51.6	36.9 - 66.2	39	35.4	30.9 - 40.2	297
c. nPEP (non-occupational post-exposure prophylaxis for HIV--a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	45.5	37.6 - 53.7	111	21.9	16.8 - 28.0	146	48.0	34.1 - 62.2	38	33.6	29.2 - 38.2	295
d. STD testing	44.7	35.8 - 53.9	94	19.0	13.9 - 25.3	137	49.0	35.1 - 63.0	29	31.0	26.5 - 35.9	260
e. STD treatment	44.7	35.8 - 53.9	94	17.1	12.5 - 23.0	138	44.3	30.9 - 58.6	30	29.5	25.2 - 34.3	262
f. Pregnancy testing	48.3	39.3 - 57.4	87	21.6	16.1 - 28.3	133	52.2	38.0 - 66.1	29	33.9	29.1 - 38.9	249
g. Provision of condoms	33.5	25.7 - 42.4	97	16.8	12.3 - 22.5	139	40.6	27.8 - 54.8	33	25.3	21.2 - 29.8	269

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
h. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	30.3	22.9 - 39.0	98	15.5	11.2 - 21.0	139	36.7	25.1 - 50.1	34	23.1	19.2 - 27.5	271
i. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	33.8	25.8 - 42.9	96	16.8	12.3 - 22.5	139	43.4	31.0 - 56.7	33	25.6	21.5 - 30.2	268
j. Prenatal care	48.8	39.6 - 58.1	86	21.4	16.0 - 28.2	134	42.6	28.7 - 57.7	29	32.9	28.1 - 38.0	249
k. Human papillomavirus (HPV) vaccine administration	47.8	39.4 - 56.3	110	23.2	17.7 - 29.9	142	49.2	35.1 - 63.4	39	35.4	30.8 - 40.4	291

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
66.3	59.3 - 72.7	113	65.0	57.2 - 72.0	143	66.6	54.2 - 77.0	38	65.7	60.8 - 70.2	294

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	95.4	90.5 - 97.9	113	98.6	95.4 - 99.6	146	100.0	†	39	97.6	95.4 - 98.7	298
b. Food allergies	96.5	92.1 - 98.5	114	99.2	95.8 - 99.8	146	100.0	†	39	98.3	96.4 - 99.2	299
c. Diabetes	96.3	91.5 - 98.4	114	98.4	94.9 - 99.5	147	100.0	†	39	97.8	95.6 - 98.9	300
d. Epilepsy or seizure disorder	97.3	93.1 - 99.0	114	98.6	95.4 - 99.6	147	100.0	†	39	98.3	96.4 - 99.2	300
e. Obesity	40.0	32.4 - 48.1	114	30.9	24.5 - 38.2	146	35.2	23.0 - 49.7	39	34.8	30.1 - 39.8	299
f. Hypertension/high blood pressure	68.6	60.6 - 75.6	114	62.9	55.7 - 69.6	146	70.9	60.2 - 79.7	39	66.0	61.1 - 70.5	299

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	54.0	46.0 - 61.8	114	41.9	35.3 - 48.8	143	55.5	42.0 - 68.2	39	48.0	43.2 - 52.9	296
b. Food allergies	53.5	45.5 - 61.3	113	41.5	35.1 - 48.3	144	55.5	42.0 - 68.2	39	47.6	42.9 - 52.4	296
c. Diabetes	52.7	44.9 - 60.4	113	43.6	37.2 - 50.2	144	55.5	42.0 - 68.2	39	48.4	43.7 - 53.1	296
d. Epilepsy or seizure disorder	52.7	44.9 - 60.4	113	42.2	35.8 - 48.9	144	55.5	42.0 - 68.2	39	47.6	43.0 - 52.4	296
e. Obesity	44.2	36.6 - 52.0	113	32.4	26.4 - 39.1	143	39.9	27.0 - 54.3	39	37.7	33.2 - 42.4	295
f. Hypertension/high blood pressure	48.9	41.1 - 56.8	108	36.7	30.4 - 43.5	141	50.6	36.4 - 64.7	39	42.9	38.2 - 47.7	288

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not provide any sexual or reproductive health services	73.7	64.8 - 81.0	105	85.4	79.2 - 89.9	142	79.4	66.8 - 88.0	37	80.5	75.9 - 84.3	284
b. Parental consent is required before any sexual or reproductive health services are provided	12.7	7.8 - 19.8	105	12.1	8.0 - 17.9	142	5.2	1.6 - 15.8	37	11.5	8.5 - 15.4	284
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	1.8	0.5 - 5.6	105	0.0	†	142	2.6	0.5 - 12.7	37	0.9	0.4 - 2.4	284
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	7.5	4.1 - 13.3	105	1.9	0.7 - 5.0	142	7.7	2.9 - 19.2	37	4.6	2.9 - 7.1	284
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	2.7	1.0 - 6.8	105	0.6	0.1 - 3.3	142	5.2	1.6 - 15.8	37	1.9	1.0 - 3.7	284
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	1.8	0.5 - 5.7	105	0.0	†	142	0.0	†	37	0.6	0.2 - 2.1	284

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not refer any sexual or reproductive health services	42.0	33.4 - 51.1	85	73.6	66.5 - 79.6	131	42.0	25.7 - 60.2	28	59.7	54.4 - 64.8	244
b. Parental consent is required before any sexual or reproductive health services are referred	16.7	11.2 - 24.3	85	17.0	12.4 - 22.9	131	23.0	12.9 - 37.7	28	17.5	14.0 - 21.8	244
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services referred only upon request	8.0	4.3 - 14.4	85	0.7	0.1 - 3.6	131	11.5	4.1 - 28.5	28	4.3	2.6 - 7.0	244
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service referred	22.7	16.7 - 30.1	85	5.7	3.0 - 10.6	131	16.8	9.2 - 28.6	28	12.6	9.7 - 16.2	244
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services referred	5.8	2.7 - 12.0	85	0.7	0.1 - 3.6	131	0.0	†	28	2.4	1.2 - 4.6	244
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services referred	4.7	2.0 - 10.6	85	2.3	0.9 - 5.9	131	6.7	2.1 - 19.8	28	3.6	2.0 - 6.2	244

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	27.3	21.0 - 34.7	112	33.9	28.0 - 40.3	145	20.5	11.8 - 33.1	39	29.9	25.8 - 34.3	296
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	45.5	38.4 - 52.9	112	54.7	47.5 - 61.8	145	48.2	34.2 - 62.5	39	50.6	45.7 - 55.4	296
c. Involved parents as school volunteers in the delivery of health education activities and services	15.0	10.3 - 21.1	112	23.4	17.9 - 29.9	144	24.1	15.6 - 35.3	39	20.3	16.7 - 24.4	295
d. Linked parents and families to health services and programs in the community	61.1	53.8 - 68.0	110	67.1	60.4 - 73.2	143	71.6	56.9 - 82.8	38	65.4	60.8 - 69.8	291

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

47. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
75.9	68.7 - 81.8	112	80.9	74.7 - 85.8	147	69.8	57.4 - 79.9	39	77.7	73.5 - 81.5	298

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

48. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
39.6	32.7 - 47.0	113	47.0	40.6 - 53.5	147	25.5	15.2 - 39.5	39	41.8	37.4 - 46.4	299

WISCONSIN

2016 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
80.7	73.6 - 86.3	113	65.5	59.0 - 71.5	146	69.7	54.7 - 81.4	39	71.6	67.2 - 75.7	298

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

50. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
91.3	86.3 - 94.6	112	77.2	70.4 - 82.7	146	83.4	68.7 - 92.0	39	83.1	79.0 - 86.5	297

WISCONSIN

**2016 School Health Profiles Report
Weighted Principal Survey Results**

51. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
33.9	26.4 - 42.4	113	32.0	26.3 - 38.3	146	30.3	17.8 - 46.6	39	32.5	28.1 - 37.3	298