

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Total
Unintentional Injuries/Violence

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	3.3 (2.1-5.2)	7.2 (5.5-9.5)	17.2 (11.6-24.6)	20.5 (13.4-30.0)	Yes
QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	16.8 (14.3-19.8)	19.4 (16.5-22.7)	29.2 (24.0-35.1)	32.4 (23.4-42.9)	Yes
QN11: Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days	7.3 (4.4-11.7)	8.3 (6.1-11.1)	13.3 (9.4-18.4)	10.5 (4.0-24.8)	No
QN12: Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days	47.0 (40.4-53.7)	48.8 (42.8-54.9)	49.4 (40.0-58.9)	44.0 (33.0-55.7)	No
QN13: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	8.4 (6.6-10.6)	13.7 (11.0-17.0)	26.3 (19.5-34.3)	26.0 (17.4-37.1)	Yes
QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	1.8 (1.0-3.1)	3.2 (2.1-4.7)	4.1 (1.8-9.0)	7.9 (3.9-15.4)	No
QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	2.9 (1.2-6.4)	6.8 (4.7-9.7)	8.0 (5.4-11.6)	13.6 (6.4-26.4)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Total
Unintentional Injuries/Violence

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	1.7 (0.9-3.1)	3.4 (2.2-5.3)	7.2 (4.7-11.0)	15.6 (9.1-25.3)	Yes
QN18: Percentage of students who were in a physical fight one or more times during the past 12 months	12.4 (10.1-15.3)	23.5 (20.2-27.1)	32.5 (26.0-39.8)	52.3 (42.3-62.1)	Yes
QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months	3.6 (2.8-4.7)	6.5 (4.9-8.6)	10.8 (7.4-15.5)	15.1 (10.1-22.1)	Yes
QN22: Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months	5.1 (3.3-7.8)	8.7 (6.2-12.0)	12.3 (8.5-17.6)	12.8 (6.5-23.6)	Yes
QN23: Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months	8.4 (6.1-11.5)	8.4 (6.1-11.5)	11.4 (6.8-18.6)	16.2 (8.4-29.0)	Yes
QN24: Percentage of students who had ever been bullied on school property during the past 12 months	19.5 (17.1-22.2)	24.6 (20.7-29.0)	26.3 (21.1-32.3)	26.5 (18.0-37.1)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total Unintentional Injuries/Violence	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN25: Percentage of students who had ever been electronically bullied during the past 12 months	15.5 (12.9-18.6)	18.8 (15.6-22.5)	20.3 (15.2-26.5)	20.9 (14.5-29.3)	Yes
QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	18.4 (15.3-21.9)	26.8 (22.2-32.0)	30.2 (25.4-35.6)	39.2 (30.9-48.2)	Yes
QN27: Percentage of students who seriously considered attempting suicide during the past 12 months	8.4 (6.0-11.6)	14.6 (12.1-17.5)	17.0 (12.5-22.6)	28.8 (20.3-39.1)	Yes
QN28: Percentage of students who made a plan about how they would attempt suicide during the past 12 months	9.2 (7.1-11.8)	11.9 (9.4-14.8)	14.2 (10.7-18.5)	31.6 (22.2-42.9)	Yes
QN29: Percentage of students who actually attempted suicide one or more times during the past 12 months	3.1 (2.0-4.7)	5.4 (3.6-8.0)	10.3 (6.8-15.3)	19.7 (12.0-30.5)	Yes
QN30: Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse	1.1 (0.6-2.1)	2.0 (1.0-4.0)	4.3 (2.2-8.1)	12.8 (6.6-23.2)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Total
Tobacco Use**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN31: Percentage of students who ever tried cigarette smoking, even one or two puffs	19.4 (15.1-24.7)	32.9 (30.0-35.9)	55.6 (49.7-61.4)	62.6 (50.6-73.2)	Yes
QN32: Percentage of students who smoked a whole cigarette for the first time before age 13 years	2.5 (1.5-4.0)	5.5 (3.9-7.7)	13.6 (10.4-17.5)	20.1 (13.8-28.3)	Yes
QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days	4.3 (2.8-6.4)	11.9 (9.3-15.1)	24.4 (19.3-30.4)	26.0 (18.5-35.2)	Yes
QNFRDIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days	0.6 (0.3-1.4)	3.6 (2.3-5.6)	11.1 (6.8-17.6)	14.8 (9.5-22.5)	Yes
QN34: Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days	3.0 (1.0-9.3)	2.4 (0.5-10.3)	12.7 (6.4-23.5)	17.5 (5.5-43.7)	No
QN36: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days	1.0 (0.3-2.7)	2.4 (1.4-4.2)	5.6 (3.2-9.5)	11.0 (5.6-20.3)	Yes
QN38: Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months	33.4 (22.5-46.5)	45.0 (31.1-59.8)	50.9 (41.9-59.9)	45.2 (29.8-61.5)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Total
Tobacco Use

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN39: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days	4.5 (2.8-7.2)	8.1 (5.5-11.7)	15.3 (10.3-22.2)	12.5 (6.9-21.6)	Yes
QN40: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days	6.9 (4.6-10.1)	13.0 (10.1-16.6)	14.1 (10.1-19.3)	24.7 (16.4-35.4)	Yes
QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days	10.1 (7.5-13.3)	20.8 (17.3-24.7)	31.7 (25.4-38.8)	34.1 (24.7-45.0)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total
Alcohol/Other Drug Use

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN41: Percentage of students who had at least one drink of alcohol on one or more days during their life	55.4 (49.6-61.0)	70.4 (66.7-73.8)	79.4 (73.0-84.7)	75.8 (64.7-84.2)	Yes
QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	9.7 (7.7-12.2)	14.4 (12.0-17.2)	21.5 (17.1-26.7)	30.8 (19.9-44.5)	Yes
QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	26.0 (22.0-30.5)	32.7 (29.8-35.8)	47.6 (40.3-54.9)	43.8 (34.7-53.4)	Yes
QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	13.6 (10.9-16.7)	18.2 (16.0-20.7)	27.6 (22.0-33.9)	30.2 (20.9-41.6)	Yes
QN46: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days	43.5 (36.0-51.4)	35.3 (27.6-43.8)	25.2 (18.3-33.7)	26.7 (11.3-51.0)	No
QN47: Percentage of students who used marijuana one or more times during their life	21.0 (16.7-26.1)	31.7 (28.2-35.3)	45.6 (38.8-52.5)	56.4 (46.5-65.8)	Yes
QN48: Percentage of students who tried marijuana for the first time before age 13 years	2.2 (1.3-3.6)	5.2 (3.8-7.0)	11.5 (7.8-16.5)	25.1 (17.5-34.7)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total Alcohol/Other Drug Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN49: Percentage of students who used marijuana one or more times during the past 30 days	10.3 (7.7-13.7)	15.9 (13.4-18.7)	27.6 (21.3-35.0)	41.8 (34.3-49.8)	Yes
QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	1.7 (1.1-2.7)	3.3 (2.1-5.2)	8.5 (5.3-13.2)	15.1 (9.3-23.7)	Yes
QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life	3.5 (2.4-5.1)	4.9 (3.7-6.5)	9.3 (5.7-14.7)	14.0 (7.0-26.2)	Yes
QN56: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life	9.1 (7.0-11.7)	14.9 (12.1-18.3)	21.5 (16.0-28.2)	36.6 (26.4-48.2)	Yes
QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months	15.5 (13.1-18.2)	17.0 (14.0-20.5)	25.4 (21.1-30.3)	27.5 (19.6-37.1)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Total
Sexual Behaviors**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN59: Percentage of students who ever had sexual intercourse	26.2 (22.1-30.8)	37.8 (33.0-42.8)	49.4 (43.3-55.4)	45.2 (35.5-55.2)	Yes
QN60: Percentage of students who had sexual intercourse for the first time before age 13 years	0.9 (0.4-1.9)	2.5 (1.4-4.4)	4.9 (2.3-10.1)	5.5 (2.0-13.9)	No
QN61: Percentage of students who had sexual intercourse with four or more people during their life	4.2 (2.9-6.2)	10.5 (8.5-13.0)	18.3 (14.6-22.8)	18.8 (11.6-29.0)	Yes
QN62: Percentage of students who had sexual intercourse with one or more people during the past three months	20.1 (16.7-24.0)	26.9 (23.1-31.0)	36.9 (31.2-43.1)	25.4 (15.9-38.1)	Yes
QN63: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	11.6 (7.7-17.1)	24.5 (18.1-32.4)	24.2 (16.7-33.8)	-	
QN64: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	68.5 (60.1-75.9)	61.9 (53.3-69.8)	58.3 (49.6-66.4)	-	
QN65: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	32.0 (23.3-42.2)	24.3 (18.8-30.8)	12.3 (7.0-20.6)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Total
Sexual Behaviors**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNOTHH: Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	11.9 (6.8-20.0)	11.0 (7.0-16.7)	10.7 (6.4-17.3)	-	
QNOTHHPL: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	43.9 (36.2-52.0)	35.3 (29.1-42.0)	22.9 (15.6-32.4)	-	
QNDUALBC: Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	20.8 (16.3-26.2)	13.1 (9.0-18.8)	8.8 (4.1-17.9)	-	
QNBCNONE: Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse	4.3 (2.3-7.8)	12.7 (8.1-19.4)	13.9 (8.3-22.4)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)§	11.0 (9.0-13.5)	14.7 (11.9-18.0)	15.1 (10.9-20.5)	9.2 (4.9-16.8)	No
QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)§	7.6 (6.0-9.6)	11.9 (9.4-15.1)	17.6 (12.8-23.6)	18.2 (11.5-27.7)	Yes
QN67: Percentage of students who were trying to lose weight	38.4 (33.2-43.7)	46.5 (41.8-51.2)	44.9 (39.8-50.1)	45.6 (37.3-54.1)	Yes
QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days	77.9 (73.8-81.5)	78.5 (74.9-81.8)	78.9 (71.9-84.6)	65.6 (52.5-76.8)	No
QN72: Percentage of students who ate fruit one or more times during the past seven days	96.6 (95.2-97.7)	91.8 (89.3-93.7)	87.5 (83.5-90.7)	84.7 (75.6-90.8)	Yes
QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days	38.5 (34.6-42.6)	30.2 (26.8-33.8)	28.7 (22.7-35.6)	33.6 (23.5-45.5)	Yes
QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days	1.6 (0.9-2.7)	4.5 (2.9-6.8)	3.5 (2.0-6.0)	9.7 (5.0-18.0)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

§ Based on reference data from the 2000 CDC Growth Charts.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days	76.2 (72.6-79.5)	64.5 (60.9-68.0)	59.2 (51.1-66.8)	56.6 (44.3-68.1)	Yes
QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days	20.5 (17.9-23.3)	17.7 (15.3-20.5)	19.0 (14.2-25.0)	16.2 (10.1-24.8)	No
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days	12.1 (9.7-15.0)	19.0 (15.4-23.3)	31.7 (24.6-39.6)	36.3 (29.4-43.8)	Yes
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days	35.0 (31.5-38.6)	23.3 (19.4-27.7)	14.2 (10.3-19.2)	13.2 (8.0-21.2)	Yes
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days	6.4 (4.8-8.5)	10.0 (7.5-13.2)	21.3 (16.8-26.8)	28.4 (21.8-36.1)	Yes
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days	2.7 (1.9-3.8)	3.5 (2.2-5.3)	13.6 (9.5-19.1)	16.0 (10.1-24.3)	Yes
QN78: Percentage of students who drank three or more glasses per day of milk during the past seven days	27.7 (24.1-31.5)	18.2 (14.7-22.4)	17.6 (14.0-21.8)	11.9 (5.8-23.0)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Total
Dietary Behaviors**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNMILK0: Percentage of students who drank 0 glasses per day of milk during the past seven days	9.2 (7.0-12.0)	11.3 (8.4-15.2)	15.0 (11.3-19.7)	25.0 (14.7-39.2)	Yes
QNMILK1: Percentage of students who drank one or more glasses per day of milk during the past seven days	64.1 (59.7-68.3)	49.5 (44.4-54.6)	44.2 (38.9-49.5)	39.4 (28.7-51.1)	Yes
QNMILK2: Percentage of students who drank two or more glasses per day of milk during the past seven days	49.3 (43.9-54.7)	34.5 (29.2-40.2)	32.5 (27.4-38.1)	26.4 (17.4-38.0)	Yes
QN79: Percentage of students who ate breakfast on all of the past seven days	53.6 (49.1-58.0)	36.8 (32.0-41.9)	24.4 (19.0-30.7)	24.4 (18.6-31.4)	Yes
QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days	6.3 (4.7-8.4)	10.3 (7.3-14.2)	15.2 (11.5-19.9)	31.0 (23.8-39.2)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total Physical Activity	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days	57.5 (52.9-62.0)	49.4 (44.1-54.8)	40.4 (36.0-45.0)	30.3 (22.1-40.0)	Yes
QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days	10.2 (7.3-14.1)	11.7 (9.1-15.0)	13.4 (10.4-17.0)	26.1 (18.9-34.9)	Yes
QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days	26.6 (22.9-30.7)	23.9 (20.7-27.3)	21.1 (16.5-26.7)	17.7 (11.3-26.5)	Yes
QN81: Percentage of students who watched three or more hours per day of TV on an average school day	14.9 (11.9-18.5)	24.7 (20.8-29.1)	30.0 (24.8-35.7)	31.2 (25.6-37.4)	Yes
QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day	26.8 (22.6-31.4)	36.2 (32.3-40.2)	39.9 (36.1-43.8)	42.8 (34.2-51.9)	Yes
QN83: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school	50.7 (45.7-55.7)	52.2 (45.6-58.7)	55.8 (45.9-65.3)	47.2 (36.0-58.6)	No
QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school	39.4 (33.3-46.0)	39.6 (31.8-48.1)	42.7 (33.0-52.9)	27.0 (18.0-38.5)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Total Other	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN85: Percentage of students who had ever been taught in school about AIDS or HIV infection	89.2 (85.1-92.3)	86.9 (83.6-89.6)	85.3 (79.8-89.5)	83.9 (73.2-90.9)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Total
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN88: Percentage of students who responded that someone had tried to hurt them by hitting, punching, or kicking them while on school property one or more times during the past 12 months	7.4 (5.7-9.5)	15.0 (12.2-18.3)	22.6 (16.8-29.6)	31.9 (23.5-41.7)	Yes
QN89: Percentage of students who never or rarely feel safe from physical harm when they are at school	6.9 (5.2-9.3)	10.3 (7.8-13.6)	13.1 (9.1-18.4)	17.5 (11.8-25.1)	Yes
QN90: Percentage of students who disagree or strongly disagree that violence is a problem at their school	55.3 (49.3-61.1)	49.5 (43.8-55.2)	42.0 (34.6-49.9)	33.4 (23.4-45.2)	Yes
QN91: Percentage of students who have ever been forced, either verbally or physically, to take part in a sexual activity	6.1 (4.7-8.0)	7.5 (5.7-9.8)	9.0 (6.4-12.5)	10.1 (5.2-18.7)	No
QN92: Percentage of students who disagree or strongly disagree that harassment and bullying by other students is a problem at their school	24.3 (20.0-29.2)	26.9 (22.5-31.9)	21.1 (16.2-27.0)	16.4 (11.5-22.8)	Yes
QN93: Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months	13.6 (11.1-16.5)	17.4 (14.0-21.5)	21.8 (16.9-27.7)	29.1 (19.5-41.2)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Total Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN94: Percentage of students who think their parents would feel it is very wrong or wrong for them to drink alcohol at least twice a month	72.9 (68.9-76.6)	66.4 (61.8-70.8)	56.5 (50.5-62.4)	55.2 (43.8-66.0)	Yes
QN95: Percentage of students who took a prescription drug without a doctor's prescription one or more times during the past 30 days	2.9 (2.0-4.4)	7.3 (5.2-10.2)	14.0 (9.5-20.2)	22.6 (14.7-33.1)	Yes
QN96: Percentage of students who have taken over-the-counter drugs to get high one or more times during their life	2.9 (1.9-4.2)	7.6 (5.6-10.1)	12.6 (8.9-17.5)	20.1 (10.1-35.8)	Yes
QN97: Percentage of students who attended school under the influence of alcohol or other illegal drugs, such as marijuana or cocaine, one or more times during the past 12 months	5.3 (3.4-8.3)	12.6 (10.3-15.4)	25.5 (19.5-32.7)	37.3 (25.4-51.0)	Yes
QN98: Percentage of students who think it is important to them to delay having sexual intercourse until they are married	22.2 (17.9-27.0)	17.7 (14.5-21.4)	13.9 (10.2-18.7)	10.9 (5.3-20.9)	Yes
QN99: Percentage of students who have had sexual contact with males and females during their life	3.4 (2.3-5.1)	4.4 (2.8-6.9)	4.5 (2.5-7.8)	5.7 (2.3-13.7)	No
QN100: Percentage of students whose partners were three or more years older than themselves the last time they had sexual contact	5.0 (3.4-7.3)	5.9 (4.1-8.5)	9.3 (6.3-13.6)	5.8 (2.0-15.7)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Total
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN101: Percentage of students who describe themselves as gay or lesbian or bisexual	3.3 (2.0-5.6)	5.8 (4.0-8.4)	7.0 (4.4-11.1)	12.7 (7.6-20.5)	Yes
QN102: Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables three or more times per day during the past seven days	7.0 (5.1-9.4)	7.7 (5.7-10.4)	4.7 (2.9-7.6)	7.0 (3.7-12.9)	No
QN103: Percentage of students who drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt, one or more times per day during the past seven days	0.8 (0.4-1.5)	3.1 (2.0-4.7)	7.9 (5.3-11.6)	5.2 (2.2-11.6)	Yes
QN104: Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight one or more times per day during the past seven days	10.0 (7.7-13.1)	10.3 (7.8-13.4)	14.4 (10.3-19.9)	13.0 (5.9-26.4)	No
QN105: Percentage of students who walk or ride their bike to school on five days in an average week when they are in school and when the weather allows	4.8 (3.2-7.1)	8.0 (6.1-10.5)	8.2 (5.7-11.6)	14.0 (6.5-27.4)	No
QN106: Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day	21.6 (17.4-26.4)	10.8 (8.2-14.1)	9.2 (6.0-13.9)	5.8 (2.3-13.7)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Total
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months	13.0 (9.5-17.4)	13.7 (11.1-16.9)	11.9 (8.3-16.9)	10.7 (6.4-17.3)	No
QN108: Percentage of students who have ever talked about AIDS or HIV infection with their parents or other adults in their family	38.1 (33.3-43.0)	39.4 (35.2-43.7)	42.5 (35.7-49.6)	46.3 (35.3-57.8)	No
QN109: Percentage of students who have ever been told by a doctor or nurse that they had a sexually transmitted disease (STD)	1.5 (0.8-3.0)	2.2 (1.2-3.8)	1.5 (0.5-4.3)	5.5 (2.2-13.0)	No
QN110: Percentage of students who had ever been told by a doctor or nurse that they had asthma	20.7 (17.4-24.4)	20.8 (17.1-25.1)	21.8 (17.1-27.3)	22.0 (13.3-34.1)	No
QN111: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past 12 months	89.4 (86.9-91.4)	80.0 (75.6-83.8)	73.2 (66.4-79.1)	64.4 (51.2-75.7)	Yes
QN112: Percentage of students who described their health as excellent or very good	71.3 (67.5-74.8)	59.0 (54.1-63.8)	46.7 (39.0-54.7)	48.8 (40.8-56.7)	Yes
QN113: Percentage of students who have physical disabilities or long-term health problems	10.3 (8.6-12.2)	10.2 (8.2-12.7)	14.2 (9.7-20.2)	14.7 (7.0-28.3)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Total Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN114: Percentage of students whose physical health was not good on one or more of the past 30 days	53.3 (49.5-57.1)	48.1 (44.0-52.1)	50.6 (43.9-57.3)	49.3 (36.7-62.0)	No
QN115: Percentage of students whose mental health was not good on one or more of the past 30 days	55.6 (51.8-59.3)	55.5 (50.2-60.7)	55.2 (46.1-63.9)	66.1 (53.8-76.6)	Yes
QN116: Percentage of students who are receiving special education services as part of an individual education plan or IEP	4.4 (3.1-6.2)	10.2 (7.6-13.4)	17.8 (12.9-24.0)	21.9 (12.6-35.3)	Yes
QN117: Percentage of students who get eight or more hours of sleep on average school night	38.2 (33.9-42.8)	33.7 (30.1-37.6)	31.8 (27.1-37.0)	20.7 (14.2-29.2)	Yes
QN118: Percentage of students who usually sleep at night with their parents or guardians at either their home or the home of a friend or relative	92.5 (90.6-94.0)	91.5 (88.3-93.8)	87.9 (83.6-91.2)	81.4 (69.9-89.2)	Yes
QN119: Percentage of students who missed classes or school without permission on one or more of the past 30 days	5.9 (4.0-8.7)	13.5 (10.5-17.2)	31.4 (25.2-38.4)	53.6 (42.5-64.3)	Yes
QN120: Percentage of students who strongly agree or agree that they feel like they belong at this school	81.9 (78.4-85.0)	72.5 (68.5-76.2)	66.3 (60.2-71.8)	40.2 (27.0-54.9)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Total
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN121: Percentage of students who responded that there is at least one teacher or other adult in this school that they can talk to if they have a problem	79.6 (74.9-83.6)	74.1 (70.0-77.8)	68.0 (62.3-73.3)	52.6 (36.5-68.1)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male
Unintentional Injuries/Violence

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	3.7 (1.9-7.3)	6.2 (4.2-9.2)	19.1 (12.8-27.6)	22.7 (13.1-36.5)	Yes
QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	16.5 (12.3-21.7)	20.3 (15.7-25.8)	30.8 (23.5-39.3)	33.1 (22.0-46.5)	Yes
QN11: Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days	10.8 (6.5-17.4)	10.0 (6.0-16.0)	16.4 (11.0-23.7)	9.0 (2.2-29.9)	No
QN12: Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days	46.7 (40.0-53.4)	49.0 (39.7-58.3)	50.3 (40.1-60.5)	40.7 (26.9-56.0)	No
QN13: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	15.6 (11.9-20.1)	22.6 (18.3-27.7)	35.6 (26.2-46.1)	38.3 (25.4-53.1)	Yes
QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	3.6 (2.1-6.1)	5.5 (3.7-8.2)	5.4 (2.2-12.7)	8.6 (3.5-19.4)	No
QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	1.3 (0.5-3.3)	4.6 (2.8-7.6)	5.7 (3.3-9.6)	8.9 (2.7-25.2)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male Unintentional Injuries/Violence	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	1.9 (1.0-3.4)	4.9 (3.0-7.7)	8.5 (4.9-14.3)	16.4 (8.2-30.1)	Yes
QN18: Percentage of students who were in a physical fight one or more times during the past 12 months	19.5 (15.2-24.7)	29.2 (24.6-34.3)	34.1 (27.3-41.6)	53.8 (41.8-65.3)	Yes
QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months	6.7 (4.8-9.1)	8.4 (6.0-11.8)	14.3 (9.7-20.7)	14.9 (7.9-26.4)	No
QN22: Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months	3.3 (1.3-8.1)	6.7 (3.5-12.3)	8.7 (5.0-14.9)	6.6 (1.8-21.4)	No
QN23: Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months	4.0 (1.7-9.1)	2.4 (1.0-6.1)	2.6 (0.6-10.8)	12.4 (4.7-28.7)	Yes
QN24: Percentage of students who had ever been bullied on school property during the past 12 months	17.1 (13.9-20.8)	19.6 (15.3-24.7)	25.3 (18.5-33.6)	23.1 (12.8-38.2)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male Unintentional Injuries/Violence	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN25: Percentage of students who had ever been electronically bullied during the past 12 months	8.4 (5.9-11.8)	11.1 (7.6-15.9)	13.4 (8.8-20.0)	16.8 (8.2-31.3)	No
QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	10.6 (7.1-15.5)	16.6 (12.5-21.8)	21.3 (16.1-27.6)	35.2 (24.7-47.3)	Yes
QN27: Percentage of students who seriously considered attempting suicide during the past 12 months	4.5 (2.2-8.9)	11.2 (7.7-16.2)	11.9 (7.8-17.8)	29.0 (19.0-41.5)	Yes
QN28: Percentage of students who made a plan about how they would attempt suicide during the past 12 months	4.9 (2.7-8.5)	9.7 (6.7-13.8)	8.2 (4.8-13.9)	37.3 (24.9-51.6)	Yes
QN29: Percentage of students who actually attempted suicide one or more times during the past 12 months	3.0 (1.7-5.4)	4.9 (2.8-8.4)	8.2 (4.8-13.6)	19.4 (9.3-36.1)	Yes
QN30: Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse	0.9 (0.3-2.8)	2.8 (1.4-5.7)	4.4 (2.2-8.3)	12.8 (5.0-29.1)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Male
Tobacco Use**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN31: Percentage of students who ever tried cigarette smoking, even one or two puffs	22.2 (16.0-30.1)	32.5 (27.8-37.5)	59.4 (50.8-67.6)	56.5 (43.4-68.7)	Yes
QN32: Percentage of students who smoked a whole cigarette for the first time before age 13 years	3.5 (1.9-6.2)	5.0 (3.1-7.9)	14.7 (9.5-22.1)	17.2 (9.9-28.1)	Yes
QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days	5.1 (2.9-8.8)	11.5 (8.2-15.9)	26.4 (19.7-34.3)	28.8 (19.9-39.7)	Yes
QNFRCIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days	0.6 (0.2-1.9)	3.7 (2.1-6.5)	13.2 (7.5-22.2)	16.1 (8.9-27.5)	Yes
QN34: Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days	2.0 (1.2-3.4)	4.8 (1.1-18.6)	19.7 (10.2-34.6)	-	
QN36: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days	1.8 (0.6-5.9)	2.0 (1.0-3.9)	7.3 (3.7-13.7)	13.0 (5.5-27.9)	Yes
QN38: Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months	27.2 (13.1-47.9)	40.3 (23.7-59.4)	51.2 (37.9-64.2)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Male
Tobacco Use

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN39: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days	8.5 (5.1-13.7)	13.8 (9.3-19.9)	20.6 (13.1-31.0)	14.1 (7.5-24.9)	Yes
QN40: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days	11.4 (7.7-16.4)	17.3 (13.0-22.6)	17.0 (11.4-24.5)	28.8 (19.1-40.9)	Yes
QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days	14.8 (10.6-20.3)	23.9 (19.4-29.0)	34.5 (26.0-44.0)	38.4 (27.1-51.1)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male
Alcohol/Other Drug Use

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN41: Percentage of students who had at least one drink of alcohol on one or more days during their life	56.6 (49.1-63.8)	69.2 (64.2-73.7)	79.1 (69.8-86.2)	72.0 (55.0-84.5)	Yes
QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	8.9 (6.1-12.8)	14.5 (10.9-19.1)	19.9 (14.0-27.4)	32.5 (18.2-51.2)	Yes
QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	28.1 (21.8-35.4)	30.6 (26.7-34.7)	48.4 (37.8-59.0)	40.2 (28.2-53.4)	Yes
QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	17.6 (13.4-22.8)	19.2 (15.6-23.6)	29.8 (22.4-38.4)	31.1 (19.2-46.1)	Yes
QN46: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days	40.0 (29.7-51.2)	33.2 (22.9-45.5)	26.0 (17.7-36.6)	-	
QN47: Percentage of students who used marijuana one or more times during their life	23.7 (18.0-30.6)	29.4 (24.5-34.7)	45.9 (38.3-53.6)	50.7 (36.9-64.5)	Yes
QN48: Percentage of students who tried marijuana for the first time before age 13 years	2.6 (1.0-6.2)	5.8 (3.6-9.2)	12.5 (7.7-19.5)	23.6 (13.6-37.8)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male
Alcohol/Other Drug Use

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN49: Percentage of students who used marijuana one or more times during the past 30 days	13.4 (9.3-18.9)	16.7 (13.4-20.5)	27.4 (19.6-36.8)	39.4 (29.0-50.7)	Yes
QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	2.6 (1.5-4.5)	3.9 (2.2-7.0)	8.6 (4.9-14.4)	17.2 (8.8-31.0)	Yes
QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life	4.1 (2.3-7.2)	5.1 (3.2-8.0)	9.5 (5.2-16.9)	10.5 (4.0-24.7)	No
QN56: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life	8.9 (6.3-12.2)	15.1 (10.7-20.7)	19.7 (13.6-27.6)	43.2 (29.9-57.7)	Yes
QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months	16.2 (12.2-21.3)	17.2 (13.8-21.4)	26.2 (20.2-33.4)	32.6 (20.7-47.3)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Male
Sexual Behaviors**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN59: Percentage of students who ever had sexual intercourse	25.5 (19.9-31.9)	30.6 (25.4-36.2)	49.3 (40.9-57.7)	39.8 (26.4-55.0)	Yes
QN60: Percentage of students who had sexual intercourse for the first time before age 13 years	1.2 (0.4-3.7)	3.4 (1.6-7.3)	6.8 (3.0-14.6)	5.4 (1.4-18.3)	No
QN61: Percentage of students who had sexual intercourse with four or more people during their life	3.7 (2.3-6.1)	9.8 (7.0-13.5)	16.9 (11.6-24.0)	17.9 (8.5-33.8)	Yes
QN62: Percentage of students who had sexual intercourse with one or more people during the past three months	18.4 (13.6-24.4)	21.5 (17.5-26.1)	35.7 (28.5-43.7)	28.2 (15.1-46.4)	Yes
QN63: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	15.0 (8.2-25.8)	35.8 (22.7-51.3)	28.5 (16.0-45.4)	-	
QN64: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	79.8 (66.4-88.8)	62.5 (46.3-76.3)	67.3 (53.4-78.8)	-	
QN65: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	27.9 (18.5-39.9)	20.6 (11.5-34.2)	13.2 (5.5-28.4)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Male
Sexual Behaviors**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNOTHH: Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	3.5 (1.0-11.6)	10.1 (4.8-19.9)	3.8 (0.9-14.3)	-	
QNOTHHPL: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	31.5 (22.0-42.9)	30.7 (19.6-44.5)	17.1 (8.0-32.8)	-	
QNDUALBC: Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	20.6 (12.7-31.6)	9.4 (4.1-20.4)	8.5 (2.7-23.7)	-	
QNBCNONE: Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse	4.9 (1.5-14.7)	12.7 (5.5-26.9)	13.3 (6.8-24.5)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male
Dietary Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)§	11.2 (8.3-15.0)	13.6 (9.9-18.5)	13.4 (9.0-19.6)	3.5 (1.2-10.1)	No
QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)§	10.9 (7.7-15.1)	13.3 (9.5-18.3)	21.0 (15.1-28.3)	23.9 (14.1-37.5)	Yes
QN67: Percentage of students who were trying to lose weight	18.0 (13.9-22.9)	28.6 (23.6-34.3)	32.4 (24.7-41.1)	37.2 (22.1-55.3)	Yes
QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days	81.0 (76.2-85.0)	79.5 (73.6-84.4)	78.8 (69.3-85.9)	65.1 (49.0-78.3)	No
QN72: Percentage of students who ate fruit one or more times during the past seven days	95.3 (92.5-97.1)	91.2 (86.0-94.6)	87.7 (83.5-90.9)	79.9 (65.9-89.1)	Yes
QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days	38.2 (31.3-45.7)	32.1 (28.5-35.9)	27.7 (21.2-35.4)	39.1 (25.7-54.2)	No
QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days	2.3 (1.2-4.3)	4.9 (2.5-9.4)	4.0 (1.9-8.3)	13.3 (6.3-25.9)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

§ Based on reference data from the 2000 CDC Growth Charts.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male
Dietary Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days	73.2 (66.8-78.8)	64.4 (59.1-69.3)	61.2 (50.4-71.0)	59.5 (44.1-73.2)	Yes
QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days	22.2 (18.0-27.2)	20.5 (17.2-24.3)	20.3 (14.6-27.5)	18.2 (9.9-31.1)	No
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days	16.2 (11.8-21.9)	23.5 (18.3-29.6)	33.4 (23.8-44.6)	37.4 (26.9-49.2)	Yes
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days	25.6 (21.0-30.8)	21.5 (17.5-26.2)	13.3 (8.4-20.3)	11.6 (6.1-21.1)	Yes
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days	8.0 (5.5-11.7)	11.1 (7.9-15.3)	24.4 (17.7-32.7)	26.7 (17.6-38.2)	Yes
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days	3.4 (1.9-6.0)	4.6 (2.9-7.4)	14.6 (8.8-23.3)	14.7 (7.8-26.0)	Yes
QN78: Percentage of students who drank three or more glasses per day of milk during the past seven days	35.7 (30.8-40.9)	26.4 (21.0-32.7)	22.1 (16.5-28.8)	13.6 (5.4-30.5)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male
Dietary Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNMILK0: Percentage of students who drank 0 glasses per day of milk during the past seven days	5.5 (3.5-8.8)	6.3 (4.1-9.7)	8.7 (5.4-13.5)	22.5 (12.1-38.0)	Yes
QNMILK1: Percentage of students who drank one or more glasses per day of milk during the past seven days	74.6 (68.9-79.6)	60.6 (54.3-66.7)	52.3 (45.3-59.2)	44.7 (33.2-56.8)	Yes
QNMILK2: Percentage of students who drank two or more glasses per day of milk during the past seven days	59.1 (52.8-65.1)	46.9 (39.4-54.5)	40.1 (33.7-46.9)	33.2 (20.0-49.7)	Yes
QN79: Percentage of students who ate breakfast on all of the past seven days	55.0 (48.7-61.2)	38.2 (31.3-45.6)	27.2 (20.3-35.4)	27.8 (18.7-39.2)	Yes
QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days	6.0 (3.8-9.5)	10.7 (7.5-15.1)	14.6 (10.5-20.1)	25.5 (18.1-34.6)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male Physical Activity	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days	65.3 (59.7-70.6)	55.6 (48.1-62.8)	45.4 (39.9-51.0)	35.3 (23.5-49.2)	Yes
QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days	7.7 (4.8-12.2)	9.0 (6.2-13.0)	10.7 (7.9-14.4)	27.9 (18.3-40.2)	Yes
QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days	35.9 (31.4-40.7)	28.0 (23.3-33.3)	24.0 (18.0-31.1)	23.0 (13.9-35.6)	Yes
QN81: Percentage of students who watched three or more hours per day of TV on an average school day	14.4 (10.4-19.5)	23.5 (17.8-30.3)	22.8 (17.3-29.5)	27.4 (18.3-38.9)	No
QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day	23.8 (19.2-29.2)	38.1 (32.5-43.9)	32.9 (26.7-39.6)	38.2 (27.8-49.9)	Yes
QN83: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school	53.3 (47.3-59.2)	54.1 (47.6-60.5)	57.9 (45.0-69.8)	52.4 (35.3-69.0)	No
QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school	40.7 (33.6-48.3)	39.3 (30.0-49.6)	45.2 (34.8-55.9)	30.9 (18.2-47.1)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Male Other	Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
		A's % 95% CI†	B's % 95% CI	C's % 95% CI	D's/F's % 95% CI	
	QN85: Percentage of students who had ever been taught in school about AIDS or HIV infection	91.8 (88.2-94.4)	86.3 (82.3-89.5)	86.6 (79.7-91.4)	86.0 (72.8-93.4)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN88: Percentage of students who responded that someone had tried to hurt them by hitting, punching, or kicking them while on school property one or more times during the past 12 months	12.0 (9.1-15.5)	19.7 (16.2-23.7)	27.0 (18.9-36.9)	42.8 (30.3-56.3)	Yes
QN89: Percentage of students who never or rarely feel safe from physical harm when they are at school	6.8 (4.0-11.2)	10.5 (7.2-15.0)	14.7 (9.5-22.2)	17.0 (10.6-26.2)	No
QN90: Percentage of students who disagree or strongly disagree that violence is a problem at their school	58.4 (51.7-64.8)	54.6 (47.8-61.1)	48.0 (40.7-55.3)	32.5 (23.8-42.6)	Yes
QN91: Percentage of students who have ever been forced, either verbally or physically, to take part in a sexual activity	2.4 (1.2-4.8)	2.8 (1.5-5.1)	6.3 (3.6-11.0)	7.0 (2.2-19.6)	No
QN92: Percentage of students who disagree or strongly disagree that harassment and bullying by other students is a problem at their school	31.9 (25.5-39.0)	34.6 (27.8-42.0)	23.9 (18.2-30.6)	17.3 (11.5-25.3)	Yes
QN93: Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months	5.9 (4.0-8.6)	8.9 (6.1-13.0)	14.5 (9.1-22.2)	24.6 (14.6-38.4)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Male
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN94: Percentage of students who think their parents would feel it is very wrong or wrong for them to drink alcohol at least twice a month	73.5 (68.9-77.6)	63.5 (56.7-69.7)	51.0 (42.1-59.9)	44.9 (30.8-60.0)	Yes
QN95: Percentage of students who took a prescription drug without a doctor's prescription one or more times during the past 30 days	3.3 (2.1-5.3)	7.5 (4.7-11.9)	12.1 (7.3-19.4)	26.3 (15.8-40.5)	Yes
QN96: Percentage of students who have taken over-the-counter drugs to get high one or more times during their life	3.0 (1.5-5.8)	7.0 (4.5-10.7)	11.7 (7.3-18.3)	26.6 (13.6-45.7)	Yes
QN97: Percentage of students who attended school under the influence of alcohol or other illegal drugs, such as marijuana or cocaine, one or more times during the past 12 months	6.1 (3.3-11.0)	14.2 (10.4-19.1)	25.6 (18.6-34.3)	35.6 (20.3-54.5)	Yes
QN98: Percentage of students who think it is important to them to delay having sexual intercourse until they are married	21.5 (16.7-27.2)	17.4 (12.6-23.5)	12.4 (7.6-19.6)	11.1 (5.1-22.8)	No
QN99: Percentage of students who have had sexual contact with males and females during their life	1.6 (0.7-3.9)	1.7 (1.0-2.9)	2.3 (0.8-6.6)	4.1 (1.0-15.8)	No
QN100: Percentage of students whose partners were three or more years older than themselves the last time they had sexual contact	2.2 (1.1-4.5)	2.5 (1.4-4.3)	4.3 (2.6-7.2)	6.8 (1.9-21.5)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN101: Percentage of students who describe themselves as gay or lesbian or bisexual	2.7 (1.2-5.8)	4.3 (2.7-6.7)	4.9 (2.6-9.2)	9.2 (3.6-21.7)	No
QN102: Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables three or more times per day during the past seven days	7.3 (5.1-10.4)	9.0 (6.2-12.8)	7.1 (4.4-11.2)	8.6 (4.2-16.8)	No
QN103: Percentage of students who drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt, one or more times per day during the past seven days	0.9 (0.3-2.6)	3.3 (2.0-5.5)	10.2 (6.6-15.5)	5.2 (1.5-16.5)	Yes
QN104: Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight one or more times per day during the past seven days	12.6 (9.0-17.2)	11.9 (8.2-16.9)	18.9 (13.2-26.3)	15.2 (7.4-28.7)	No
QN105: Percentage of students who walk or ride their bike to school on five days in an average week when they are in school and when the weather allows	5.4 (3.2-9.0)	9.0 (6.8-11.7)	8.6 (5.8-12.6)	17.5 (8.0-34.2)	No
QN106: Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day	15.3 (11.1-20.8)	7.6 (5.5-10.4)	6.9 (3.5-13.1)	4.0 (0.9-15.8)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Male
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months	6.4 (4.1-9.9)	4.2 (2.2-7.7)	5.9 (3.0-11.5)	9.9 (3.9-23.0)	No
QN108: Percentage of students who have ever talked about AIDS or HIV infection with their parents or other adults in their family	38.3 (32.7-44.2)	38.3 (32.3-44.8)	42.4 (34.0-51.3)	48.4 (37.5-59.5)	No
QN109: Percentage of students who have ever been told by a doctor or nurse that they had a sexually transmitted disease (STD)	2.6 (1.0-6.5)	2.4 (1.3-4.2)	1.6 (0.4-6.1)	6.4 (1.8-20.7)	No
QN110: Percentage of students who had ever been told by a doctor or nurse that they had asthma	20.2 (16.8-24.1)	17.4 (13.3-22.3)	21.4 (16.0-28.1)	18.5 (9.9-31.8)	No
QN111: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past 12 months	88.8 (83.9-92.3)	82.3 (77.2-86.4)	73.2 (65.0-80.1)	70.6 (54.9-82.6)	Yes
QN112: Percentage of students who described their health as excellent or very good	81.2 (75.6-85.8)	64.6 (58.4-70.3)	53.8 (44.5-62.8)	50.2 (36.7-63.7)	Yes
QN113: Percentage of students who have physical disabilities or long-term health problems	8.0 (5.3-11.8)	7.7 (5.1-11.4)	14.5 (9.1-22.3)	16.9 (7.5-33.7)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Male
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN114: Percentage of students whose physical health was not good on one or more of the past 30 days	47.4 (41.6-53.3)	44.3 (38.5-50.3)	45.6 (38.2-53.3)	46.0 (30.3-62.5)	No
QN115: Percentage of students whose mental health was not good on one or more of the past 30 days	40.0 (35.3-44.9)	46.8 (39.9-53.8)	46.3 (34.5-58.5)	66.9 (51.6-79.4)	Yes
QN116: Percentage of students who are receiving special education services as part of an individual education plan or IEP	7.6 (5.1-11.1)	10.3 (7.0-14.8)	16.9 (11.5-24.2)	29.5 (17.0-46.1)	Yes
QN117: Percentage of students who get eight or more hours of sleep on average school night	43.6 (35.8-51.7)	36.4 (30.5-42.7)	36.6 (29.0-44.8)	15.6 (9.1-25.5)	Yes
QN118: Percentage of students who usually sleep at night with their parents or guardians at either their home or the home of a friend or relative	92.1 (88.2-94.7)	92.2 (89.0-94.6)	86.7 (82.0-90.3)	76.7 (59.6-88.0)	Yes
QN119: Percentage of students who missed classes or school without permission on one or more of the past 30 days	6.6 (4.3-9.9)	12.0 (8.0-17.7)	31.0 (22.5-40.9)	51.0 (38.6-63.3)	Yes
QN120: Percentage of students who strongly agree or agree that they feel like they belong at this school	87.5 (83.6-90.6)	77.4 (72.2-81.9)	70.0 (62.6-76.6)	40.4 (24.7-58.4)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Male
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN121: Percentage of students who responded that there is at least one teacher or other adult in this school that they can talk to if they have a problem	78.6 (72.5-83.6)	74.4 (69.3-78.9)	68.9 (62.8-74.4)	48.8 (31.2-66.8)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female Unintentional Injuries/Violence		Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
Health Risk Behavior	A's	B's	C's	D's/F's		
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI		
QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	3.0 (1.7-5.3)	8.3 (5.1-13.2)	14.0 (8.1-22.9)	17.2 (8.9-30.5)	Yes	
QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	17.2 (13.5-21.6)	18.4 (14.9-22.6)	27.0 (20.7-34.4)	29.7 (17.7-45.3)	Yes	
QN11: Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days	4.1 (1.8-9.2)	6.3 (3.5-11.1)	7.9 (3.8-15.6)	-		
QN12: Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days	47.3 (39.0-55.9)	48.7 (41.7-55.8)	48.2 (34.8-62.0)	-		
QN13: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	2.8 (1.5-5.0)	3.7 (2.2-6.4)	12.3 (7.2-20.4)	5.7 (1.3-22.0)	Yes	
QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	0.4 (0.1-1.7)	0.6 (0.2-2.0)	1.9 (0.6-6.0)	6.8 (1.8-23.0)	No	
QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	4.1 (1.6-10.0)	9.2 (5.7-14.5)	11.2 (6.9-17.8)	19.4 (8.9-37.3)	Yes	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Female
Unintentional Injuries/Violence

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	1.6 (0.6-4.2)	1.9 (0.9-3.8)	5.2 (2.6-10.1)	12.2 (4.9-27.3)	Yes
QN18: Percentage of students who were in a physical fight one or more times during the past 12 months	6.9 (4.9-9.7)	17.2 (13.6-21.4)	30.1 (21.0-41.0)	48.7 (32.3-65.4)	Yes
QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months	1.3 (0.6-2.8)	4.3 (2.5-7.2)	5.4 (3.0-9.5)	15.9 (8.1-29.1)	Yes
QN22: Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months	6.5 (3.7-11.0)	10.7 (7.2-15.5)	18.0 (10.7-28.6)	23.1 (10.3-44.1)	Yes
QN23: Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months	12.0 (7.8-18.0)	14.4 (10.6-19.5)	28.4 (17.6-42.3)	-	
QN24: Percentage of students who had ever been bullied on school property during the past 12 months	21.2 (17.7-25.3)	30.2 (24.8-36.2)	28.1 (21.5-35.8)	32.6 (18.0-51.6)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female Unintentional Injuries/Violence	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN25: Percentage of students who had ever been electronically bullied during the past 12 months	21.1 (17.8-25.0)	27.3 (22.6-32.7)	30.9 (22.9-40.3)	27.7 (17.0-41.6)	Yes
QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	24.4 (20.7-28.5)	38.1 (31.8-44.9)	43.6 (35.8-51.8)	45.6 (31.3-60.6)	Yes
QN27: Percentage of students who seriously considered attempting suicide during the past 12 months	11.3 (8.1-15.6)	18.3 (14.5-23.0)	24.7 (18.2-32.5)	28.5 (16.0-45.6)	Yes
QN28: Percentage of students who made a plan about how they would attempt suicide during the past 12 months	12.5 (9.6-16.3)	14.3 (10.7-18.8)	23.3 (18.4-29.1)	22.6 (11.5-39.4)	Yes
QN29: Percentage of students who actually attempted suicide one or more times during the past 12 months	3.2 (1.9-5.1)	5.8 (3.5-9.7)	13.5 (7.7-22.4)	18.1 (11.4-27.6)	Yes
QN30: Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse	1.2 (0.6-2.5)	1.1 (0.3-3.5)	4.3 (1.7-10.4)	10.6 (5.7-18.7)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Female
Tobacco Use

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN31: Percentage of students who ever tried cigarette smoking, even one or two puffs	17.3 (12.9-22.8)	33.3 (29.4-37.4)	49.4 (39.9-59.0)	73.0 (52.8-86.7)	Yes
QN32: Percentage of students who smoked a whole cigarette for the first time before age 13 years	1.7 (0.8-3.5)	6.1 (4.3-8.5)	11.1 (6.7-17.7)	24.9 (12.6-43.2)	Yes
QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days	3.6 (2.0-6.6)	12.3 (7.8-18.9)	20.8 (12.4-32.7)	19.3 (9.0-36.7)	Yes
QNFRCIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days	0.6 (0.2-1.8)	3.5 (1.7-7.2)	8.0 (3.5-17.0)	12.9 (4.8-30.3)	Yes
QN34: Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days	4.1 (0.7-20.4)	0.0	0.0	-	
QN36: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days	0.3 (0.1-0.9)	2.9 (1.3-6.5)	3.0 (1.1-8.3)	5.5 (1.6-16.7)	Yes
QN38: Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months	40.3 (22.1-61.7)	49.8 (26.4-73.2)	52.2 (34.5-69.4)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Female
Tobacco Use

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN39: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days	1.4 (0.6-3.6)	1.6 (0.6-4.2)	5.9 (2.4-13.3)	9.4 (2.4-30.2)	Yes
QN40: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days	3.3 (1.7-6.3)	8.1 (4.6-13.7)	8.0 (3.8-16.0)	17.1 (6.5-37.9)	Yes
QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days	6.3 (4.2-9.4)	17.2 (11.0-25.8)	25.8 (15.4-39.9)	25.8 (11.6-48.0)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Female
Alcohol/Other Drug Use**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN41: Percentage of students who had at least one drink of alcohol on one or more days during their life	54.5 (48.1-60.7)	71.7 (66.5-76.3)	79.6 (69.7-86.9)	81.3 (70.1-89.0)	Yes
QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	10.3 (7.5-14.1)	14.3 (10.9-18.5)	24.2 (18.2-31.5)	26.5 (15.7-41.0)	Yes
QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	24.5 (19.6-30.1)	35.1 (29.1-41.7)	46.6 (37.7-55.8)	50.0 (34.4-65.6)	Yes
QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	10.4 (7.6-14.1)	17.1 (12.5-23.0)	24.6 (16.4-35.1)	28.9 (17.6-43.5)	Yes
QN46: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days	46.7 (35.2-58.7)	37.4 (27.2-48.9)	23.9 (15.1-35.7)	-	
QN47: Percentage of students who used marijuana one or more times during their life	19.0 (14.3-24.7)	34.2 (29.8-38.8)	44.3 (32.7-56.6)	64.5 (49.9-76.9)	Yes
QN48: Percentage of students who tried marijuana for the first time before age 13 years	1.9 (1.1-3.2)	4.5 (3.2-6.4)	10.2 (5.4-18.3)	25.7 (14.2-42.0)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female Alcohol/Other Drug Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN49: Percentage of students who used marijuana one or more times during the past 30 days	8.0 (5.8-11.0)	15.0 (11.4-19.5)	27.4 (20.4-35.8)	46.9 (30.4-64.1)	Yes
QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	1.1 (0.5-2.4)	2.6 (1.4-4.6)	8.3 (4.7-14.4)	9.7 (3.6-23.2)	Yes
QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life	3.1 (1.9-5.0)	4.6 (3.1-7.0)	8.9 (5.1-15.0)	18.0 (7.4-37.6)	Yes
QN56: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life	9.3 (6.6-12.8)	14.7 (11.1-19.3)	24.6 (18.1-32.4)	23.9 (11.1-44.2)	Yes
QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months	14.9 (11.8-18.6)	16.8 (12.7-21.8)	24.4 (16.7-34.2)	19.5 (10.5-33.2)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female Sexual Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN59: Percentage of students who ever had sexual intercourse	26.8 (21.2-33.3)	45.5 (39.4-51.8)	48.7 (38.4-59.0)	53.8 (37.3-69.6)	Yes
QN60: Percentage of students who had sexual intercourse for the first time before age 13 years	0.6 (0.2-1.9)	1.5 (0.7-3.2)	2.0 (0.5-7.9)	5.6 (1.6-18.2)	No
QN61: Percentage of students who had sexual intercourse with four or more people during their life	4.6 (2.7-7.6)	11.3 (8.2-15.3)	19.1 (12.2-28.6)	20.2 (8.3-41.6)	Yes
QN62: Percentage of students who had sexual intercourse with one or more people during the past three months	21.4 (17.1-26.6)	32.6 (28.1-37.4)	37.8 (27.8-49.0)	20.8 (8.7-42.0)	Yes
QN63: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	9.4 (5.3-16.2)	16.7 (8.7-29.5)	19.0 (10.7-31.6)	-	
QN64: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	61.3 (50.8-70.8)	61.5 (52.2-70.0)	48.4 (34.6-62.4)	-	
QN65: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	34.7 (23.8-47.6)	26.9 (20.6-34.3)	11.5 (4.5-26.2)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Female
Sexual Behaviors**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNOTHH: Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	17.4 (9.7-29.3)	11.6 (7.3-17.9)	18.5 (9.7-32.4)	-	
QNOTHHPL: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	52.1 (42.0-62.1)	38.4 (31.2-46.2)	30.0 (17.3-46.7)	-	
QNDUALBC: Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	21.0 (14.7-29.1)	15.7 (10.3-23.2)	9.6 (3.2-25.3)	-	
QNBCNONE: Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse	3.9 (1.5-9.9)	12.7 (8.2-19.2)	14.9 (5.7-33.5)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Female
Dietary Behaviors**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)§	10.8 (8.6-13.5)	15.8 (12.6-19.7)	17.7 (11.1-26.9)	19.5 (10.2-34.0)	No
QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)§	5.0 (3.2-7.8)	10.4 (7.5-14.3)	12.3 (7.6-19.3)	8.1 (2.8-21.0)	Yes
QN67: Percentage of students who were trying to lose weight	54.3 (47.5-60.9)	66.1 (61.0-70.9)	64.3 (56.3-71.5)	61.6 (43.6-77.0)	Yes
QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days	75.6 (70.0-80.5)	77.4 (73.0-81.3)	79.7 (73.1-85.0)	68.1 (52.5-80.5)	No
QN72: Percentage of students who ate fruit one or more times during the past seven days	97.7 (96.1-98.6)	92.5 (90.0-94.5)	87.4 (78.7-92.9)	92.5 (80.3-97.4)	Yes
QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days	38.7 (32.9-44.9)	28.1 (23.0-33.8)	29.4 (21.0-39.5)	22.5 (13.2-35.7)	No
QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days	1.0 (0.4-2.7)	4.0 (2.5-6.2)	2.7 (0.9-8.1)	3.8 (1.2-11.6)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

§ Based on reference data from the 2000 CDC Growth Charts.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Female
Dietary Behaviors**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days	78.5 (74.0-82.4)	64.7 (60.0-69.1)	55.8 (48.3-63.0)	50.5 (34.4-66.5)	Yes
QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days	19.1 (15.1-23.9)	14.7 (11.8-18.2)	16.2 (10.9-23.4)	13.0 (6.9-23.0)	No
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days	9.0 (6.3-12.6)	14.1 (10.3-19.1)	29.4 (20.8-39.8)	35.3 (22.2-51.0)	Yes
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days	42.3 (36.7-48.2)	25.2 (19.3-32.2)	15.8 (10.2-23.7)	14.1 (5.7-30.5)	Yes
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days	5.1 (3.3-7.8)	8.8 (6.1-12.6)	16.9 (11.2-24.7)	32.2 (20.5-46.8)	Yes
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days	2.1 (1.1-4.0)	2.2 (1.1-4.3)	12.1 (7.3-19.5)	18.6 (8.1-37.4)	Yes
QN78: Percentage of students who drank three or more glasses per day of milk during the past seven days	21.3 (17.1-26.2)	9.5 (5.9-15.0)	10.6 (7.0-15.7)	9.3 (3.0-25.3)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Female
Dietary Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNMILK0: Percentage of students who drank 0 glasses per day of milk during the past seven days	12.1 (9.2-15.7)	16.7 (11.8-23.0)	24.9 (17.4-34.3)	27.6 (13.9-47.4)	No
QNMILK1: Percentage of students who drank one or more glasses per day of milk during the past seven days	55.9 (49.5-62.1)	37.6 (30.9-44.8)	32.0 (26.1-38.6)	31.0 (16.3-50.9)	Yes
QNMILK2: Percentage of students who drank two or more glasses per day of milk during the past seven days	41.6 (34.8-48.7)	21.2 (16.6-26.8)	20.9 (15.4-27.8)	15.2 (6.6-31.5)	Yes
QN79: Percentage of students who ate breakfast on all of the past seven days	52.3 (46.1-58.5)	35.1 (29.2-41.5)	19.6 (12.5-29.4)	18.3 (8.4-35.5)	Yes
QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days	6.5 (4.3-9.9)	9.7 (6.5-14.3)	16.4 (9.8-26.2)	40.9 (25.9-57.9)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Female
Physical Activity

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days	51.5 (44.6-58.5)	42.7 (36.8-48.9)	33.0 (27.1-39.5)	22.6 (13.1-36.2)	Yes
QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days	11.9 (8.3-16.9)	14.7 (10.8-19.6)	17.5 (12.0-24.8)	23.7 (15.0-35.3)	No
QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days	19.4 (14.9-24.9)	19.4 (15.1-24.5)	16.6 (10.7-24.9)	9.1 (3.2-23.3)	No
QN81: Percentage of students who watched three or more hours per day of TV on an average school day	15.4 (12.2-19.1)	26.1 (21.7-31.0)	41.2 (32.5-50.5)	38.2 (26.9-50.8)	Yes
QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day	29.0 (23.7-34.9)	34.0 (28.7-39.9)	50.5 (44.0-57.0)	51.6 (37.1-65.8)	Yes
QN83: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school	48.6 (42.3-54.9)	50.1 (41.9-58.3)	53.2 (43.5-62.7)	39.6 (28.2-52.3)	No
QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school	38.3 (31.5-45.7)	40.0 (31.9-48.6)	39.5 (28.9-51.2)	21.3 (13.2-32.5)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Female Other	Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
		A's % 95% CI†	B's % 95% CI	C's % 95% CI	D's/F's % 95% CI	
	QN85: Percentage of students who had ever been taught in school about AIDS or HIV infection	87.3 (81.7-91.3)	87.6 (83.7-90.7)	83.2 (73.6-89.8)	80.2 (63.9-90.3)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Female
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN88: Percentage of students who responded that someone had tried to hurt them by hitting, punching, or kicking them while on school property one or more times during the past 12 months	3.9 (2.5-5.8)	9.8 (7.0-13.6)	16.1 (11.0-22.8)	12.0 (5.1-25.6)	Yes
QN89: Percentage of students who never or rarely feel safe from physical harm when they are at school	7.1 (4.9-10.3)	10.1 (7.3-13.8)	9.9 (5.6-16.8)	16.3 (8.7-28.4)	No
QN90: Percentage of students who disagree or strongly disagree that violence is a problem at their school	52.7 (45.5-59.8)	44.0 (37.1-51.1)	33.2 (22.8-45.6)	35.7 (17.1-59.8)	Yes
QN91: Percentage of students who have ever been forced, either verbally or physically, to take part in a sexual activity	9.1 (6.5-12.4)	12.7 (9.8-16.1)	13.0 (7.9-20.5)	15.5 (6.0-34.7)	No
QN92: Percentage of students who disagree or strongly disagree that harassment and bullying by other students is a problem at their school	18.4 (14.0-23.8)	18.6 (14.6-23.3)	16.7 (9.6-27.5)	15.1 (6.7-30.5)	No
QN93: Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months	19.4 (15.7-23.8)	26.9 (21.3-33.4)	33.2 (25.0-42.6)	35.1 (19.5-54.6)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Female
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN94: Percentage of students who think their parents would feel it is very wrong or wrong for them to drink alcohol at least twice a month	72.4 (66.9-77.4)	69.7 (63.7-75.1)	64.4 (56.9-71.2)	73.4 (60.0-83.6)	No
QN95: Percentage of students who took a prescription drug without a doctor's prescription one or more times during the past 30 days	2.6 (1.4-5.0)	7.0 (4.2-11.5)	17.4 (11.5-25.5)	15.7 (7.8-29.1)	Yes
QN96: Percentage of students who have taken over-the-counter drugs to get high one or more times during their life	2.8 (1.8-4.2)	8.2 (5.4-12.3)	14.0 (8.9-21.2)	9.5 (2.9-27.3)	Yes
QN97: Percentage of students who attended school under the influence of alcohol or other illegal drugs, such as marijuana or cocaine, one or more times during the past 12 months	4.7 (2.5-8.6)	10.7 (7.6-14.8)	25.5 (17.3-35.8)	40.4 (25.5-57.4)	Yes
QN98: Percentage of students who think it is important to them to delay having sexual intercourse until they are married	22.7 (17.1-29.5)	18.0 (14.0-22.9)	16.4 (11.1-23.5)	10.7 (3.1-30.9)	No
QN99: Percentage of students who have had sexual contact with males and females during their life	4.7 (2.8-7.9)	7.4 (4.4-12.2)	7.6 (3.9-14.4)	8.8 (3.1-22.6)	No
QN100: Percentage of students whose partners were three or more years older than themselves the last time they had sexual contact	7.3 (4.6-11.5)	9.8 (6.5-14.5)	18.1 (11.7-27.0)	3.7 (0.5-21.7)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Female
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN101: Percentage of students who describe themselves as gay or lesbian or bisexual	3.7 (2.0-6.8)	7.5 (4.7-11.8)	10.2 (5.7-17.4)	16.6 (9.0-28.6)	Yes
QN102: Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables three or more times per day during the past seven days	6.6 (4.2-10.1)	6.3 (4.2-9.4)	0.5 (0.1-3.1)	3.8 (0.6-20.3)	No
QN103: Percentage of students who drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt, one or more times per day during the past seven days	0.6 (0.3-1.3)	2.8 (1.4-5.7)	2.9 (0.7-11.0)	5.1 (2.8-8.9)	Yes
QN104: Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight one or more times per day during the past seven days	8.1 (5.3-12.1)	8.5 (5.8-12.2)	6.6 (3.0-14.0)	8.9 (2.2-29.5)	No
QN105: Percentage of students who walk or ride their bike to school on five days in an average week when they are in school and when the weather allows	4.3 (2.8-6.7)	6.9 (4.4-10.7)	7.2 (3.3-15.2)	7.9 (1.8-28.4)	No
QN106: Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day	26.4 (20.6-33.2)	14.4 (10.2-19.9)	13.4 (7.6-22.6)	8.9 (2.7-26.0)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Female
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months	18.1 (12.8-25.1)	24.5 (20.0-29.7)	22.7 (14.9-32.8)	12.2 (4.7-28.1)	No
QN108: Percentage of students who have ever talked about AIDS or HIV infection with their parents or other adults in their family	38.0 (32.9-43.2)	40.4 (35.0-46.2)	42.7 (34.1-51.8)	44.0 (27.0-62.5)	No
QN109: Percentage of students who have ever been told by a doctor or nurse that they had a sexually transmitted disease (STD)	0.7 (0.2-2.3)	1.9 (0.7-5.4)	1.2 (0.2-7.6)	3.8 (0.8-15.8)	No
QN110: Percentage of students who had ever been told by a doctor or nurse that they had asthma	21.1 (16.3-27.0)	24.8 (20.5-29.6)	22.6 (14.0-34.5)	28.7 (15.6-46.8)	No
QN111: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past 12 months	89.8 (86.4-92.5)	77.5 (70.6-83.2)	73.1 (63.0-81.3)	52.7 (33.7-70.9)	Yes
QN112: Percentage of students who described their health as excellent or very good	63.6 (57.4-69.3)	52.8 (46.3-59.2)	33.8 (23.6-45.6)	46.0 (28.5-64.6)	Yes
QN113: Percentage of students who have physical disabilities or long-term health problems	12.1 (10.1-14.5)	13.0 (10.4-16.1)	13.8 (8.2-22.2)	10.6 (3.7-27.0)	No

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Female
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN114: Percentage of students whose physical health was not good on one or more of the past 30 days	58.0 (53.2-62.6)	52.3 (47.1-57.5)	59.8 (47.8-70.6)	55.5 (34.7-74.5)	No
QN115: Percentage of students whose mental health was not good on one or more of the past 30 days	67.8 (62.7-72.6)	65.3 (60.3-70.0)	71.2 (61.1-79.5)	64.7 (48.1-78.4)	No
QN116: Percentage of students who are receiving special education services as part of an individual education plan or IEP	1.9 (0.9-3.6)	10.0 (7.0-14.0)	19.5 (12.5-29.2)	8.0 (2.1-26.3)	Yes
QN117: Percentage of students who get eight or more hours of sleep on average school night	34.0 (29.6-38.7)	30.9 (25.8-36.4)	24.4 (18.5-31.5)	29.7 (16.8-47.0)	No
QN118: Percentage of students who usually sleep at night with their parents or guardians at either their home or the home of a friend or relative	92.8 (90.4-94.6)	90.6 (85.8-93.9)	90.1 (81.6-94.9)	90.2 (80.8-95.2)	No
QN119: Percentage of students who missed classes or school without permission on one or more of the past 30 days	5.4 (3.2-9.1)	15.2 (12.3-18.6)	32.4 (24.4-41.4)	58.5 (41.2-73.8)	Yes
QN120: Percentage of students who strongly agree or agree that they feel like they belong at this school	77.4 (72.2-81.9)	67.1 (61.6-72.1)	59.4 (48.7-69.3)	39.7 (22.4-60.1)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Female
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN121: Percentage of students who responded that there is at least one teacher or other adult in this school that they can talk to if they have a problem	80.5 (74.8-85.1)	73.8 (67.2-79.4)	66.1 (54.0-76.4)	59.3 (34.8-79.9)	Yes

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White* Unintentional Injuries/Violence	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	2.8 (1.7-4.7)	6.1 (4.4-8.3)	14.3 (9.1-21.8)	18.6 (9.4-33.7)	Yes
QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	16.8 (13.9-20.1)	19.7 (16.6-23.1)	31.8 (25.7-38.5)	31.7 (18.6-48.5)	Yes
QN11: Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days	6.8 (4.0-11.4)	7.8 (5.6-10.6)	14.6 (9.5-21.9)	10.4 (3.0-30.3)	No
QN12: Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days	47.5 (40.6-54.4)	48.1 (41.7-54.6)	56.4 (45.6-66.6)	44.4 (30.4-59.3)	Yes
QN13: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	8.4 (6.6-10.6)	14.4 (11.4-18.2)	33.1 (24.6-43.0)	30.8 (18.4-46.6)	Yes
QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	1.3 (0.7-2.4)	3.4 (2.0-5.8)	5.4 (2.2-12.7)	7.4 (2.9-17.8)	No
QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	2.8 (1.0-7.4)	5.4 (3.4-8.5)	9.1 (5.4-14.9)	10.0 (3.6-24.6)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White* Unintentional Injuries/Violence	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	1.4 (0.8-2.7)	3.5 (2.0-6.1)	7.1 (3.9-12.6)	14.0 (6.6-27.3)	Yes
QN18: Percentage of students who were in a physical fight one or more times during the past 12 months	12.3 (9.7-15.4)	19.9 (16.6-23.6)	34.7 (26.9-43.5)	45.9 (35.5-56.6)	Yes
QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months	2.8 (2.0-4.0)	5.3 (3.5-8.0)	10.8 (6.3-17.8)	12.0 (5.7-23.3)	Yes
QN22: Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months	5.2 (3.4-8.1)	5.8 (3.5-9.4)	13.4 (8.2-21.2)	14.9 (6.9-29.3)	Yes
QN23: Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months	8.1 (5.3-12.2)	6.3 (4.3-9.3)	14.0 (8.7-21.9)	11.2 (4.1-27.1)	Yes
QN24: Percentage of students who had ever been bullied on school property during the past 12 months	20.5 (17.5-23.8)	25.9 (21.1-31.4)	33.0 (26.9-39.7)	28.9 (18.4-42.3)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White* Unintentional Injuries/Violence	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN25: Percentage of students who had ever been electronically bullied during the past 12 months	15.6 (12.3-19.5)	18.9 (15.4-23.0)	25.6 (19.8-32.4)	21.0 (10.8-37.0)	Yes
QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	17.5 (14.2-21.3)	24.7 (20.0-30.2)	32.6 (26.9-39.0)	38.5 (27.2-51.1)	Yes
QN27: Percentage of students who seriously considered attempting suicide during the past 12 months	7.9 (5.5-11.1)	12.6 (9.8-15.9)	21.9 (16.4-28.7)	34.9 (24.2-47.4)	Yes
QN28: Percentage of students who made a plan about how they would attempt suicide during the past 12 months	8.5 (6.3-11.4)	11.0 (8.2-14.7)	16.7 (12.5-22.0)	40.4 (27.4-54.8)	Yes
QN29: Percentage of students who actually attempted suicide one or more times during the past 12 months	2.7 (1.5-4.8)	3.1 (2.1-4.7)	10.6 (6.5-16.8)	14.4 (7.4-26.1)	Yes
QN30: Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse	0.8 (0.3-1.9)	0.9 (0.4-2.4)	4.5 (1.9-10.5)	7.2 (2.2-20.8)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White* Tobacco Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN31: Percentage of students who ever tried cigarette smoking, even one or two puffs	19.2 (14.7-24.5)	32.0 (28.7-35.5)	59.5 (51.5-66.9)	64.7 (51.5-76.0)	Yes
QN32: Percentage of students who smoked a whole cigarette for the first time before age 13 years	2.3 (1.3-4.2)	4.8 (2.9-7.8)	15.0 (11.1-19.9)	14.7 (7.7-26.1)	Yes
QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days	4.2 (2.8-6.3)	11.6 (8.8-15.1)	29.0 (22.2-36.9)	27.0 (17.5-39.3)	Yes
QN34: Percentage of students who smoked cigarettes on 20 or more of the past 30 days	0.5 (0.1-1.4)	3.5 (2.2-5.5)	15.8 (9.7-24.6)	19.7 (12.9-28.8)	Yes
QN34: Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days	0.7 (0.5-1.1)	1.1 (0.2-4.5)	17.1 (9.4-29.3)	-	
QN36: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days	0.5 (0.2-1.5)	1.9 (1.0-3.8)	7.4 (4.1-13.0)	10.4 (4.3-23.3)	Yes
QN38: Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months	24.4 (15.0-37.2)	48.1 (31.2-65.5)	46.5 (36.2-57.0)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

White* Tobacco Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN39: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days	4.2 (2.5-6.8)	8.3 (5.7-11.9)	20.3 (14.2-28.2)	12.8 (5.8-25.9)	Yes
QN40: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days	6.7 (4.4-9.9)	12.7 (9.4-17.0)	16.1 (11.3-22.5)	26.6 (16.6-39.7)	Yes
QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days	10.1 (7.5-13.4)	20.9 (17.1-25.4)	36.1 (28.1-45.0)	37.3 (26.1-50.1)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White* Alcohol/Other Drug Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN41: Percentage of students who had at least one drink of alcohol on one or more days during their life	54.3 (47.8-60.7)	72.6 (67.7-77.0)	87.1 (80.4-91.7)	80.8 (63.6-91.1)	Yes
QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	8.7 (6.8-11.0)	13.0 (10.0-16.7)	25.7 (19.2-33.4)	33.2 (17.6-53.7)	Yes
QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	25.9 (21.3-31.2)	33.4 (30.1-36.8)	56.2 (48.7-63.5)	43.3 (29.4-58.4)	Yes
QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	13.4 (10.5-17.0)	18.1 (15.3-21.2)	34.1 (27.4-41.4)	30.2 (16.2-49.3)	Yes
QN46: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days	45.7 (36.1-55.5)	35.2 (27.7-43.5)	22.6 (14.5-33.4)	-	
QN47: Percentage of students who used marijuana one or more times during their life	19.2 (14.8-24.5)	28.6 (24.6-32.9)	44.8 (38.3-51.6)	49.3 (33.8-65.0)	Yes
QN48: Percentage of students who tried marijuana for the first time before age 13 years	1.3 (0.6-3.0)	2.8 (1.6-5.0)	10.5 (6.8-15.8)	19.2 (10.4-32.8)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White* Alcohol/Other Drug Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN49: Percentage of students who used marijuana one or more times during the past 30 days	8.9 (6.2-12.6)	14.4 (11.9-17.3)	29.4 (20.6-39.9)	30.8 (20.8-42.9)	Yes
QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	1.2 (0.6-2.3)	2.6 (1.4-4.7)	10.0 (6.1-15.9)	15.1 (7.4-28.5)	Yes
QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life	2.8 (1.8-4.4)	3.8 (2.6-5.6)	11.3 (6.5-19.0)	11.5 (4.4-27.1)	Yes
QN56: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life	8.7 (6.5-11.6)	12.8 (9.8-16.7)	24.4 (17.0-33.6)	38.9 (26.5-52.9)	Yes
QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months	14.2 (11.6-17.1)	16.1 (12.9-19.8)	26.7 (20.8-33.6)	27.4 (17.4-40.4)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White* Sexual Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN59: Percentage of students who ever had sexual intercourse	25.7 (21.3-30.6)	33.5 (28.5-38.9)	47.2 (40.0-54.6)	40.0 (27.0-54.7)	Yes
QN60: Percentage of students who had sexual intercourse for the first time before age 13 years	0.9 (0.4-2.3)	1.0 (0.4-2.3)	2.6 (0.8-8.2)	2.4 (0.5-11.4)	No
QN61: Percentage of students who had sexual intercourse with four or more people during their life	4.2 (2.5-6.8)	9.1 (6.9-12.0)	15.5 (10.9-21.6)	17.6 (8.5-32.8)	Yes
QN62: Percentage of students who had sexual intercourse with one or more people during the past three months	19.6 (16.3-23.5)	24.2 (20.2-28.6)	34.9 (28.3-42.2)	26.5 (15.0-42.5)	Yes
QN63: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	10.2 (5.8-17.3)	23.1 (16.5-31.3)	26.3 (16.5-39.2)	-	
QN64: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	69.0 (60.7-76.3)	64.5 (56.0-72.1)	62.7 (51.5-72.7)	-	
QN65: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	34.7 (25.7-45.0)	30.0 (23.4-37.6)	17.6 (10.2-28.5)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White* Sexual Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QNOTHH: Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	12.4 (6.6-22.2)	10.6 (6.2-17.5)	10.8 (5.4-20.6)	-	
QNOTHHPL: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	47.2 (39.3-55.2)	40.6 (33.2-48.6)	28.4 (19.2-39.8)	-	
QNDUALBC: Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	23.9 (18.7-30.0)	17.1 (11.1-25.5)	12.2 (5.8-24.1)	-	
QNBCNONE: Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse	4.0 (2.0-7.7)	6.4 (3.7-10.8)	8.8 (3.9-18.5)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White* Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)¶	11.2 (9.0-13.8)	14.3 (10.7-19.0)	17.7 (12.1-25.1)	8.1 (3.2-18.7)	No
QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)¶	7.4 (5.9-9.2)	11.4 (8.6-14.9)	17.7 (12.0-25.2)	16.3 (7.6-31.4)	Yes
QN67: Percentage of students who were trying to lose weight	38.9 (33.0-45.1)	44.1 (39.0-49.4)	44.2 (38.3-50.4)	45.3 (32.4-58.9)	Yes
QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days	78.2 (73.6-82.2)	78.5 (73.7-82.6)	77.0 (67.8-84.1)	72.3 (55.1-84.7)	No
QN72: Percentage of students who ate fruit one or more times during the past seven days	96.7 (95.3-97.7)	91.9 (89.2-94.0)	87.5 (82.1-91.4)	85.6 (72.8-92.9)	Yes
QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days	39.0 (35.2-42.9)	30.7 (27.0-34.7)	24.5 (17.9-32.6)	39.4 (26.2-54.4)	Yes
QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days	1.5 (0.8-2.8)	3.8 (2.4-6.0)	4.2 (2.2-7.7)	7.1 (2.6-17.8)	No

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

¶Based on reference data from the 2000 CDC Growth Charts.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White* Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days	77.5 (73.5-81.0)	65.1 (60.9-69.1)	56.7 (46.0-66.8)	62.9 (48.1-75.6)	Yes
QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days	20.2 (17.5-23.1)	16.7 (13.9-20.0)	16.8 (11.8-23.5)	17.1 (9.7-28.4)	No
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days	11.6 (9.1-14.6)	19.8 (15.9-24.3)	35.0 (26.2-45.0)	45.5 (36.1-55.3)	Yes
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days	35.0 (31.4-38.7)	23.6 (18.6-29.4)	13.5 (9.1-19.6)	10.5 (3.6-27.4)	Yes
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days	6.0 (4.3-8.3)	9.7 (7.1-13.1)	23.1 (17.1-30.4)	33.4 (24.3-44.0)	Yes
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days	2.3 (1.5-3.5)	3.0 (1.6-5.6)	14.9 (9.2-23.3)	15.1 (7.2-28.9)	Yes
QN78: Percentage of students who drank three or more glasses per day of milk during the past seven days	29.4 (25.4-33.6)	21.0 (17.4-25.2)	20.5 (15.1-27.2)	15.7 (6.8-32.1)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White* Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QNMILK0: Percentage of students who drank 0 glasses per day of milk during the past seven days	7.5 (5.5-10.3)	8.9 (6.5-12.1)	13.2 (8.8-19.4)	19.5 (10.8-32.7)	Yes
QNMILK1: Percentage of students who drank one or more glasses per day of milk during the past seven days	66.5 (62.0-70.8)	55.7 (50.7-60.7)	49.1 (43.3-54.9)	49.2 (33.9-64.7)	Yes
QNMILK2: Percentage of students who drank two or more glasses per day of milk during the past seven days	51.2 (45.6-56.8)	40.1 (34.5-45.9)	37.2 (30.0-45.0)	33.4 (21.2-48.4)	Yes
QN79: Percentage of students who ate breakfast on all of the past seven days	54.9 (50.1-59.7)	37.9 (32.4-43.7)	24.1 (18.8-30.3)	26.2 (17.6-37.2)	Yes
QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days	6.2 (4.5-8.5)	9.4 (6.2-13.9)	16.9 (12.2-23.0)	25.4 (16.2-37.5)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White* Physical Activity	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days	60.2 (55.5-64.6)	52.3 (46.4-58.1)	40.1 (34.6-45.9)	34.0 (20.5-50.7)	Yes
QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days	8.6 (6.0-12.2)	10.0 (7.6-13.0)	13.3 (9.7-18.0)	24.8 (14.9-38.3)	Yes
QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days	27.7 (23.9-31.9)	24.8 (21.0-29.0)	23.0 (17.0-30.4)	21.5 (10.8-38.3)	Yes
QN81: Percentage of students who watched three or more hours per day of TV on an average school day	14.1 (11.5-17.1)	21.9 (17.8-26.7)	27.4 (21.4-34.3)	29.4 (20.1-40.9)	Yes
QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day	24.9 (21.0-29.2)	33.4 (29.0-38.2)	42.9 (36.8-49.1)	41.9 (29.3-55.6)	Yes
QN83: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school	50.6 (45.2-56.0)	51.9 (44.3-59.5)	54.2 (41.0-66.9)	47.1 (29.3-65.6)	No
QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school	40.3 (33.5-47.5)	40.0 (31.7-49.0)	42.1 (30.9-54.3)	32.4 (17.4-52.1)	No

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

White* Other	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
Health Risk Behavior	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN85: Percentage of students who had ever been taught in school about AIDS or HIV infection	89.8 (85.2-93.1)	88.5 (84.7-91.4)	87.0 (78.5-92.4)	87.9 (77.6-93.8)	No

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White*
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association [†]
	A's	B's	C's	D's/F's	
	% 95% CI [‡]	% 95% CI	% 95% CI	% 95% CI	
QN88: Percentage of students who responded that someone had tried to hurt them by hitting, punching, or kicking them while on school property one or more times during the past 12 months	6.7 (4.9-9.0)	13.5 (10.3-17.4)	28.1 (19.6-38.7)	32.0 (22.4-43.4)	Yes
QN89: Percentage of students who never or rarely feel safe from physical harm when they are at school	6.8 (4.9-9.4)	9.0 (6.5-12.4)	10.3 (6.5-15.8)	11.9 (6.3-21.3)	No
QN90: Percentage of students who disagree or strongly disagree that violence is a problem at their school	56.0 (50.0-61.8)	52.5 (45.8-59.1)	46.4 (37.2-55.8)	38.2 (24.8-53.6)	Yes
QN91: Percentage of students who have ever been forced, either verbally or physically, to take part in a sexual activity	5.9 (4.2-8.2)	5.8 (4.1-8.0)	9.3 (6.1-13.9)	8.8 (3.5-20.6)	No
QN92: Percentage of students who disagree or strongly disagree that harassment and bullying by other students is a problem at their school	23.7 (19.1-29.1)	28.7 (23.3-34.7)	22.8 (17.0-29.9)	18.4 (9.2-33.2)	No
QN93: Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months	13.3 (10.6-16.5)	15.9 (12.1-20.6)	25.3 (19.4-32.4)	29.5 (19.2-42.4)	Yes

*Non-Hispanic.

[†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

[‡]Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White*
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association [†]
	A's	B's	C's	D's/F's	
	% 95% CI [‡]	% 95% CI	% 95% CI	% 95% CI	
QN94: Percentage of students who think their parents would feel it is very wrong or wrong for them to drink alcohol at least twice a month	73.2 (68.7-77.3)	63.6 (58.0-68.9)	48.2 (41.9-54.5)	44.9 (33.0-57.4)	Yes
QN95: Percentage of students who took a prescription drug without a doctor's prescription one or more times during the past 30 days	2.7 (1.7-4.2)	6.6 (4.4-9.8)	15.3 (9.5-23.6)	18.8 (9.9-32.9)	Yes
QN96: Percentage of students who have taken over-the-counter drugs to get high one or more times during their life	2.2 (1.4-3.6)	6.3 (4.2-9.3)	14.6 (9.9-21.1)	22.9 (10.2-43.8)	Yes
QN97: Percentage of students who attended school under the influence of alcohol or other illegal drugs, such as marijuana or cocaine, one or more times during the past 12 months	4.8 (2.8-8.0)	9.9 (7.8-12.5)	26.6 (19.1-35.7)	37.1 (22.6-54.5)	Yes
QN98: Percentage of students who think it is important to them to delay having sexual intercourse until they are married	22.2 (17.5-27.7)	17.8 (13.9-22.4)	11.0 (7.6-15.8)	12.4 (5.7-25.0)	Yes
QN99: Percentage of students who have had sexual contact with males and females during their life	2.6 (1.4-4.9)	3.0 (1.4-6.1)	4.3 (2.0-9.0)	5.4 (1.6-16.2)	No
QN100: Percentage of students whose partners were three or more years older than themselves the last time they had sexual contact	4.9 (3.2-7.5)	5.4 (3.3-8.8)	9.8 (6.5-14.6)	4.6 (1.1-17.3)	Yes

*Non-Hispanic.

[†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

[‡]Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White*
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN101: Percentage of students who describe themselves as gay or lesbian or bisexual	2.7 (1.5-4.9)	3.6 (2.2-5.7)	5.6 (2.8-10.9)	9.3 (3.9-20.7)	Yes
QN102: Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables three or more times per day during the past seven days	6.9 (4.9-9.6)	7.1 (4.9-10.2)	4.2 (2.3-7.7)	7.1 (2.7-17.3)	No
QN103: Percentage of students who drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt, one or more times per day during the past seven days	0.6 (0.3-1.1)	1.9 (1.1-3.2)	7.6 (4.4-12.9)	4.5 (1.5-12.4)	Yes
QN104: Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight one or more times per day during the past seven days	9.7 (7.3-12.9)	10.3 (8.1-13.1)	15.7 (10.6-22.7)	11.7 (4.9-25.5)	No
QN105: Percentage of students who walk or ride their bike to school on five days in an average week when they are in school and when the weather allows	4.5 (2.7-7.1)	7.6 (5.5-10.4)	7.5 (4.7-11.7)	13.1 (5.7-27.5)	No
QN106: Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day	21.9 (17.5-27.0)	12.2 (9.2-16.1)	8.2 (4.9-13.4)	8.9 (3.2-22.5)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White*
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association [†]
	A's	B's	C's	D's/F's	
	% 95% CI [‡]	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months	13.9 (10.4-18.5)	15.8 (12.7-19.5)	14.0 (9.1-21.1)	8.2 (3.2-19.6)	No
QN108: Percentage of students who have ever talked about AIDS or HIV infection with their parents or other adults in their family	36.5 (31.3-42.0)	35.4 (31.2-39.9)	36.2 (29.9-43.0)	40.2 (27.3-54.6)	No
QN109: Percentage of students who have ever been told by a doctor or nurse that they had a sexually transmitted disease (STD)	1.3 (0.5-3.0)	1.3 (0.6-2.8)	2.0 (0.7-5.8)	0.4 (0.1-3.1)	No
QN110: Percentage of students who had ever been told by a doctor or nurse that they had asthma	20.7 (17.4-24.5)	19.2 (15.3-23.9)	23.5 (18.1-29.9)	13.1 (4.6-32.0)	No
QN111: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past 12 months	90.8 (88.5-92.7)	82.8 (78.6-86.2)	75.0 (67.7-81.2)	75.6 (59.3-86.8)	Yes
QN112: Percentage of students who described their health as excellent or very good	72.1 (68.0-75.9)	60.4 (55.0-65.4)	41.4 (32.8-50.4)	47.1 (35.7-58.8)	Yes
QN113: Percentage of students who have physical disabilities or long-term health problems	11.0 (9.2-13.0)	9.2 (6.2-13.4)	16.1 (10.5-23.8)	8.3 (3.2-19.9)	No

*Non-Hispanic.

[†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

[‡]Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

White*
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN114: Percentage of students whose physical health was not good on one or more of the past 30 days	54.8 (50.8-58.7)	49.1 (43.9-54.3)	53.8 (46.2-61.3)	54.4 (38.7-69.3)	No
QN115: Percentage of students whose mental health was not good on one or more of the past 30 days	56.9 (52.7-60.9)	54.9 (48.9-60.7)	59.1 (50.2-67.5)	69.6 (54.6-81.4)	Yes
QN116: Percentage of students who are receiving special education services as part of an individual education plan or IEP	4.6 (3.0-7.0)	9.2 (6.3-13.2)	18.1 (13.0-24.6)	19.1 (9.9-33.6)	Yes
QN117: Percentage of students who get eight or more hours of sleep on average school night	39.4 (34.4-44.7)	35.4 (31.2-39.9)	31.3 (24.7-38.8)	21.4 (11.8-35.8)	Yes
QN118: Percentage of students who usually sleep at night with their parents or guardians at either their home or the home of a friend or relative	92.7 (90.3-94.4)	91.7 (88.7-93.9)	88.7 (82.9-92.6)	79.7 (66.6-88.5)	Yes
QN119: Percentage of students who missed classes or school without permission on one or more of the past 30 days	5.0 (3.0-8.2)	10.8 (8.4-13.7)	31.1 (22.7-41.0)	42.0 (28.4-57.0)	Yes
QN120: Percentage of students who strongly agree or agree that they feel like they belong at this school	82.3 (77.9-85.9)	76.1 (71.4-80.2)	65.6 (58.1-72.4)	36.1 (20.8-54.8)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

White*
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN121: Percentage of students who responded that there is at least one teacher or other adult in this school that they can talk to if they have a problem	80.7 (76.4-84.4)	75.3 (70.9-79.3)	66.7 (59.7-73.1)	59.9 (41.6-75.8)	Yes

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black* Unintentional Injuries/Violence Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association [†]
	A's	B's	C's	D's/F's	
	% 95% CI [‡]	% 95% CI	% 95% CI	% 95% CI	
QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	-	15.8 (7.5-30.3)	25.9 (12.7-45.6)	-	
QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	-	21.2 (11.6-35.7)	13.1 (6.2-25.7)	-	
QN11: Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days	-	10.1 (2.0-38.6)	6.4 (1.7-20.9)	-	
QN12: Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days	-	-	-	-	
QN13: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	-	6.7 (1.5-25.4)	8.4 (3.6-18.2)	-	
QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	-	2.0 (0.2-17.3)	1.3 (0.3-6.1)	-	
QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	-	12.3 (5.5-25.3)	7.4 (3.9-13.8)	-	

*Non-Hispanic.

[†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

[‡]Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black* Unintentional Injuries/Violence Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	-	2.1 (0.2-17.8)	3.9 (1.3-11.0)	-	
QN18: Percentage of students who were in a physical fight one or more times during the past 12 months	-	41.4 (30.8-52.8)	29.0 (14.7-49.2)	-	
QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months	-	11.3 (5.3-22.6)	12.7 (7.4-20.7)	-	
QN22: Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months	-	21.8 (11.8-36.6)	6.2 (1.7-19.8)	-	
QN23: Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months	-	-	-	-	
QN24: Percentage of students who had ever been bullied on school property during the past 12 months	-	9.6 (3.8-22.2)	7.0 (2.0-21.1)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black* Unintentional Injuries/Violence	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN25: Percentage of students who had ever been electronically bullied during the past 12 months	-	11.0 (4.9-22.7)	9.2 (3.2-23.6)	-	
QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	-	25.0 (15.8-37.2)	23.8 (14.9-35.8)	-	
QN27: Percentage of students who seriously considered attempting suicide during the past 12 months	-	20.8 (10.3-37.7)	4.0 (0.8-18.1)	-	
QN28: Percentage of students who made a plan about how they would attempt suicide during the past 12 months	-	9.8 (3.1-27.0)	6.8 (2.0-20.7)	-	
QN29: Percentage of students who actually attempted suicide one or more times during the past 12 months	-	17.2 (7.5-34.7)	11.2 (4.3-26.4)	-	
QN30: Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse	-	6.1 (2.0-17.6)	4.9 (1.3-16.8)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black* Tobacco Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN31: Percentage of students who ever tried cigarette smoking, even one or two puffs	-	30.4 (21.1-41.6)	39.8 (23.9-58.2)	-	
QN32: Percentage of students who smoked a whole cigarette for the first time before age 13 years	-	7.1 (2.2-20.3)	12.1 (5.8-23.7)	-	
QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days	-	11.5 (4.6-26.1)	14.8 (6.7-29.6)	-	
QNFRSIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days	-	2.1 (0.2-17.5)	3.3 (0.5-19.8)	-	
QN34: Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days	-	-	-	-	
QN36: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days	-	4.8 (1.0-20.2)	1.9 (0.3-10.4)	-	
QN38: Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months	-	-	-	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Black* Tobacco Use	Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
		A's	B's	C's	D's/F's	
		% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
	QN39: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days	-	6.9 (0.6-47.7)	-	-	
	QN40: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days	-	16.7 (6.9-35.0)	-	-	
	QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days	-	20.6 (9.2-39.9)	-	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black* Alcohol/Other Drug Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN41: Percentage of students who had at least one drink of alcohol on one or more days during their life	-	59.9 (43.0-74.7)	58.9 (42.2-73.8)	-	
QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	-	16.0 (8.8-27.3)	8.3 (3.2-19.9)	-	
QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	-	27.4 (19.0-37.8)	21.3 (8.9-43.0)	-	
QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	-	17.3 (13.5-22.0)	9.2 (1.6-38.3)	-	
QN46: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days	-	-	-	-	
QN47: Percentage of students who used marijuana one or more times during their life	-	47.4 (36.3-58.9)	44.1 (25.3-64.7)	-	
QN48: Percentage of students who tried marijuana for the first time before age 13 years	-	14.3 (7.9-24.5)	13.9 (6.3-27.8)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black* Alcohol/Other Drug Use	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN49: Percentage of students who used marijuana one or more times during the past 30 days	-	21.1 (13.5-31.6)	18.7 (9.9-32.5)	-	
QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	-	2.0 (0.2-17.3)	7.0 (1.8-23.4)	-	
QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life	-	6.2 (1.4-23.8)	3.4 (0.5-19.3)	-	
QN56: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life	-	16.5 (6.6-35.9)	15.7 (6.9-31.7)	-	
QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months	-	13.4 (6.4-26.0)	24.4 (13.5-39.9)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black* Sexual Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN59: Percentage of students who ever had sexual intercourse	-	63.3 (52.0-73.3)	57.9 (38.4-75.2)	-	
QN60: Percentage of students who had sexual intercourse for the first time before age 13 years	-	11.1 (3.2-32.1)	10.3 (3.3-27.7)	-	
QN61: Percentage of students who had sexual intercourse with four or more people during their life	-	21.4 (12.9-33.4)	23.6 (12.8-39.4)	-	
QN62: Percentage of students who had sexual intercourse with one or more people during the past three months	-	36.4 (22.9-52.5)	45.4 (27.0-65.2)	-	
QN63: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	-	-	-	-	
QN64: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	-	-	-	-	
QN65: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	-	-	-	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Black* Sexual Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QNOTHH: Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	-	-	-	-	
QNOTHPL: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	-	-	-	-	
QNDUALBC: Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	-	-	-	-	
QNBCNONE: Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse	-	-	-	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black* Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)¶	-	20.4 (10.0-37.2)	4.7 (2.1-10.3)	-	
QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)¶	-	15.3 (7.7-28.2)	17.1 (9.0-30.0)	-	
QN67: Percentage of students who were trying to lose weight	-	59.7 (47.7-70.7)	33.5 (24.7-43.6)	-	
QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days	-	77.3 (63.3-87.1)	92.2 (75.3-97.9)	-	
QN72: Percentage of students who ate fruit one or more times during the past seven days	-	89.0 (74.4-95.8)	91.1 (79.6-96.4)	-	
QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days	-	29.0 (16.0-46.6)	34.1 (18.0-55.0)	-	
QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days	-	8.8 (2.8-24.6)	0.0	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

¶Based on reference data from the 2000 CDC Growth Charts.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black* Dietary Behaviors	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days	-	63.3 (49.7-75.1)	71.7 (48.7-87.1)	-	
QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days	-	22.2 (12.9-35.5)	23.8 (14.5-36.6)	-	
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days	-	14.7 (8.4-24.4)	27.6 (15.9-43.5)	-	
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days	-	19.0 (10.4-32.3)	19.4 (10.7-32.6)	-	
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days	-	10.9 (5.1-21.8)	21.8 (12.1-36.1)	-	
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days	-	5.9 (1.6-19.6)	11.2 (5.1-22.7)	-	
QN78: Percentage of students who drank three or more glasses per day of milk during the past seven days	-	6.5 (1.6-22.3)	7.6 (2.8-19.0)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Black* Dietary Behaviors	Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
		A's	B's	C's	D's/F's	
		% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
	QNMILK0: Percentage of students who drank 0 glasses per day of milk during the past seven days	-	23.2 (14.9-34.4)	25.5 (15.7-38.6)	-	
	QNMILK1: Percentage of students who drank one or more glasses per day of milk during the past seven days	-	19.3 (7.7-40.6)	21.0 (9.0-41.8)	-	
	QNMILK2: Percentage of students who drank two or more glasses per day of milk during the past seven days	-	9.8 (2.6-30.6)	12.2 (5.5-24.9)	-	
	QN79: Percentage of students who ate breakfast on all of the past seven days	-	29.1 (10.5-58.9)	-	-	
	QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days	-	15.7 (5.1-39.5)	-	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days	-	35.8 (24.1-49.4)	49.5 (33.6-65.4)	-	
QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days	-	25.6 (16.5-37.5)	12.3 (6.0-23.6)	-	
QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days	-	17.8 (10.9-27.7)	17.8 (7.9-35.4)	-	
QN81: Percentage of students who watched three or more hours per day of TV on an average school day	-	36.3 (23.5-51.4)	41.2 (29.1-54.6)	-	
QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day	-	45.9 (26.2-66.9)	25.8 (16.6-37.9)	-	
QN83: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school	-	45.6 (32.5-59.3)	56.4 (40.4-71.2)	-	
QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school	-	37.9 (25.1-52.7)	42.0 (25.1-61.0)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association [†]
	A's	B's	C's	D's/F's	
	% 95% CI [§]	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN85: Percentage of students who had ever been taught in school about AIDS or HIV infection	-	86.1 (74.1-93.1)	79.2 (66.6-87.9)	-	

*Non-Hispanic.

[†]Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

[§]Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Black*
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN88: Percentage of students who responded that someone had tried to hurt them by hitting, punching, or kicking them while on school property one or more times during the past 12 months	-	22.7 (14.8-33.2)	7.2 (2.6-18.1)	-	
QN89: Percentage of students who never or rarely feel safe from physical harm when they are at school	-	14.6 (8.7-23.4)	20.2 (9.6-37.6)	-	
QN90: Percentage of students who disagree or strongly disagree that violence is a problem at their school	-	34.3 (21.3-50.2)	41.8 (25.6-59.9)	-	
QN91: Percentage of students who have ever been forced, either verbally or physically, to take part in a sexual activity	-	9.9 (3.5-25.0)	12.4 (4.4-30.0)	-	
QN92: Percentage of students who disagree or strongly disagree that harassment and bullying by other students is a problem at their school	-	19.4 (13.3-27.4)	22.7 (12.2-38.5)	-	
QN93: Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months	-	11.4 (4.3-27.0)	9.0 (5.5-14.3)	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Black*
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN94: Percentage of students who think their parents would feel it is very wrong or wrong for them to drink alcohol at least twice a month	-	80.0 (71.7-86.4)	73.9 (59.3-84.7)	-	
QN95: Percentage of students who took a prescription drug without a doctor's prescription one or more times during the past 30 days	-	7.8 (0.9-45.4)	-	-	
QN96: Percentage of students who have taken over-the-counter drugs to get high one or more times during their life	-	6.5 (1.9-20.2)	8.0 (2.2-24.9)	-	
QN97: Percentage of students who attended school under the influence of alcohol or other illegal drugs, such as marijuana or cocaine, one or more times during the past 12 months	-	23.4 (14.3-35.9)	-	-	
QN98: Percentage of students who think it is important to them to delay having sexual intercourse until they are married	-	15.6 (9.2-25.2)	17.8 (8.0-35.0)	-	
QN99: Percentage of students who have had sexual contact with males and females during their life	-	10.4 (4.5-22.3)	2.7 (0.4-16.6)	-	
QN100: Percentage of students whose partners were three or more years older than themselves the last time they had sexual contact	-	19.7 (9.8-35.6)	-	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Black* Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN101: Percentage of students who describe themselves as gay or lesbian or bisexual	-	16.5 (7.6-32.2)	9.6 (4.3-20.1)	-	
QN102: Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables three or more times per day during the past seven days	-	6.7 (1.1-30.9)	-	-	
QN103: Percentage of students who drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt, one or more times per day during the past seven days	-	3.6 (0.3-29.3)	-	-	
QN104: Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight one or more times per day during the past seven days	-	3.7 (0.3-30.3)	-	-	
QN105: Percentage of students who walk or ride their bike to school on five days in an average week when they are in school and when the weather allows	-	13.3 (4.3-34.7)	-	-	
QN106: Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day	-	4.6 (0.6-28.7)	-	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Black*
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months	-	0.0	-	-	
QN108: Percentage of students who have ever talked about AIDS or HIV infection with their parents or other adults in their family	-	52.6 (37.9-66.8)	62.7 (50.3-73.6)	-	
QN109: Percentage of students who have ever been told by a doctor or nurse that they had a sexually transmitted disease (STD)	-	12.5 (5.8-24.7)	-	-	
QN110: Percentage of students who had ever been told by a doctor or nurse that they had asthma	-	37.1 (21.5-55.9)	-	-	
QN111: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past 12 months	-	53.1 (33.8-71.5)	-	-	
QN112: Percentage of students who described their health as excellent or very good	-	52.6 (28.7-75.4)	-	-	
QN113: Percentage of students who have physical disabilities or long-term health problems	-	19.2 (6.4-45.4)	-	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Black*
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
QN114: Percentage of students whose physical health was not good on one or more of the past 30 days	-	43.9 (29.7-59.1)	-	-	
QN115: Percentage of students whose mental health was not good on one or more of the past 30 days	-	56.4 (40.9-70.6)	-	-	
QN116: Percentage of students who are receiving special education services as part of an individual education plan or IEP	-	17.3 (7.6-34.6)	-	-	
QN117: Percentage of students who get eight or more hours of sleep on average school night	-	28.3 (17.1-43.1)	34.7 (19.9-53.4)	-	
QN118: Percentage of students who usually sleep at night with their parents or guardians at either their home or the home of a friend or relative	-	89.9 (68.8-97.3)	-	-	
QN119: Percentage of students who missed classes or school without permission on one or more of the past 30 days	-	21.7 (11.3-37.5)	-	-	
QN120: Percentage of students who strongly agree or agree that they feel like they belong at this school	-	46.5 (27.9-66.0)	-	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Black* Site-Added	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association†
	A's	B's	C's	D's/F's	
	% 95% CI‡	% 95% CI	% 95% CI	% 95% CI	
Health Risk Behavior					
QN121: Percentage of students who responded that there is at least one teacher or other adult in this school that they can talk to if they have a problem	-	71.6 (46.8-87.9)	-	-	

*Non-Hispanic.

†Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

‡Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Hispanic/Latino

Unintentional Injuries/Violence

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	3.0 (0.7-12.3)	4.9 (2.0-11.5)	17.5 (6.5-39.6)	-	
QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	14.5 (7.9-24.9)	17.5 (11.3-26.2)	37.4 (20.8-57.6)	-	
QN11: Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days	-	6.5 (1.7-22.1)	-	-	
QN12: Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days	-	59.5 (43.2-73.9)	-	-	
QN13: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	8.5 (3.3-20.1)	10.4 (6.1-17.1)	17.2 (9.8-28.2)	-	
QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	6.3 (2.2-16.7)	1.1 (0.2-7.2)	0.0	-	
QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	3.2 (0.9-10.9)	6.1 (2.2-16.1)	6.7 (2.4-17.1)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Hispanic/Latino

Unintentional Injuries/Violence

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	5.6 (1.4-19.5)	3.2 (0.8-11.6)	7.7 (2.9-19.0)	-	
QN18: Percentage of students who were in a physical fight one or more times during the past 12 months	13.3 (4.6-32.8)	23.0 (13.6-36.2)	28.7 (19.1-40.7)	-	
QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months	5.8 (1.7-18.1)	5.7 (2.1-14.5)	7.7 (3.2-17.4)	-	
QN22: Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months	2.3 (0.3-15.7)	6.5 (2.5-15.9)	10.2 (4.9-20.2)	-	
QN23: Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months	5.9 (1.4-22.0)	11.3 (5.2-23.0)	-	-	
QN24: Percentage of students who had ever been bullied on school property during the past 12 months	7.3 (2.6-19.1)	25.6 (16.3-37.7)	27.3 (15.7-42.9)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Hispanic/Latino

Unintentional Injuries/Violence

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN25: Percentage of students who had ever been electronically bullied during the past 12 months	13.6 (6.0-28.0)	18.4 (11.2-28.7)	11.4 (4.4-26.4)	-	
QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	17.0 (12.5-22.8)	32.2 (21.4-45.2)	28.8 (15.1-47.8)	-	
QN27: Percentage of students who seriously considered attempting suicide during the past 12 months	4.4 (1.2-15.1)	18.5 (10.8-30.0)	14.1 (6.8-26.8)	-	
QN28: Percentage of students who made a plan about how they would attempt suicide during the past 12 months	11.2 (4.1-26.9)	15.3 (8.2-26.8)	12.2 (5.8-23.7)	-	
QN29: Percentage of students who actually attempted suicide one or more times during the past 12 months	3.2 (0.9-10.5)	12.7 (6.9-22.1)	9.8 (4.1-21.8)	-	
QN30: Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse	1.5 (0.2-10.2)	5.5 (1.8-15.7)	1.4 (0.2-10.8)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Hispanic/Latino
Tobacco Use**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN31: Percentage of students who ever tried cigarette smoking, even one or two puffs	17.9 (9.8-30.5)	39.7 (29.2-51.2)	60.7 (47.0-72.9)	-	
QN32: Percentage of students who smoked a whole cigarette for the first time before age 13 years	1.7 (0.2-11.6)	7.6 (3.0-17.8)	10.6 (4.6-22.6)	-	
QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days	2.8 (0.4-17.1)	11.4 (6.0-20.8)	9.8 (3.1-26.7)	-	
QNFRCIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days	0.0	1.9 (0.3-11.6)	0.9 (0.2-4.4)	-	
QN34: Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days	-	-	-	-	
QN36: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days	2.6 (0.3-17.5)	1.8 (0.2-13.6)	2.2 (0.5-9.4)	-	
QN38: Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months	-	-	-	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Hispanic/Latino
Tobacco Use

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN39: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days	2.6 (0.3-17.6)	1.6 (0.2-10.9)	2.7 (0.4-14.5)	-	
QN40: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days	11.8 (4.5-27.5)	11.8 (5.6-23.2)	8.7 (2.6-25.1)	-	
QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days	11.8 (4.4-27.8)	17.5 (9.7-29.3)	13.6 (4.9-32.4)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Hispanic/Latino
Alcohol/Other Drug Use

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN41: Percentage of students who had at least one drink of alcohol on one or more days during their life	66.2 (51.7-78.2)	66.3 (52.4-77.9)	79.0 (66.9-87.5)	-	
QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	13.0 (5.2-29.1)	22.5 (14.3-33.7)	20.0 (10.2-35.3)	-	
QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	31.4 (15.2-53.9)	32.2 (19.4-48.3)	37.3 (26.7-49.4)	-	
QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	15.1 (6.9-30.2)	16.2 (9.0-27.5)	16.0 (9.6-25.4)	-	
QN46: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days	-	-	-	-	
QN47: Percentage of students who used marijuana one or more times during their life	32.3 (18.7-49.7)	39.9 (28.3-52.8)	53.2 (38.2-67.6)	-	
QN48: Percentage of students who tried marijuana for the first time before age 13 years	4.0 (1.0-14.4)	7.6 (3.5-15.7)	13.5 (6.1-27.3)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Hispanic/Latino
Alcohol/Other Drug Use

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN49: Percentage of students who used marijuana one or more times during the past 30 days	20.0 (10.9-34.0)	22.3 (13.5-34.5)	30.9 (16.1-51.1)	-	
QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	2.8 (0.4-16.8)	4.2 (1.1-14.6)	4.4 (1.4-13.0)	-	
QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life	3.7 (0.9-13.6)	9.0 (3.6-20.8)	4.2 (1.2-13.1)	-	
QN56: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life	13.5 (5.4-30.0)	23.4 (14.3-35.9)	15.3 (6.7-31.4)	-	
QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months	26.7 (14.1-44.8)	22.8 (16.1-31.2)	24.6 (12.5-42.6)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Hispanic/Latino
Sexual Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN59: Percentage of students who ever had sexual intercourse	27.7 (18.2-39.8)	48.4 (34.7-62.3)	44.7 (29.9-60.5)	-	
QN60: Percentage of students who had sexual intercourse for the first time before age 13 years	0.0	6.3 (2.0-17.9)	9.3 (3.7-21.6)	-	
QN61: Percentage of students who had sexual intercourse with four or more people during their life	3.6 (0.9-14.1)	5.6 (2.2-13.4)	22.6 (10.6-41.9)	-	
QN62: Percentage of students who had sexual intercourse with one or more people during the past three months	23.2 (14.7-34.6)	39.1 (27.0-52.6)	35.7 (22.0-52.1)	-	
QN63: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	-	25.5 (10.5-50.0)	-	-	
QN64: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	-	55.5 (40.5-69.6)	-	-	
QN65: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	-	21.4 (9.6-41.3)	-	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Hispanic/Latino
Sexual Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNOTHHH: Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	-	15.8 (5.1-39.3)	-	-	
QNOTHHPL: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	-	37.2 (23.9-52.8)	-	-	
QNDUALBC: Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	-	8.4 (2.0-29.2)	-	-	
QNBCNONE: Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse	-	8.5 (1.8-31.8)	-	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

Hispanic/Latino Dietary Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)§	13.1 (7.3-22.5)	14.6 (8.7-23.4)	18.3 (10.5-30.1)	-	
QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)§	3.6 (0.8-14.6)	12.3 (5.8-24.2)	13.9 (5.3-32.0)	-	
QN67: Percentage of students who were trying to lose weight	30.3 (17.1-47.8)	53.5 (40.1-66.4)	53.2 (33.5-72.0)	-	
QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days	76.1 (65.0-84.5)	78.6 (67.7-86.6)	70.8 (50.7-85.1)	-	
QN72: Percentage of students who ate fruit one or more times during the past seven days	95.3 (84.6-98.7)	93.8 (84.7-97.7)	80.8 (63.3-91.1)	-	
QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days	33.1 (24.3-43.3)	26.0 (18.1-35.9)	30.1 (22.0-39.7)	-	
QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days	2.4 (0.3-15.0)	5.6 (1.9-15.1)	5.6 (1.5-18.6)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

§ Based on reference data from the 2000 CDC Growth Charts.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Hispanic/Latino
Dietary Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days	64.2 (53.2-73.8)	65.5 (54.2-75.2)	53.3 (36.0-69.8)	-	
QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days	21.5 (13.2-33.1)	21.5 (15.1-29.6)	15.8 (7.5-30.3)	-	
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days	21.3 (10.3-38.9)	18.3 (10.3-30.4)	21.4 (9.8-40.5)	-	
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days	31.5 (20.2-45.4)	25.4 (16.2-37.4)	13.8 (5.5-30.6)	-	
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days	8.8 (4.1-18.0)	9.7 (3.9-22.3)	10.6 (3.6-27.1)	-	
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days	1.4 (0.2-10.4)	4.2 (1.4-12.0)	8.8 (2.7-25.5)	-	
QN78: Percentage of students who drank three or more glasses per day of milk during the past seven days	19.4 (11.1-31.5)	9.7 (5.0-17.8)	15.8 (8.5-27.4)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Hispanic/Latino
Dietary Behaviors

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QNMILK0: Percentage of students who drank 0 glasses per day of milk during the past seven days	12.8 (6.6-23.1)	14.2 (6.1-29.8)	13.3 (6.2-26.3)	-	
QNMILK1: Percentage of students who drank one or more glasses per day of milk during the past seven days	49.6 (35.5-63.7)	34.8 (23.6-48.0)	45.9 (33.7-58.6)	-	
QNMILK2: Percentage of students who drank two or more glasses per day of milk during the past seven days	32.7 (20.8-47.3)	20.5 (12.3-32.1)	39.3 (29.1-50.5)	-	
QN79: Percentage of students who ate breakfast on all of the past seven days	44.8 (34.8-55.2)	36.8 (26.2-48.8)	27.3 (10.6-54.3)	-	
QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days	7.6 (3.3-16.2)	12.3 (6.6-21.8)	11.2 (3.0-33.7)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Hispanic/Latino
Physical Activity**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days	49.9 (37.5-62.4)	46.1 (32.4-60.3)	44.3 (30.3-59.3)	-	
QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days	14.5 (10.2-20.2)	10.7 (5.8-19.0)	9.9 (3.3-26.2)	-	
QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days	22.1 (13.1-34.6)	24.2 (15.3-36.0)	26.8 (17.0-39.5)	-	
QN81: Percentage of students who watched three or more hours per day of TV on an average school day	23.9 (12.5-41.0)	35.4 (23.2-49.8)	22.7 (14.7-33.4)	-	
QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day	47.9 (34.4-61.7)	49.1 (34.5-63.8)	44.5 (29.1-61.0)	-	
QN83: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school	56.9 (35.0-76.4)	53.4 (39.7-66.6)	53.1 (30.2-74.7)	-	
QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school	35.4 (19.0-56.1)	37.6 (24.8-52.5)	44.5 (26.5-64.0)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Hispanic/Latino
Other

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN85: Percentage of students who had ever been taught in school about AIDS or HIV infection	84.9 (76.1-90.8)	76.7 (63.5-86.2)	88.4 (73.3-95.5)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Hispanic/Latino
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN88: Percentage of students who responded that someone had tried to hurt them by hitting, punching, or kicking them while on school property one or more times during the past 12 months	8.0 (3.3-18.2)	13.1 (5.8-26.9)	20.4 (13.8-29.0)	-	
QN89: Percentage of students who never or rarely feel safe from physical harm when they are at school	10.1 (4.6-20.5)	14.0 (8.3-22.5)	20.3 (9.8-37.2)	-	
QN90: Percentage of students who disagree or strongly disagree that violence is a problem at their school	47.7 (30.7-65.3)	48.3 (35.4-61.5)	20.8 (10.9-35.9)	-	
QN91: Percentage of students who have ever been forced, either verbally or physically, to take part in a sexual activity	5.7 (2.0-15.3)	9.7 (4.7-19.0)	3.5 (0.8-14.1)	-	
QN92: Percentage of students who disagree or strongly disagree that harassment and bullying by other students is a problem at their school	25.1 (13.4-42.1)	25.0 (15.1-38.4)	14.8 (6.2-31.3)	-	
QN93: Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months	9.8 (3.3-25.7)	25.5 (17.8-35.2)	22.7 (10.5-42.3)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Hispanic/Latino
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN94: Percentage of students who think their parents would feel it is very wrong or wrong for them to drink alcohol at least twice a month	63.9 (50.3-75.6)	76.7 (64.8-85.5)	80.8 (66.4-89.9)	-	
QN95: Percentage of students who took a prescription drug without a doctor's prescription one or more times during the past 30 days	4.2 (1.0-15.9)	12.2 (6.4-22.1)	10.4 (2.7-32.2)	-	
QN96: Percentage of students who have taken over-the-counter drugs to get high one or more times during their life	5.6 (1.4-20.5)	13.4 (6.9-24.6)	14.3 (6.5-28.6)	-	
QN97: Percentage of students who attended school under the influence of alcohol or other illegal drugs, such as marijuana or cocaine, one or more times during the past 12 months	10.0 (4.4-21.2)	21.7 (13.0-33.8)	25.7 (10.9-49.5)	-	
QN98: Percentage of students who think it is important to them to delay having sexual intercourse until they are married	15.5 (6.6-32.2)	18.0 (10.8-28.4)	20.2 (11.3-33.3)	-	
QN99: Percentage of students who have had sexual contact with males and females during their life	5.0 (1.3-17.5)	9.3 (4.0-20.1)	12.1 (5.8-23.6)	-	
QN100: Percentage of students whose partners were three or more years older than themselves the last time they had sexual contact	6.1 (1.9-18.1)	0.0	4.9 (1.0-21.5)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Hispanic/Latino
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN101: Percentage of students who describe themselves as gay or lesbian or bisexual	5.4 (0.9-27.0)	10.3 (4.5-21.9)	13.9 (6.2-28.3)	-	
QN102: Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables three or more times per day during the past seven days	5.4 (1.6-16.7)	14.5 (8.4-23.8)	6.1 (1.6-20.0)	-	
QN103: Percentage of students who drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt, one or more times per day during the past seven days	2.6 (0.3-17.6)	8.1 (3.5-17.6)	12.7 (4.1-32.8)	-	
QN104: Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight one or more times per day during the past seven days	10.3 (4.7-21.2)	14.9 (6.5-30.6)	9.5 (2.8-27.6)	-	
QN105: Percentage of students who walk or ride their bike to school on five days in an average week when they are in school and when the weather allows	9.4 (5.0-17.1)	8.1 (3.4-18.0)	10.2 (3.9-24.1)	-	
QN106: Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day	18.0 (8.1-35.4)	3.1 (1.0-9.8)	16.5 (8.0-31.0)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Hispanic/Latino
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN107: Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months	3.7 (0.9-13.8)	4.1 (1.1-14.3)	11.1 (2.9-34.5)	-	
QN108: Percentage of students who have ever talked about AIDS or HIV infection with their parents or other adults in their family	47.1 (36.6-57.8)	54.3 (42.7-65.4)	55.0 (36.4-72.4)	-	
QN109: Percentage of students who have ever been told by a doctor or nurse that they had a sexually transmitted disease (STD)	2.6 (0.3-17.7)	1.4 (0.2-9.4)	0.3 (0.0-2.4)	-	
QN110: Percentage of students who had ever been told by a doctor or nurse that they had asthma	24.0 (15.4-35.5)	21.1 (11.4-35.6)	20.5 (11.7-33.4)	-	
QN111: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past 12 months	77.2 (63.6-86.7)	80.5 (66.0-89.8)	70.0 (39.3-89.4)	-	
QN112: Percentage of students who described their health as excellent or very good	76.2 (58.5-87.9)	61.0 (43.9-75.7)	55.1 (38.8-70.3)	-	
QN113: Percentage of students who have physical disabilities or long-term health problems	7.5 (2.9-17.8)	12.9 (5.7-26.4)	8.8 (2.8-24.5)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Academic Achievement Report

**Hispanic/Latino
Site-Added**

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN114: Percentage of students whose physical health was not good on one or more of the past 30 days	43.1 (33.5-53.1)	47.2 (33.5-61.3)	34.7 (22.6-49.0)	-	
QN115: Percentage of students whose mental health was not good on one or more of the past 30 days	36.6 (25.9-48.8)	58.9 (43.4-72.9)	43.0 (28.5-58.7)	-	
QN116: Percentage of students who are receiving special education services as part of an individual education plan or IEP	0.0	11.8 (4.5-27.2)	11.2 (3.2-32.6)	-	
QN117: Percentage of students who get eight or more hours of sleep on average school night	29.6 (15.5-49.0)	26.8 (16.5-40.3)	35.7 (25.4-47.6)	-	
QN118: Percentage of students who usually sleep at night with their parents or guardians at either their home or the home of a friend or relative	91.1 (80.0-96.3)	92.9 (82.6-97.3)	85.5 (71.2-93.3)	-	
QN119: Percentage of students who missed classes or school without permission on one or more of the past 30 days	9.3 (3.6-22.1)	14.7 (6.6-29.6)	23.8 (14.0-37.5)	-	
QN120: Percentage of students who strongly agree or agree that they feel like they belong at this school	88.2 (74.3-95.1)	69.3 (55.5-80.4)	70.0 (52.7-82.9)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Academic Achievement Report

Hispanic/Latino
Site-Added

Health Risk Behavior	Percentage of students who engaged in each risk behavior, by type of grades mostly earned in school				Significant Association*
	A's	B's	C's	D's/F's	
	% 95% CI†	% 95% CI	% 95% CI	% 95% CI	
QN121: Percentage of students who responded that there is at least one teacher or other adult in this school that they can talk to if they have a problem	71.2 (53.0-84.4)	71.4 (60.8-80.1)	64.6 (49.5-77.3)	-	

*Based on logistic regression analysis controlling for sex, race/ethnicity, and grade in school, p<0.05.

† Confidence interval.

- = Fewer than 30 students in this subgroup.