

## 2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

#### Unintentional Injuries/Violence

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual <sup>†</sup>	Gay, Lesbian, or Bisexual More Likely Than Heterosexual <sup>†</sup>	No Difference <sup>†</sup>
	% 95% CI*	N	% 95% CI	N			
QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	7.6 (5.9-9.9)	2,377	20.8 (14.9-28.1)	157		●	
QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	19.9 (17.8-22.2)	2,376	32.7 (24.1-42.7)	156		●	
QN11: Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days	8.3 (6.7-10.2)	1,574	24.1 (12.8-40.7)	78		●	
QN12: Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days	47.8 (43.2-52.3)	1,524	51.2 (36.3-65.8)	65			●
QN13: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	13.9 (11.5-16.8)	2,353	22.0 (12.7-35.1)	152			●
QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	2.7 (1.9-3.8)	2,381	11.5 (5.7-21.9)	153		●	
QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	4.9 (3.5-6.9)	2,386	18.1 (9.0-32.9)	157		●	

\*Confidence interval.

<sup>†</sup>Based on t-test analyses, p<0.05.

## 2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

#### Unintentional Injuries/Violence

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual <sup>†</sup>	Gay, Lesbian, or Bisexual More Likely Than Heterosexual <sup>†</sup>	No Difference <sup>‡</sup>
	% 95% CI*	N	% 95% CI	N			
QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	3.5 (2.4-4.9)	2,371	14.2 (7.6-25.2)	156		●	
QN18: Percentage of students who were in a physical fight one or more times during the past 12 months	21.1 (18.2-24.2)	2,369	42.1 (33.9-50.8)	157		●	
QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months	5.8 (4.6-7.3)	2,370	15.0 (9.8-22.3)	157		●	
QN22: Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months	6.9 (5.6-8.4)	1,645	29.4 (21.6-38.7)	120		●	
QN23: Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months	8.0 (6.1-10.3)	1,539	37.2 (25.6-50.5)	94		●	
QN24: Percentage of students who had ever been bullied on school property during the past 12 months	21.3 (19.3-23.5)	2,361	36.9 (24.5-51.2)	153		●	
QN25: Percentage of students who had ever been electronically bullied during the past 12 months	16.7 (15.0-18.5)	2,382	33.9 (25.1-44.1)	153		●	

\*Confidence interval.

<sup>†</sup>Based on t-test analyses, p<0.05.

## 2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

#### Unintentional Injuries/Violence

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual <sup>†</sup>	Gay, Lesbian, or Bisexual More Likely Than Heterosexual <sup>†</sup>	No Difference <sup>†</sup>
	% 95% CI*	N	% 95% CI	N			
QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	22.1 (19.7-24.8)	2,382	57.1 (45.9-67.7)	151		●	
QN27: Percentage of students who seriously considered attempting suicide during the past 12 months	10.6 (9.0-12.5)	2,383	49.0 (39.2-58.8)	152		●	
QN28: Percentage of students who made a plan about how they would attempt suicide during the past 12 months	10.1 (8.7-11.7)	2,376	40.9 (31.8-50.7)	151		●	
QN29: Percentage of students who actually attempted suicide one or more times during the past 12 months	4.2 (3.2-5.7)	2,152	28.2 (18.7-40.2)	138		●	
QN30: Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse	1.7 (1.2-2.4)	2,147	14.2 (8.4-22.8)	136		●	

\*Confidence interval.

<sup>†</sup>Based on t-test analyses, p<0.05.

## 2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

#### Tobacco Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual <sup>†</sup>	Gay, Lesbian, or Bisexual More Likely Than Heterosexual <sup>†</sup>	No Difference <sup>†</sup>
	% 95% CI*	N	% 95% CI	N			
QN31: Percentage of students who ever tried cigarette smoking, even one or two puffs	31.4 (27.5-35.6)	2,333	57.5 (48.3-66.2)	149		●	
QN32: Percentage of students who smoked a whole cigarette for the first time before age 13 years	5.8 (4.6-7.4)	2,349	17.3 (10.9-26.2)	152		●	
QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days	10.6 (8.7-12.7)	2,315	28.7 (21.1-37.7)	147		●	
QNFRDIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days	3.8 (2.7-5.3)	2,315	11.4 (6.3-19.7)	147		●	
QN34: Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days	8.3 (4.4-15.2)	270	17.7 (7.3-36.9)	41			●
QN36: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days	2.3 (1.6-3.5)	2,369	12.1 (7.2-19.6)	153		●	
QN38: Among students who reported current cigarette use, the percentage who did not ever try to quit smoking cigarettes during the past 12 months	57.4 (49.3-65.1)	269	44.7 (23.3-68.3)	40			●

\*Confidence interval.

<sup>†</sup>Based on t-test analyses, p<0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey  
Risk Behaviors and Sexual Identity Report

Tobacco Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual <sup>†</sup>	Gay, Lesbian, or Bisexual More Likely Than Heterosexual <sup>†</sup>	No Difference <sup>†</sup>
	% 95% CI*	N	% 95% CI	N			
QN39: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days	7.5 (5.7-9.6)	2,243	17.1 (9.0-30.0)	124			●
QN40: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days	10.8 (8.8-13.1)	2,248	19.8 (12.3-30.4)	122			●
QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days	17.8 (15.2-20.9)	2,182	34.6 (26.1-44.1)	114		●	

\*Confidence interval.

<sup>†</sup>Based on t-test analyses, p<0.05.

## 2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

#### Alcohol/Other Drug Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual <sup>†</sup>	Gay, Lesbian, or Bisexual More Likely Than Heterosexual <sup>†</sup>	No Difference <sup>†</sup>
	% 95% CI*	N	% 95% CI	N			
QN41: Percentage of students who had at least one drink of alcohol on one or more days during their life	65.3 (61.7-68.7)	2,350	77.0 (68.9-83.5)	145		●	
QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	13.2 (11.6-15.0)	2,369	34.2 (25.3-44.4)	157		●	
QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	32.3 (29.6-35.2)	2,230	39.8 (32.0-48.1)	134			●
QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	17.9 (15.8-20.1)	2,356	26.3 (19.3-34.8)	148			●
QN46: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days	35.1 (30.9-39.6)	744	33.5 (20.0-50.4)	50			●
QN47: Percentage of students who used marijuana one or more times during their life	29.5 (25.8-33.5)	2,355	56.7 (46.9-66.0)	145		●	
QN48: Percentage of students who tried marijuana for the first time before age 13 years	5.4 (4.0-7.3)	2,351	18.5 (12.4-26.7)	150		●	

\*Confidence interval.

<sup>†</sup>Based on t-test analyses, p<0.05.

## 2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

#### Alcohol/Other Drug Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual <sup>†</sup>	Gay, Lesbian, or Bisexual More Likely Than Heterosexual <sup>†</sup>	No Difference <sup>†</sup>
	% 95% CI*	N	% 95% CI	N			
QN49: Percentage of students who used marijuana one or more times during the past 30 days	16.1 (14.0-18.4)	2,372	33.2 (23.1-45.3)	148		●	
QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	3.4 (2.4-4.9)	2,388	18.3 (12.1-26.6)	156		●	
QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life	4.6 (3.8-5.6)	2,382	26.2 (18.1-36.2)	157		●	
QN56: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life	13.5 (11.6-15.6)	2,388	33.7 (25.2-43.2)	158		●	
QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months	17.1 (14.8-19.5)	2,381	38.3 (29.9-47.4)	152		●	

\*Confidence interval.

<sup>†</sup>Based on t-test analyses, p<0.05.

## 2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

#### Sexual Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual <sup>†</sup>	Gay, Lesbian, or Bisexual More Likely Than Heterosexual <sup>†</sup>	No Difference <sup>†</sup>
	% 95% CI*	N	% 95% CI	N			
QN59: Percentage of students who ever had sexual intercourse	34.2 (30.3-38.3)	2,262	55.5 (44.4-66.2)	135		●	
QN60: Percentage of students who had sexual intercourse for the first time before age 13 years	2.1 (1.4-3.2)	2,259	10.8 (4.7-22.9)	134			●
QN61: Percentage of students who had sexual intercourse with four or more people during their life	9.1 (7.4-11.2)	2,252	22.7 (16.3-30.7)	137		●	
QN62: Percentage of students who had sexual intercourse with one or more people during the past three months	24.8 (21.8-28.0)	2,265	41.9 (32.0-52.4)	136		●	
QN63: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	20.2 (16.6-24.4)	599	34.3 (20.7-51.1)	53			●
QN64: Among students who had sexual intercourse during the past three months, the percentage who did not use a condom during last sexual intercourse	36.3 (32.2-40.5)	591	51.7 (33.1-69.9)	52			●
QN65: Among students who had sexual intercourse during the past three months, the percentage who did not use birth control pills to prevent pregnancy before last sexual intercourse	75.0 (70.2-79.2)	588	93.4 (81.3-97.8)	53		●	

\*Confidence interval.

<sup>†</sup>Based on t-test analyses, p<0.05.



## 2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

#### Sexual Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual <sup>†</sup>	Gay, Lesbian, or Bisexual More Likely Than Heterosexual <sup>†</sup>	No Difference <sup>†</sup>
	% 95% CI*	N	% 95% CI	N			
QNOTHH: Among students who had sexual intercourse during the past three months, the percentage who did not use an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	89.2 (85.9-91.8)	588	81.2 (64.2-91.2)	53			●
QNOTHHPL: Among students who had sexual intercourse during the past three months, the percentage who did not use birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	64.2 (58.9-69.1)	588	74.5 (58.1-86.1)	53			●
QNDUALBC: Among students who had sexual intercourse during the past three months, the percentage who did not use both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse	85.7 (82.1-88.7)	584	89.5 (75.9-95.8)	52			●
QNBCNONE: Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse	8.5 (6.0-11.9)	588	33.1 (17.0-54.5)	53		●	

\*Confidence interval.

<sup>†</sup>Based on t-test analyses, p<0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey  
Risk Behaviors and Sexual Identity Report

Dietary Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual <sup>†</sup>	Gay, Lesbian, or Bisexual More Likely Than Heterosexual <sup>†</sup>	No Difference <sup>‡</sup>
	% 95% CI*	N	% 95% CI	N			
QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex) <sup>§</sup>	12.7 (11.4-14.2)	2,334	18.8 (13.2-26.2)	146			●
QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex) <sup>§</sup>	10.9 (8.7-13.5)	2,334	23.2 (16.2-32.0)	146		●	
QN71: Percentage of students who did not drink 100% fruit juices during the past seven days	21.8 (19.2-24.6)	2,375	32.5 (24.6-41.6)	156		●	
QN72: Percentage of students who did not eat fruit during the past seven days	7.0 (5.6-8.7)	2,380	11.9 (7.4-18.6)	156			●
QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices less than two times per day during the past seven days	66.4 (64.0-68.6)	2,369	66.7 (56.1-75.9)	155			●
QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days	3.2 (2.3-4.6)	2,369	6.4 (3.0-13.1)	155			●
QNFR1: Percentage of students who ate fruits or drank 100% fruit juices less than one time per day during the past seven days	31.4 (28.8-34.1)	2,369	45.9 (37.7-54.4)	155		●	

\*Confidence interval.

<sup>†</sup>Based on t-test analyses, p<0.05.

<sup>§</sup>Based on reference data from the 2000 CDC Growth Charts.

## 2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

#### Dietary Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual <sup>†</sup>	Gay, Lesbian, or Bisexual More Likely Than Heterosexual <sup>†</sup>	No Difference <sup>‡</sup>
	% 95% CI*	N	% 95% CI	N			
QNFR3: Percentage of students who ate fruits or drank 100% fruit juices less than three times per day during the past seven days	80.8 (79.0-82.5)	2,369	78.6 (71.5-84.3)	155			●
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days	19.0 (16.6-21.8)	2,370	23.1 (16.0-32.1)	152			●
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop during the past seven days	73.9 (70.9-76.7)	2,370	77.3 (67.7-84.7)	152			●
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days	11.3 (9.4-13.6)	2,370	16.4 (10.2-25.3)	152			●
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days	5.3 (4.0-7.0)	2,370	10.9 (5.6-20.0)	152			●
QN78: Percentage of students who did not drink milk or who drank less than three glasses per day of milk during the past seven days	77.7 (75.0-80.2)	2,372	81.9 (75.9-86.6)	152			●
QNMILK0: Percentage of students who drank 0 glasses per day of milk during the past seven days	11.3 (9.4-13.5)	2,372	20.3 (14.4-27.8)	152		●	
QNMILK1: Percentage of students who drank less than one glass per day of milk during the past seven days	45.1 (41.3-49.1)	2,372	53.2 (45.3-61.0)	152			●

\*Confidence interval.

<sup>†</sup>Based on t-test analyses, p<0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey  
Risk Behaviors and Sexual Identity Report

Dietary Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual <sup>†</sup>	Gay, Lesbian, or Bisexual More Likely Than Heterosexual <sup>†</sup>	No Difference <sup>†</sup>
	% 95% CI*	N	% 95% CI	N			
QNMILK2: Percentage of students who drank less than two glasses per day of milk during the past seven days	59.4 (55.0-63.6)	2,372	69.3 (61.4-76.2)	152		●	
QN79: Percentage of students who did not eat breakfast on all of the past seven days	58.6 (54.1-62.9)	2,242	64.0 (51.9-74.5)	123			●
QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days	10.1 (8.2-12.3)	2,242	23.1 (14.7-34.5)	123		●	

\*Confidence interval.

<sup>†</sup>Based on t-test analyses, p<0.05.

## 2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

#### Physical Activity

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual <sup>†</sup>	Gay, Lesbian, or Bisexual More Likely Than Heterosexual <sup>†</sup>	No Difference <sup>†</sup>
	% 95% CI*	N	% 95% CI	N			
QN80: Percentage of students who were physically active for a total of at least 60 minutes per day less than five of the past seven days	48.7 (45.3-52.2)	2,372	71.1 (60.2-79.9)	154		●	
QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days	11.8 (10.0-13.9)	2,372	24.2 (16.5-34.0)	154		●	
QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on less than seven of the past seven days	75.1 (72.7-77.4)	2,372	86.3 (78.9-91.4)	154		●	
QN81: Percentage of students who watched three or more hours per day of TV on an average school day	22.0 (19.0-25.2)	2,368	24.8 (17.4-34.0)	152			●
QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day	33.5 (30.5-36.6)	2,380	41.7 (33.2-50.8)	154			●
QN83: Percentage of students who did not attend physical education (PE) classes in an average week when they were in school	48.0 (43.3-52.8)	2,359	51.9 (38.8-64.6)	154			●
QNDLYPE: Percentage of students who attended physical education (PE) classes less than daily in an average week when they were in school	59.7 (52.8-66.2)	2,359	66.9 (51.8-79.1)	154			●

\*Confidence interval.

<sup>†</sup>Based on t-test analyses, p<0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey  
Risk Behaviors and Sexual Identity Report

Other

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual <sup>†</sup>	Gay, Lesbian, or Bisexual More Likely Than Heterosexual <sup>†</sup>	No Difference <sup>†</sup>
	% 95% CI*	N	% 95% CI	N			
QN85: Percentage of students who were not sure if they had ever been taught or who had not ever been taught in school about AIDS or HIV infection	12.3 (9.7-15.5)	2,363	18.7 (12.9-26.4)	146			●

\*Confidence interval.

<sup>†</sup>Based on t-test analyses, p<0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey  
Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual <sup>†</sup>	Gay, Lesbian, or Bisexual More Likely Than Heterosexual <sup>†</sup>	No Difference <sup>†</sup>
	% 95% CI*	N	% 95% CI	N			
QN87: Percentage of students who would not describe their grades in school as mostly A's or mostly B's during the past 12 months	23.0 (19.2-27.2)	2,383	36.7 (27.4-47.0)	157		●	
QN88: Percentage of students who responded that someone had tried to hurt them by hitting, punching, or kicking them while on school property one or more times during the past 12 months	13.2 (11.5-15.2)	2,371	29.7 (21.2-40.0)	157		●	
QN89: Percentage of students who never or rarely feel safe from physical harm when they are at school	9.3 (7.4-11.5)	2,376	19.1 (11.2-30.5)	157		●	
QN90: Percentage of students who strongly agree, agree, or are not sure that violence is a problem at their school	49.4 (44.4-54.5)	2,380	55.8 (44.9-66.2)	155			●
QN91: Percentage of students who have ever been forced, either verbally or physically, to take part in a sexual activity	5.7 (4.8-6.9)	2,379	36.7 (26.8-47.9)	154		●	
QN92: Percentage of students who strongly agree, agree, or are not sure that harassment and bullying by other students is a problem at their school	75.1 (71.4-78.5)	2,378	81.3 (73.9-87.0)	156			●
QN93: Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months	14.5 (12.8-16.4)	2,378	58.5 (46.5-69.5)	157		●	

\*Confidence interval.

<sup>†</sup>Based on t-test analyses, p<0.05.

## 2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

#### Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual <sup>†</sup>	Gay, Lesbian, or Bisexual More Likely Than Heterosexual <sup>†</sup>	No Difference <sup>†</sup>
	% 95% CI*	N	% 95% CI	N			
QN94: Percentage of students who think their parents would feel it is a little bit wrong or not at all wrong for them to drink alcohol at least twice a month or they are not sure how they would feel	33.3 (30.3-36.5)	2,371	41.6 (32.7-51.1)	158		●	
QN95: Percentage of students who took a prescription drug without a doctor's prescription one or more times during the past 30 days	6.5 (5.4-7.8)	2,245	24.0 (16.4-33.8)	123		●	
QN96: Percentage of students who have taken over-the-counter drugs to get high one or more times during their life	5.9 (4.9-7.0)	2,382	25.9 (18.7-34.7)	157		●	
QN97: Percentage of students who attended school under the influence of alcohol or other illegal drugs, such as marijuana or cocaine, one or more times during the past 12 months	11.9 (9.6-14.6)	2,247	31.6 (24.3-39.9)	124		●	
QN100: Percentage of students whose partners were three or more years older than themselves the last time they had sexual contact	5.5 (4.4-6.7)	2,205	23.1 (15.6-32.9)	120		●	
QN102: Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables less than three times per day during the past seven days	92.8 (91.3-94.1)	2,246	92.8 (83.6-97.0)	123			●
QN103: Percentage of students who drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt, one or more times per day during the past seven days	2.9 (2.4-3.5)	2,244	8.2 (3.8-16.9)	123			●

\*Confidence interval.

<sup>†</sup>Based on t-test analyses, p<0.05.



## 2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

#### Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual <sup>†</sup>	Gay, Lesbian, or Bisexual More Likely Than Heterosexual <sup>†</sup>	No Difference <sup>†</sup>
	% 95% CI*	N	% 95% CI	N			
QN104: Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight one or more times per day during the past seven days	10.5 (9.0-12.2)	2,245	21.1 (14.9-29.1)	123		●	
QN105: Percentage of students who walk or ride their bike to school on less than five days in an average week when they are in school and when the weather allows	93.0 (91.6-94.3)	2,230	90.6 (85.9-93.8)	121			●
QN106: Percentage of students who sometimes, rarely, or never wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day	85.4 (82.9-87.6)	2,237	83.1 (74.5-89.2)	121			●
QN107: Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months	12.8 (10.5-15.4)	2,241	16.2 (8.9-27.7)	122			●
QN108: Percentage of students who have not ever talked or are not sure if they have ever talked about AIDS or HIV infection with their parents or other adults in their family	60.8 (57.4-64.2)	2,369	47.3 (38.6-56.1)	150	●		
QN109: Percentage of students who have ever been told by a doctor or nurse that they had a sexually transmitted disease (STD)	1.4 (0.9-2.3)	2,231	12.7 (7.4-21.0)	121		●	

\*Confidence interval.

<sup>†</sup>Based on t-test analyses, p<0.05.

## 2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

#### Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual <sup>†</sup>	Gay, Lesbian, or Bisexual More Likely Than Heterosexual <sup>†</sup>	No Difference <sup>†</sup>
	% 95% CI*	N	% 95% CI	N			
QN110: Percentage of students who had ever been told by a doctor or nurse that they had asthma	20.7 (18.3-23.4)	2,224	31.7 (21.3-44.3)	121		●	
QN111: Percentage of students who never saw, who last saw more than 12 months ago, or who were not sure when they last saw, a dentist for a check-up, exam, teeth cleaning, or other dental work	17.0 (14.4-19.9)	2,239	40.0 (28.9-52.3)	122		●	
QN112: Percentage of students who described their health in general as good, fair, or poor	36.7 (33.1-40.5)	2,232	60.0 (50.8-68.6)	123		●	
QN113: Percentage of students who have physical disabilities or long-term health problems	10.7 (9.2-12.5)	2,216	22.6 (17.2-29.1)	118		●	
QN114: Percentage of students whose physical health was not good on one or more of the past 30 days	49.8 (47.7-51.8)	2,233	66.3 (58.8-73.0)	123		●	
QN115: Percentage of students whose mental health was not good on one or more of the past 30 days	53.9 (50.4-57.3)	2,231	82.8 (69.0-91.2)	122		●	
QN116: Percentage of students who are receiving special education services as part of an individual education plan or IEP	9.2 (6.9-12.0)	2,213	17.0 (11.1-25.2)	120		●	

\*Confidence interval.

<sup>†</sup>Based on t-test analyses, p<0.05.

## 2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

#### Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual <sup>†</sup>	Gay, Lesbian, or Bisexual More Likely Than Heterosexual <sup>†</sup>	No Difference <sup>†</sup>
	% 95% CI*	N	% 95% CI	N			
QN117: Percentage of students who get less than eight hours of sleep on average school night	63.8 (60.8-66.7)	2,365	80.7 (74.1-85.9)	154		●	
QN118: Percentage of students who do not usually sleep at night with their parents or guardians at either their home or the home of a friend or relative	8.8 (7.6-10.1)	2,232	19.7 (12.9-29.0)	123		●	
QN119: Percentage of students who missed classes or school without permission on one or more of the past 30 days	14.4 (11.7-17.7)	2,234	25.8 (18.9-34.2)	121		●	
QN120: Percentage of students who strongly disagree, disagree, or are not sure that they feel like they belong at this school	24.3 (22.2-26.5)	2,235	53.8 (41.2-66.0)	121		●	
QN121: Percentage of students who responded that there is not at least one teacher or other adult in this school that they can talk to if they have a problem or they were not sure if there is at least one teacher or other adult in this school that they can talk to if they have a problem	24.6 (21.7-27.7)	2,228	39.0 (28.4-50.9)	115		●	

\*Confidence interval.

<sup>†</sup>Based on t-test analyses, p<0.05.