

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

Unintentional Injuries/Violence

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
QN8: Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else)	5.2 (3.8-7.1)	1,729	8.5 (5.0-14.0)	196			●
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)	16.8 (14.4-19.6)	1,721	16.1 (11.7-21.9)	196			●
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	5.0 (3.3-7.5)	1,064	8.4 (4.0-16.8)	85			●
QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	46.6 (42.3-50.9)	1,081	44.5 (36.1-53.2)	86			●
QN13: Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	4.2 (3.0-6.0)	1,724	8.3 (4.7-14.4)	195			●

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Sexual Identity Report

Unintentional Injuries/Violence

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [‡]
	% 95% CI*	N	% 95% CI	N			
QN14: Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)	4.7 (3.4-6.3)	1,733	4.6 (2.6-8.1)	197			●
QN15: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	5.2 (3.8-7.0)	1,733	9.8 (5.9-15.9)	195		●	
QN16: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)	5.8 (3.6-9.2)	1,734	11.9 (7.4-18.4)	196		●	
QN17: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)	19.4 (16.3-23.0)	1,706	19.1 (13.3-26.6)	190			●
QN18: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	6.5 (4.9-8.6)	1,726	8.5 (5.8-12.4)	196			●

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

Unintentional Injuries/Violence

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	5.7 (4.3-7.4)	1,715	16.1 (11.4-22.3)	192		●	
QN21: Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	9.2 (7.3-11.5)	1,116	16.0 (9.0-26.8)	122			●
QN22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	6.0 (4.4-8.0)	1,114	11.1 (6.3-18.7)	122			●
QN23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)	23.1 (20.3-26.1)	1,728	31.3 (23.0-41.0)	192			●

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

Unintentional Injuries/Violence

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
QN24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)	16.4 (14.4-18.5)	1,723	30.8 (23.6-39.1)	192		●	
QN25: Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)	22.9 (19.8-26.4)	1,719	58.4 (48.3-67.9)	191		●	
QN26: Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)	12.9 (10.8-15.3)	1,726	42.5 (34.0-51.6)	191		●	
QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	11.9 (9.7-14.5)	1,716	35.4 (29.8-41.4)	193		●	
QN28: Percentage of students who attempted suicide (one or more times during the 12 months before the survey)	5.6 (3.9-7.8)	1,586	19.7 (15.1-25.3)	182		●	
QN29: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	1.9 (1.2-2.9)	1,582	4.6 (2.0-10.1)	180			●

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

Tobacco Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
QN30: Percentage of students who ever tried cigarette smoking (even one or two puffs)	22.7 (19.5-26.3)	1,659	40.1 (33.9-46.6)	179		●	
QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)	6.7 (5.1-8.7)	1,671	13.7 (9.9-18.8)	186		●	
QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	6.8 (5.5-8.3)	1,698	15.8 (12.2-20.2)	186		●	
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)	1.8 (1.0-3.3)	1,698	6.3 (3.3-11.6)	186		●	
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	1.2 (0.6-2.3)	1,698	4.0 (1.7-8.9)	186			●
QN33: Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)	8.4 (4.7-14.7)	111	-	29			

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

- = Fewer than 30 students in the denominator (subgroup).

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

Tobacco Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [‡]
	% 95% CI*	N	% 95% CI	N			
QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)	11.2 (8.9-14.1)	1,577	14.3 (9.5-20.8)	178			●
QN37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)	5.4 (3.8-7.7)	1,720	7.1 (3.4-14.1)	193			●
QN38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)	7.0 (5.4-8.9)	1,717	11.0 (8.0-15.0)	191		●	
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	10.2 (8.4-12.2)	1,690	18.3 (14.0-23.7)	186		●	
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)	12.0 (10.1-14.3)	1,684	19.4 (14.7-25.1)	188		●	

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Sexual Identity Report

Tobacco Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)	16.1 (13.6-18.9)	1,541	23.2 (18.2-29.1)	172		●	
QN39: Percentage of students who did not try to quit using all tobacco products (including cigarettes, cigars, smokeless tobacco, shisha or hookah tobacco, and electronic vapor products, ever during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)	59.9 (55.1-64.5)	278	73.5 (60.9-83.1)	45		●	

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Sexual Identity Report

Alcohol/Other Drug Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
QN40: Percentage of students who ever drank alcohol (at least one drink of alcohol, on at least 1 day during their life)	64.4 (60.7-67.9)	1,661	70.9 (61.7-78.6)	191			●
QN41: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)	14.0 (11.4-17.0)	1,645	29.1 (21.9-37.5)	191		●	
QN42: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)	30.4 (27.5-33.5)	1,610	30.8 (22.9-39.9)	178			●
QN43: Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)	37.0 (32.6-41.6)	487	33.2 (21.7-47.1)	52			●
QN46: Percentage of students who ever used marijuana (one or more times during their life)	29.1 (26.0-32.5)	1,711	40.8 (33.4-48.7)	192		●	
QN47: Percentage of students who tried marijuana for the first time before age 13 years	4.5 (3.4-6.0)	1,717	10.9 (7.6-15.4)	191		●	

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

Alcohol/Other Drug Use

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
QN48: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	15.5 (12.3-19.5)	1,712	19.1 (14.4-25.0)	191			●
QN49: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)	3.6 (2.6-4.9)	1,733	7.4 (4.2-12.6)	195			●
QN50: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)	4.6 (3.5-6.0)	1,734	9.4 (6.3-13.7)	196		●	
QN56: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their	10.1 (7.9-12.8)	1,718	16.4 (11.6-22.7)	193		●	
QN58: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)	17.5 (15.4-20.0)	1,724	23.9 (17.8-31.3)	191			●

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

Sexual Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
QN59: Percentage of students who ever had sexual intercourse	33.7 (30.0-37.6)	1,621	34.9 (28.4-42.0)	172			●
QN60: Percentage of students who had sexual intercourse for the first time before age 13 years	2.1 (1.5-3.1)	1,623	5.2 (3.1-8.7)	174		●	
QN61: Percentage of students who had sexual intercourse with four or more persons during their life	6.7 (5.1-8.8)	1,622	9.5 (5.3-16.3)	174			●
QN62: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)	25.1 (22.5-28.0)	1,623	23.7 (18.4-29.9)	175			●
QN63: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	15.7 (12.1-20.1)	404	20.7 (7.8-44.7)	43			●
QN64: Percentage of students who did not use a condom during last sexual intercourse (among students who were currently sexually active)	36.6 (30.3-43.3)	394	44.7 (29.5-61.0)	42			●

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

Sexual Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
QN65: Percentage of students who did not use birth control pills before last sexual intercourse (to prevent pregnancy among students who were currently sexually active)	73.6 (66.9-79.5)	393	80.0 (62.6-90.5)	43			●
QNIUDIMP: Percentage of students who did not use an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	91.8 (88.1-94.4)	393	93.5 (79.7-98.1)	43			●
QNSHPARG: Percentage of students who did not use a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	96.2 (93.8-97.7)	393	98.3 (86.4-99.8)	43			●
QNOTHHPL: Percentage of students who did not use birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)	61.6 (54.5-68.2)	393	71.7 (53.6-84.7)	43			●
QNDUALBC: Percentage of students who did not use both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)	86.1 (80.6-90.2)	386	91.7 (78.2-97.1)	42			●

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Sexual Identity Report

Sexual Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)	5.9 (3.7-9.4)	393	20.7 (10.7-36.3)	43		●	

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

Dietary Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [‡]
	% 95% CI*	N	% 95% CI	N			
QNOBES: Percentage of students who had obesity (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [§]	11.9 (10.1-14.1)	1,656	26.1 (18.0-36.4)	176		●	
QNOWT: Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [§]	15.0 (13.5-16.6)	1,656	17.2 (12.2-23.7)	176			●
QN69: Percentage of students who were not trying to lose weight	56.8 (54.6-59.0)	1,725	40.9 (34.9-47.2)	193	●		
QN70: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)	28.1 (25.3-31.1)	1,723	32.2 (23.5-42.3)	194			●
QN71: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	9.3 (7.7-11.3)	1,715	11.3 (7.5-16.6)	193			●
QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	5.4 (4.0-7.3)	1,712	4.2 (1.8-9.7)	192			●

*Confidence interval.

[†]Based on t-test analyses, $p < 0.05$.

[§]Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

Dietary Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
QN72: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)	45.3 (41.9-48.7)	1,713	38.4 (31.8-45.5)	191	●		
QN73: Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)	35.8 (32.2-39.5)	1,719	34.3 (27.8-41.4)	193		●	
QN74: Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)	45.9 (42.0-49.9)	1,713	42.3 (34.8-50.1)	191		●	
QN75: Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)	16.2 (13.8-18.9)	1,710	17.9 (12.6-24.8)	190		●	
QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	6.7 (5.2-8.7)	1,689	6.2 (3.1-11.9)	186		●	
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	14.4 (12.7-16.2)	1,711	19.5 (14.2-26.2)	190		●	

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

Dietary Behaviors

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	7.9 (6.6-9.5)	1,711	10.8 (6.8-16.8)	190			●
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	4.0 (3.0-5.4)	1,711	5.8 (3.0-11.1)	190			●
QN78: Percentage of students who did not eat breakfast (during the 7 days before the survey)	13.3 (10.6-16.5)	1,706	21.8 (15.5-29.8)	191		●	
QNBK7DAY: Percentage of students who did not eat breakfast on all 7 days (during the 7 days before the survey)	60.9 (58.1-63.7)	1,706	75.7 (70.7-80.1)	191		●	

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

Physical Activity

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
QN79: Percentage of students who were not physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	47.6 (43.5-51.8)	1,689	72.9 (65.8-79.1)	191		●	
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	12.6 (10.0-15.7)	1,689	24.4 (18.4-31.5)	191		●	
QNPA7DAY: Percentage of students who were not physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	73.3 (69.9-76.4)	1,689	86.8 (80.8-91.1)	191		●	
QN80: Percentage of students who watched television 3 or more hours per day (on an average school day)	15.8 (13.2-18.7)	1,681	23.6 (17.1-31.6)	190			●
QN81: Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)	39.0 (36.2-41.8)	1,694	57.3 (51.3-63.0)	190		●	

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Sexual Identity Report

Physical Activity

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
QN82: Percentage of students who did not attend physical education (PE) classes on 1 or more days (in an average week when they were in school)	49.3 (43.5-55.3)	1,677	54.0 (44.3-63.4)	185			●
QNDLYPE: Percentage of students who did not attend physical education classes on all 5 days (in an average week when they were in school)	62.4 (55.6-68.7)	1,677	69.5 (59.3-78.1)	185			●
QN88: Percentage of students who did not get 8 or more hours of sleep (on an average school night)	73.2 (70.7-75.6)	1,680	84.0 (78.2-88.6)	188		●	

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Sexual Identity Report

Other	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
Health Risk Behavior							
QN85: Percentage of students who were never tested for human immunodeficiency virus (HIV) (not including tests done when donating blood)	89.6 (86.9-91.8)	1,695	79.7 (72.2-85.6)	185	●		
QN86: Percentage of students who did not see a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)	18.9 (15.9-22.3)	1,693	32.4 (25.2-40.5)	189		●	
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)	1.4 (0.9-2.2)	1,693	4.5 (2.2-9.0)	189			●
QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma	19.8 (17.8-21.9)	1,684	26.8 (21.0-33.6)	182		●	
QN89: Percentage of students who described their grades in school as mostly C's, D's, or F's (during the 12 months before the survey)	20.7 (17.0-24.9)	1,692	32.0 (25.2-39.6)	186		●	

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
QN90: Percentage of students who reported that someone had tried to hurt them by hitting, punching, or kicking them while on school property (one or more times during the 12 months before the survey)	13.8 (11.4-16.7)	1,634	21.1 (17.0-25.8)	190		●	
QN91: Percentage of students who never or rarely feel safe from physical harm when they are at school	11.4 (9.2-14.0)	1,625	11.3 (6.2-19.7)	187			●
QN92: Percentage of students who strongly agree, agree, or are not sure that violence is a problem at their school	45.5 (39.7-51.4)	1,629	55.7 (49.1-62.2)	188		●	
QN93: Percentage of students who have been the victim of teasing or name calling because someone thought they were gay, lesbian, or bisexual (during the 12 months before the survey)	8.2 (6.6-10.0)	1,631	40.2 (30.8-50.5)	188		●	
QN94: Percentage of students who have been the victim of teasing or name calling because of their gender (during the 12 months before the survey)	5.5 (4.1-7.5)	1,618	20.1 (14.9-26.6)	189		●	
QN95: Percentage of students who strongly agree, agree, or are not sure that harassment and bullying by other students is a problem at their school	71.0 (66.3-75.2)	1,621	86.8 (81.6-90.7)	186		●	

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
QN96: Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)	12.3 (10.4-14.7)	1,630	46.4 (39.1-53.8)	188		●	
QN97: Percentage of students who sometimes, rarely, or never get the kind of help they need (among students who report having felt sad, empty, hopeless, angry, or anxious)	71.1 (68.4-73.7)	1,051	77.9 (71.5-83.2)	168		●	
QN99: Percentage of students who who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)	15.6 (13.1-18.5)	1,633	19.2 (13.2-27.1)	190			●
QN100: Percentage of students who have taken over-the-counter drugs to get high (one or more times during their life)	4.8 (4.0-5.8)	1,635	11.9 (8.0-17.3)	189		●	
QN101: Percentage of students who attended school under the influence of alcohol or other illegal drugs (such as marijuana or cocaine, one or more times during the 12 months before the survey)	11.1 (8.7-14.0)	1,632	18.2 (12.5-25.7)	187		●	

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
QN103: Percentage of students who reported their partners were three or more years older than themselves the last time they had sexual contact (among those students who have had sexual contact)	7.4 (5.4-10.0)	827	16.6 (11.3-23.8)	107		●	
QN104: Percentage of students who had a drink that was high in caffeine (including coffee, espresso, or energy drinks (such as Red Bull, Monster, or Rockstar), not counting soda, pop or tea, one or more times per day during the 7 days before the survey)	8.8 (7.4-10.3)	1,607	17.1 (12.4-23.0)	180		●	
QN105: Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage (such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight, not counting soda or pop, sports drinks, energy drinks, or 100% fruit juice, one or more times per day during the 7 days before the survey)	8.1 (6.6-9.9)	1,597	15.1 (10.1-22.0)	183		●	
QN106: Percentage of students who have not been taught or are not sure if they have been taught about AIDS or HIV infection in school	17.3 (13.9-21.3)	1,577	24.9 (20.4-30.1)	176		●	
QN107: Percentage of students who used an indoor tanning device (such as a sunlamp, sunbed, or tanning booth [not counting getting a spray-on tan], one or more times during the 12 months before the survey)	10.3 (8.5-12.4)	1,697	9.9 (6.6-14.5)	185			●

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
QN108: Percentage of students who never, rarely or sometimes wear sunscreen (with an SPF of 15 or higher when they are outside for more than one hour on a sunny day)	82.9 (80.1-85.3)	1,591	80.1 (72.6-85.9)	178			●
QN109: Percentage of students who pstrongly disagree, disagree, or are not sure that they feel like they belong at their school	25.3 (22.8-27.9)	1,588	55.4 (48.0-62.5)	181		●	
QN110: Percentage of students who reported there is not at least one teacher or other adult in their school that they can talk to if they have a problem or who were not sure if there is at least one teacher or other adult in their school that they can talk to if they have a problem	26.4 (23.9-29.1)	1,582	40.2 (33.7-47.1)	179		●	
QN111: Percentage of students who usually slept in the home of a friend, family member, or other person because they had to leave their home or their parent or guardian cannot afford housing (during the 30 days before the survey)	1.4 (1.0-2.1)	1,594	3.1 (1.4-6.5)	183			●
QN112: Percentage of students who are transgender	0.9 (0.6-1.4)	1,589	8.8 (5.6-13.7)	184		●	

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Wisconsin High School Survey
Risk Behaviors and Sexual Identity Report

Site-Added

Health Risk Behavior	Heterosexual		Gay, Lesbian, or Bisexual		Heterosexual More Likely Than Gay, Lesbian, or Bisexual [†]	Gay, Lesbian, or Bisexual More Likely Than Heterosexual [†]	No Difference [†]
	% 95% CI*	N	% 95% CI	N			
QN113: Percentage of students who described their health in general as good, fair, or poor	41.2 (37.9-44.6)	1,592	71.6 (64.0-78.2)	182		●	
QN114: Percentage of students who have physical disabilities or long-term health problems (meaning 6 months or more)	11.3 (9.3-13.5)	1,588	21.0 (14.0-30.2)	179		●	
QN115: Percentage of students who have had significant problems with feeling very anxious, nervous, tense, scared, or like something bad was going to happen (during the 12 months before the survey)	35.3 (31.8-39.0)	1,586	69.7 (63.3-75.5)	177		●	

*Confidence interval.

[†]Based on t-test analyses, p<0.05.