

VER	DATA CATEGORY	REQ DATA?			ED-FI						
#	e.g. Student, School, etc.	Ed-Fi	DPI	JSON Resource	JSON Property	JSON Data Type	Ed-Fi Definition	Rules & Notes - SIS	Meta data (Descriptors / Types)	Choice Req?	Public Requirement
P#1.0	STUDENT	Y	Always required	/student	id	string	The unique identifier of the resource	Resource 'id' not passed on POST.		Y	Same as Choice
P#1.0	STUDENT	Y	Always required	/student	studentUniqueld	string	School enrolling the Student	This is <b>WISEid</b> . <b>WISEids must be loaded into the SIS prior to sending transactions to the API.</b> <b>WI DPI L1 Edit:</b> This must be a valid WISEid or the SIS will receive and error right back along with any other level one errors (invalid descriptors, etc.);Recommended SIS UI edit: require this value before sending data to the API		Y	Same as Choice
P#1.0	STUDENT	Y	Always required	/student	sexType	string	Person's gender	See Meta data column	/sexTypes	Y	Same as Choice
P#1.0	STUDENT	Y	Always required	/student	birthDate	date-time	The month, day, and year on which an individual was born	<b>Recommended SIS UI edit: birthDate not a future date</b>		Y	Same as Choice
P#1.0	STUDENT	N	Always Required	/student	economicDisadvantaged	boolean	An indication of inadequate financial condition of an individual's family, as determined by family income, number of family members/dependents, participation in public assistance programs, and/or other characteristics considered relevant by federal, state, and local policy. NEDM: Economic Disadvantaged Status,			Y	Same as Choice
P#1.0	STUDENT	N	Always Required	/student	schoolFoodServicesEligibilityDescriptor	string	A unique identifier used as Primary Key, not derived from business logic, when acting as Foreign Key, references the parent table.,	See Meta data column; Ideally in SIS business rules, require this value if 'economicDisadvantaged' = Y.	/schoolFoodServicesEligibilityDescriptor, Types	Y	Same as Choice
P#1.0	STUDENT	N	Conditionally Required	/student	dateEnteredUS	date-time	For students born outside of the U.S., the date the student entered the U.S.,	Pass for students born outside of the US; <b>Recommended SIS UI edit:</b> dateEnteredUS <= dateOfBirth		Y	Same as Choice

P#3.0	STUDENT	N	Conditionally Required	/student(studentCharacteristics array)	<b>characteristics</b>	array	An unordered collection of studentCharacteristics. This entity represents an individual for whom instruction, services and/or care are provided in an early childhood, elementary or secondary educational program under the jurisdiction of a school, education agency or other institution or program. A student is a person who has been enrolled in a school or other educational institution. ,	See Meta data column for descriptor values; only value that needs to be passed in array is descriptor(string);beginDate,endDateorDesignatedByaren't required at this time; SATA(state assessment type - alternative) - If student is taking an 'Alternate' student assessment then Homeless - if student is homeless. Migrant -if student has a current certificate of eligibility. Immigrant -if student meets the definition as immigrant under Title III. As of 2016.07.19 - 'Negligent and Delinquent' was originally on this list but is removed now. It will appear in the UAT 'sandbox' until a deployment removes it.	<b>/studentCharacteristicDescriptor</b> For Public, four more characteristics have been added (see column I for details). Modifications to Characteristic Descriptor in Ed Fi to reflect additions for public available in UAT 'sandbox' as of 2016.07.14	Y (For choice characteristics descriptor or only SATA had to be passed and it will continue to remain the same)	Modifications for Public
P#1.0	STUDENT	N	Conditionally Required	/Student (Languages array)	<b>languages</b>	array	<b>languages (array[studentLanguage]):</b> An unordered collection of studentLanguages. Language(s) the individual uses to communicate., <b>studentLanguage { languageDescriptor (string):</b> A unique identifier used as Primary Key, not derived from business logic, when acting as Foreign Key, references the parent table., <b>uses (array[studentLanguageUse]):</b> An unordered collection of studentLanguageUses. A description of how the language is used (e.g. Home Language, Native Language, Spoken Language). <b>studentLanguageUse { languageUseType (string):</b> A unique identifier used as Primary Key, not derived from business logic, when acting as Foreign Key, references the parent table. }	<b>Rule - Required only for Students with English Language Proficiency between 1 and 5</b> <b>Rule - Need to pass languageDescriptor (string) and languageUseType (string).</b> LanguageDescriptor property uses Descriptor and languageuseType uses Type values referenced in the Meta data column <b>Rule - Only the students' 'Native language' LanguageuseType should be submitted</b> <b>Rule - Required only for Students with English Language Proficiency between 1 and 5</b> <b>Note - The business use is to capture the 'Native Language' of a student who has ELP between 1 to 5. Since there is no direct way to capture this data, it should come through an array where the Language (StudentLanguage) is Native (LanguageUseType)</b>	<b>/LanguageDescriptor</b> Available in UAT 'sandbox' as of 2016.07.14 <b>/LanguageuseTypes</b> - available on Ed Fi currently under Types	N	New
P#3.0	STUDENT	N	Conditionally Required	/student	<b>limitedEnglishProficiencyDescriptor</b>	string	This descriptor defines the indications that the student has been identified as Limited English Proficient or English Proficient by the Language Proficiency Assessment Committee (LPAC). The map is required.	See Meta data column 2016.07.19: it was in question whether the location of this property would change. It will stay where it is. Same as original deploy for Choice.	<b>/limitedEnglishProficiencyDescriptor</b>	Y	Same as Choice
P#1.0	STUDENT	Y	Always required	/student	<b>hispanicLatinoEthnicity</b>	boolean	An indication that the individual traces his or her origin or descent to Mexico, Puerto Rico, Cuba, Central and South America, and other Spanish cultures, regardless of race. The term, ""Spanish origin,"" can be used in addition to ""Hispanic or Latino.""			Y	Same as Choice

P#1.0	STUDENT	N	Always required	/student (studentRace array)	<b>racess</b>	array	An unordered collection of studentRaces. This entity represents an individual for whom instruction, services, and/or care are provided in an early childhood, elementary, or secondary educational program under the jurisdiction of a school, education agency or other institution or program. A student is a person who has been enrolled in a school or other educational institution.	See Meta data column; <b>raceType</b> (string) can be one or many values; pass in, for example, 'Asian', 'White'	<b>/raceTypes</b>	Y	Same as Choice
P#1.0	STUDENT	Y	Always required	/student	<b>firstName</b>	string	A name given to an individual at birth, baptism, or during another naming ceremony, or through legal change. NEDM: First Name			Y	Same as Choice
P#1.0	STUDENT	Y	Always required	/student	<b>lastSurname</b>	string	The name born in common by members of a family. NEDM: Last Name/Surname			Y	Same as Choice
P#1.0	STUDENT	N	Conditionally Required	/Students (Visas array)	<b>visas</b>	array	<b>visas (array[studentVisa]):</b> An unordered collection of studentVisas. Describe the types of Visa that a non-U.S. citizen student holds	<b>Rule - Only required when a Student has a 'Visa' Required for foreign exchange students</b>	<b>/visaTypes</b>	N	New
P#1.0	STUDENT	N	Conditionally Required	/students	<b>wiDpiStudentResidentEducationOrganizationReference</b>	reference	<b>wiDpiStudent { wiDpiStudentResidentEducationOrganizationReference</b> (educationOrganizationReference, optional): A reference to the related EducationOrganization resource. } The district in which the student resides	<b>Note</b> - This is the LEA Id (eg. school district). Required for non-district 2R charter schools. For other districts, if not provided, the resident district will be identified as the submitting district		N	New
P#1.0	STUDENTS CHOO	Y	Always required	/studentSchoolAssociations	<b>id</b>	string	Unique identifier of the resource.	Resource 'id' not passed on POST.		Y	Same as Choice
P#1.0	STUDENTS CHOO	Y	Always required	/studentSchoolAssociations	<b>schoolReference</b>	reference	A reference to the related School resource	Reference to the /school resource; a GET on /schools is required to have data needed for /school resource. This could be implemented as a periodic call to populate the local SIS db.		Y	Same as Choice
P#1.0	STUDENTS CHOO	Y	Always required	/studentSchoolAssociations	<b>studentReference</b>	reference	A reference to related Student resource	Reference to the /student resource		Y	Same as Choice
P#1.0	STUDENTS CHOO	Y	Always required	/studentSchoolAssociations	<b>entryDate</b>	date-time	The month, day, and year on which an individual enters and begins to receive instructional services in a campus for the school year. NEDM: School Entry Date NEDM: LEA Entry Date.	<b>Recommended SIS UI edit:</b> entryDate should not be before date of birth; exitWithdrawDate can't be before entryDate or exitWithdrawDate shouldn't be populated unless there is an entryDate		Y	Same as Choice

P#1.0	STUDENTS CHOO	N	Conditionally Required	/studentSchoolAssociations	<b>exitWithdrawTypeDescriptor</b>	string	A unique identifier used as Primary Key, not derived from business logic, when acting as Foreign Key, references the parent table.,	See Meta data column; <b>Recommended SIS UI edit:</b> if exitWithdrawDate must be exitWithdrawTypeDescriptor and vice-versa	/exitWithdrawTypeDescriptors	Y	Same as Choice
P#1.0	STUDENTS CHOO	N	Conditionally Required	/studentSchoolAssociations	<b>exitWithdrawDate</b>	date-time	The month, day, and year of the first day after the date of an individual's last attendance at a school (if known), the day on which an individual graduated, or the date on which it becomes known officially that an individual left school or the date a student died whichever comes first. For continuing students, the exit date is the last day of attendance for the school year.	<b>Recommended SIS UI edit:</b> exitWithdrawDate should not be before dateOfBirth; exitWithdrawDate can't be before entryDate or exitWithdrawDate shouldn't be populated unless there is an entryDate; if exitWithdrawDate must be exitWithdrawTypeDescriptor and vice-versa		Y	Same as Choice
P#1.0	STUDENTS CHOO	N	Conditionally Required	/studentSchoolAssociations	<b>schoolYearTypeReference</b>	reference	Identifier for a school year	See Meta data column; WI DPI L1 Edit:this year should match the year in the URL you are calling in your JSON request. If the schoolYearTypeReference doesn't match the year in the URL, you will receive a level one error back from the API	/schoolYearTypes	Y	Same as Choice
P#1.0	STUDENTS CHOO	Y	Always required	/studentSchoolAssociations	<b>entryGradeLevelDescriptor</b>	string	The grade level or primary instructional level at which a student enters and receives services in a school or an educational institution during a given academic session	See Meta data column	/gradeLevelDescriptors	Y	Same as Choice
P#1.0	STUDENTS CHOO	N	Always required	/studentSchoolAssociations	<b>primarySchool</b>	boolean	Indicates if a given enrollment record should be considered the primary record for a student.			Y	Same as Choice
P#1.0	STUDENTS CHOO	N	Conditionally Required	/studentSchoolAssociations	<b>wiDpiStudentSchoolAssociation</b>	array	Wisconsin DPI studentSchoolAssociation extension <b>wiDpiStudentSchoolAssociation { schoolReference (schoolReference):</b> A reference to the related School resource., <b>studentReference (studentReference):</b> A reference to the related Student resource., <b>wiDpiSsaProgramScheduleType (string, optional):</b> Indicator of school day schedule for Four year old and Five year old Kindergartners }	<b>Rule</b> - Only for students in grade level K4 or KG. K4 students must use one of the K4 codes, while KG student must use one of the KG codes. <b>Note</b> - programscheduletype is not an out of box Ed Fi data property. It has been added to the core /StudentSchoolAssociation and should be sent as an array under WiDPIStudentSchoolAssociation.	<b>/wiDpiProgramScheduleTypes</b> Available in UAT 'sandbox' as of 2016.07.14.	N	New

P#1.0	STUDENTS CHOOL	N	Conditionally Required	/studentSchoolAssociations	<b>repeatGradeIndicator</b>	boolean	An indicator of whether the student is enrolling to repeat a grade level, either by failure or an agreement to hold the student back.,	<b>Rule-</b> Only required when Completed School Term is ' Y'. <b>Note-</b> When a student is promoted to the next grade level, the repeat grade level indicator would be a ' N'. This is opposite to what the SIS is used to sending earlier (which was promotion indicator). Please check to make sure to avoid any confusion		N	New
P#1.0	STUDENTS SCHOOLWIS C	Y	Always required	/studentSchoolAssociationWisconsinExt	<b>id</b>	string	The unique identifier of the resource			Y	Same as Choice
P#1.0	STUDENTS SCHOOLWIS C	Y	Always required	/studentSchoolAssociationWisconsinExt	<b>schoolId</b>	integer	School enrolling the Student	<b>Note:</b> part of db constraint: PK_StudentSchoolAssociationWisconsinExt PRIMARY KEY CLUSTERED (StudentUSI, SchoolId,EntryDate)		Y	Same as Choice
P#1.0	STUDENTS SCHOOLWIS C	Y	Always required	/studentSchoolAssociationWisconsinExt	<b>studentUniqueId</b>	string	A unique alpha-numeric code assigned to a student	This is <b>WISEid</b> . <b>WISEids must be loaded into the SIS prior to sending transactions to the API;</b> Note:part of db constraint: PK_StudentSchoolAssociationWisconsinExt PRIMARY KEY CLUSTERED (StudentUSI, SchoolId,EntryDate)		Y	Same as Choice
P#1.0	STUDENTS SCHOOLWIS C	Y	Always required	/studentSchoolAssociationWisconsinExt	<b>entryDate</b>	date-time	The entry date associated with the student's enrollment	<b>Note:</b> part of db constraint: PK_StudentSchoolAssociationWisconsinExt PRIMARY KEY CLUSTERED (StudentUSI, SchoolId,EntryDate)		Y	Same as Choice
P#1.0	STUDENTS SCHOOLWIS C	N	Conditionally Required	/studentSchoolAssociationWisconsinExt	<b>expectedTransferEducationalOrganizationReference</b>	reference	A reference to the related EducationOrganization resource	The agency (in this case a district or CMO ('16)) the student is expected to transfer in cases where the subsequent enrollment has not yet occurred but the expected transfer district is known. This property is necessary because some districts fail to submit enrollment in a timely manner and/or a district has issued a second id for a student even though they already have one. This process helps identify the issues. Once the property is gathered, it is used to notify the receiving district to prevent 'lost or unclaimed' dropouts. This is critical to capture data which could incorrectly turn into a dropout.		Y	Same as Choice

P#1.0	STUDENTS CHOO LWIS C	N	Conditionally Required	/studentSchoolAssociationWisconsinExt	<b>expectedTransferSchoolReference</b>	reference	A reference to the related School resource	The expected school the student is expected to transfer in cases where the subsequent enrollment has not yet occurred but the expected transfer school is known. This is captured for the same reason as expectedTransferEducationOrganizationReference but provides an additional level of detail. <b>Rule</b> - This should be provided only when the student is Transferring within the same district. Not required when a student is Transferring to a different district		Y	Same as Choice
P#1.0	STUDENTS CHOO LWIS C	N	Conditionally Required	/studentSchoolAssociationWisconsinExt	<b>completedSchoolTerm</b>	boolean	Indicates whether or not a student completed the school term during the school enrollment period. It is collected for every student enrollment record and is not related to graduation. A student could have more than one enrollment record for a school year			Y	Same as Choice
P#1.0	STUDENTS CHOO LWIS C	N	Conditionally Required	/studentSchoolAssociationWisconsinExt	<b>actualDaysAttendance</b>	number	Aggregate value that captures the actual daysin attendance for a student.	Up to SIS on sending frequency, but recommended at least once per day; value can be a decimal; attendance rules for WI see this: <a href="https://uawisedataapi.dpi.wi.gov/EdFiSwagger/#!/attendanceEventCategoryDescriptors/getAttendanceEventCategoryDescriptorsAll_get_0">https://uawisedataapi.dpi.wi.gov/EdFiSwagger/#!/attendanceEventCategoryDescriptors/getAttendanceEventCategoryDescriptorsAll_get_0</a> ; <b>Recommended SIS UI edit:</b> actualDaysAttendance can't be greater than possibleDaysAttendance		Y	Same as Choice
P#1.0	STUDENTS CHOO LWIS C	N	Conditionally Required	/studentSchoolAssociationWisconsinExt	<b>possibleDaysAttendance</b>	number	Aggregate value that capture the possible daysin attendance for a student	Up to SIS on sending frequency, but recommended at least once per day; value can be a decimal; attendance rules for WI see this: <a href="https://uawisedataapi.dpi.wi.gov/EdFiSwagger/#!/attendanceEventCategoryDescriptors/getAttendanceEventCategoryDescriptorsAll_get_0">https://uawisedataapi.dpi.wi.gov/EdFiSwagger/#!/attendanceEventCategoryDescriptors/getAttendanceEventCategoryDescriptorsAll_get_0</a> ; <b>Recommended SIS UI edit:</b> actualDaysAttendance can't be greater than possibleDaysAttendance		Y	Same as Choice

P#1.0	STUDENTS CHOO LWIS C	N	Conditionally Required	/studentSchoolAssociationWisconsinExt (studentSchoolAssociationWisconsinExtReceivingService array)	<b>receivingServices</b>	array	An unordered collection of studentSchoolAssociationWisconsinExtReceivingServices; <b>countDateNameType</b> = The count date name for the student status (e.g 3rd Fri Sept); <b>countDateReceivingServiceType</b> = The status of the student during the specific count date (e.g. Present)	Need to pass <b>countDateNameType</b> (string) and <b>countDateReceivingServiceType</b> (string). Both properties use Type values referenced in the Meta data column; <b>Note</b> :this can be sent as null if the student enrollment entryDate (/studentSchoolAssociation entryDate) is post 3rd Friday of Sept and Oct 1 childcount. There shouldn't be overlapping enrollment periods for primary enrollment. If we receive this for a student an L2 error will display to the district in the WISEdata Portal.	/countDateNameTypes; /countDateReceivingServiceTypes	Y	Same as Choice
P#1.0	STUDENTP ROGRAM	Y	Always required	/studentProgramAssociations	<b>id</b>	string	The unique identifier of the resource			N	New
P#1.0	STUDENTP ROGRAM	Y	Always required	/studentProgramAssociations	<b>educationOrganizationReference</b>	reference	A reference to the related EducationOrganization resource., <b>educationOrganizationReference</b> { <b>educationOrganizationId</b> <b>(integer)</b> : EducationOrganization Identity Column, }			N	New

P#1.0	STUDENTPROGRAM	Y	Always required	/studentProgramAssociations	<b>programReference</b>	reference	<p>A reference to the related Program resource.,</p> <p><b>programReference { educationOrganizationId (integer):</b> EducationOrganization Identity Column,</p> <p><b>type (string):</b> Key for Program,</p> <p><b>name (string):</b> The formal name of the program of instruction, training, services or benefits available through federal, state, or local agencies.,</p> <p>link (link, optional): Represents a hyperlink to the related program resource.</p> <p>}</p>	<p>Note - CCDEB and State Schools are expected to submit students to WISEdata rather than the resident district as was done in ISES.</p> <p>Rule- If a /studentProgramAssociations is Posted for a specific 'Program', it means the student is participating in the program.</p> <p>Rule - Need to pass educationOrganizationId (integer),type (string), name (string)</p> <p>Rule - The educationOrganizationId is always DPI - 48856</p> <p>Rule - To POST a particular program, the correct Type and Name combination has to be sent from the below list</p> <p>The following are different Programs created.</p> <p>1. Type - Cocrrricular Programs, Name - ELL Served (An indicator of whether the student who is an English Language Learner (i.e. English Language Proficiency code 1-5) is served in English language instruction educational programs designed for English Language Learners (ELLs).)</p> <p>2. Type - Cocurricular Programs , Name - Coordinated Early Intervening Services (Any student who benifitted from CEIS Services reported in the annual special education budget)</p> <p>3. Type -Regular Education , Name - Third Party - CESA (Third party entity providing services to the student under a contract with the district)</p> <p>4. Type -Regular Education , Name - Third Party - Other (Third party entity providing services to the student under a contract with the district)</p> <p>Note -</p> <p>1. The SIS will only be able to GET the Type from 'ProgramTypes'. Since these specific programs are created at DPI level, GET on 'name' cannot be performed. Please make sure to use the above list of Programs (Type and Name) to submit (POST) through ProgramReference under /studentProgramAssociations.</p> <p>2. Once a Program is POSTED, to submit another Program, the entire / studentProgramAssociations has to be submitted with a the</p>	<b>/Program Types</b>	N	New
-------	----------------	---	-----------------	-----------------------------	-------------------------	-----------	---	--	-----------------------	---	-----

								desired Program (Type and name) from the list above under Program Reference in the JSON			
P#1.0	STUDENTPROGRAM	Y	Always required	/studentProgramAssociations	<b>studentReference</b>	reference	A reference to the related Student resource., <b>studentReference { studentUniqueId (string):</b> A unique alpha-numeric code assigned to a student., <b>}</b>			N	New
P#1.0	STUDENTPROGRAM	Y	Always required	/studentProgramAssociations	<b>beginDate</b>	date-time	The month, day, and year on which the Student first received services.,			N	New
P#1.0	STUDENTPROGRAM	N	Conditionally Required	/studentProgramAssociations	<b>endDate</b>	date-time	The month, day, and year on which the Student exited the Program or stopped receiving services.,			N	New
P#1.0	STUDENTACADEMICRECORD	Y	Conditionally Required	/studentAcademicRecord	<b>id</b>	string	The unique identifier of the resource	Resource 'id' not passed on POST; not needed for K-8 schools		Y	Same as Choice
P#1.0	STUDENTACADEMICRECORD	Y	Conditionally Required	/studentAcademicRecord	<b>educationOrganizationReference</b>	reference	A reference to the related EducationOrganization resource.	Reference to the /school resource. <b>Note:</b> This should be a school, not a district.; not needed for K-8 schools		Y	Same as Choice
P#1.0	STUDENTACADEMICRECORD	Y	Conditionally Required	/studentAcademicRecord	<b>schoolYearTypeReference</b>	reference	A reference to the related SchoolYearType resource	See Meta data column;not needed for K-8 schools	/schoolYearTypes	Y	Same as Choice
P#1.0	STUDENTACADEMICRECORD	Y	Conditionally Required	/studentAcademicRecord	<b>studentReference</b>	reference	A reference to the related Student resource	Reference to the /student resource;not needed for K-8 schools		Y	Same as Choice

P#1.0	STUDENT ACADEMIC RECORD	Y	Conditionally Required	/studentAcademicRecord	<b>termDescriptorId</b>	string	The term for the session during the school year.	See Meta data column; <b>send 'A' as of version 1.0</b> ;not needed for K-8 schools	/termDescriptor	Y	Same as Choice
P#1.0	STUDENT ACADEMIC RECORD	N	Conditionally Required	/studentAcademicRecord (studentAcademicRecordDiploma array)	<b>diplomas</b>	array	An unordered collection of studentAcademicRecordDiplomas. This educational entity represents the cumulative record of academic achievement for a student; diplomaType= The type of diploma/credential that is awarded to a student in recognition of his/her completion of the curricular requirements;diplomaAwardDate= The month, day, and year on which the student met graduation requirements and was awarded a diploma;achievementCategoryDescriptor= categories student achievement.	Need to pass <b>diplomaType</b> (string), <b>diplomaAwardDate</b> ( <b>date-time</b> ) and <b>achievementCategoryDescriptor</b> (string); both type and descriptor lists referenced in Meta data column; for <b>diplomaType</b> valid values to send are: 'Regular Diploma', 'High School Equivalency Credential Other Than GED', 'Other Diploma'; <b>achievementCategoryDescriptor</b> =where diplomaType = 'Other Diploma' then set achievementCategoryDescriptor = 'Certificate Earned' Where diplomaType in ('Regular Diploma', 'High School Equivalency Credential Other Than GED' then set achievementCategoryDescriptor = 'Diploma Earned'; <b>Recommended SIS UI edit:</b> diplomaAwardDate shouldn't be prior to dateOfBirth; if diplomaType, should be a diplomaAwardDate and vice-versa;not needed for K-8 schools	/diplomaTypes; /achievementCategoryDescriptor	Y	Same as Choice
P#1.0	STUDENTS SPECIAL EDUCATION	Y	Always required	/studentSpecialEducationProgramAssociations	<b>Id</b>	string	The unique identifier of the resource	Resource 'id' not passed on POST.		N	New
P#1.0	STUDENTS SPECIAL EDUCATION	Y	Always required	/studentSpecialEducationProgramAssociations	<b>educationOrganizationReference</b>	reference	A reference to the related EducationOrganization resource.,The education organization where the student is participating in or receiving the program services <b>educationOrganizationReference { educationOrganizationId (integer):</b> EducationOrganization Identity Column., <b>}</b>	<b>Rule</b> - The ID for school in the StudentSchoolAssociation record which includes the 'Begin Date' of this association		N	New
P#1.0	STUDENTS SPECIAL EDUCATION	Y	Always required	/studentSpecialEducationProgramAssociations	<b>programReference</b>	reference	A reference to the related Program resource., <b>programReference { educationOrganizationId (integer):</b> EducationOrganization Identity Column, <b>type (string):</b> Key for Program, <b>name (string):</b> The formal name of the program of instruction, training, services or benefits available through federal, state, or local agencies., link (link, optional): Represents a hyperlink to the related program resource. <b>}</b>	<b>Rule</b> - The program type ' Special Education' is always expected <b>Rule</b> - The program name 'Special Education' is always expected <b>Rule</b> - The ID for school in the StudentSchoolAssociation record which includes the 'Begin Date' of this association. <b>This is a DPI agency value which is ???</b>	<b>/ProgramType</b>	N	New

P#1.0	STUDENTS PECIALED UCATION	Y	Always required	/studentSpecialEducati onProgramAssociations	<b>studentReference</b>	reference	<b>studentReference { studentUniqueId (string):</b> A unique alpha-numeric code assigned to a student., <b>link (link, optional):</b> Represents a hyperlink to the related student resource. }		Reference to the /student resource		
P#3.0	STUDENTS PECIALED UCATION	N	Condition ally Required	/studentSpecialEducati onProgramAssociations	<b>widpiFapeResponsibleSchoolR eference</b>	reference	A reference to the related School resource. School in LEA Responsible for FAPE is a school level Agency Key. School which holds FAPE Accountability per the IEP or the ISP	<b>Rule-</b> School in LEA Responsible for FAPE is required only for IDEA eligible student (IDEA Eligibility is Y) <b>Note-</b> This is the school Id		N	New
P#4.0	STUDENTS PECIALED UCATION	Y	Always required	/studentSpecialEducati onProgramAssociations	<b>beginDate</b>	date-time	The date of implementation of special education services at a school for the school year. This can be the same as the first day of school the student is receiving services or the IEP/ISP beginDate or the day an IEP/ISP review/revision/change is implemented Note : Review/ Revision/ Change - Modification to the current IEP changing any of the following data fields - iepBeginDate, iepEndDate, widpiFAPEResponsibleSchoolrefere nce, specialEducationSetting, widpiParentPlacedPrivate, widpistudentSpecialEducationProg ramAssociationsDisabilities	<b>RULE - The date of implementation of special education services at a school for the school year. This can be the same as the first day of school the student is receiving services or the IEP/ISP beginDate or the day an IEP/ISP review/revision/change is implemented **SEE SSEPA USE CASE DOCUMENT**</b>		N	New
P#4.0	STUDENTS PECIALED UCATION	N	Always required	/studentSpecialEducati onProgramAssociations	<b>endDate</b>	date-time	Must be sent if IEP/ISP is revoked or student is no longer eligible or exited, sSEPA record endDate is set to the effective date of one of these events Note - Effective date In the scenario the parent revoked consent or the IEP team determines the child is no longer eligible, a notice is sent to the parent indicating the date the services will end. This date should be used as the endDate In the scenario the student exits the district while servicing special education services, this will be the date he exited.	<b>RULE - This is only needed if a student's special education services are ending because of any of the following scenarios - consent revoked or no longer eligible or exited. **SEE SSEPA USE CASE DOCUMENT**</b>		N	New
P#1.0	STUDENTS PECIALED UCATION	N	Always required	/studentSpecialEducati onProgramAssociations	<b>ideaEligibility</b>	boolean	Indicator of the eligibility of the student to receive special education services according to the Individuals with Disabilities Education Act (IDEA).	<b>Rule -</b> This should always be 'Y' for 2016-17. <b>Note -</b> sSEPA is not expected for students with a disability who are not IDEA eligible or for non- disabled students.		N	New
P#1.0	STUDENTS PECIALED UCATION	N	Always required	/studentSpecialEducati onProgramAssociations	<b>iepBeginDate</b>	date-time	The effective date of the most recent IEP or ISP.	<b>Rule -</b> This date may be in the current or immediately previous school year.		N	New

P#1.0	STUDENTS PECIALED UCATION	N	Always required	/studentSpecialEducati onProgramAssociatio s	iepEndDate	date-time	The end date of the most recent IEP or ISP	<b>Rule</b> - This date may be in the current or next school year.		N	New
P#1.0	STUDENTS PECIALED UCATION	Y	Always required	/studentSpecialEducati onProgramAssociatio s	specialEducationSettingDescr iptor	string	This descriptor defines the major instructional setting (more than 50 percent of a student's special education program).	<b>Note</b> - Educational Environment code list of types to include all 3 to 5 and age 6 to 21 settings. SIS was only used to sending 6 to 21 age settings earlier	<b>/SpecialEdSettingDescriptor</b> Available in UAT 'sandbox' as of 2016.07.14	N	New
P#4.0	STUDENTS PECIALED UCATION	N	Always Required	/studentSpecialEducati onProgramAssociatio s (wiDpistudentSpecialE ducationProgramAssoc iationsDisabilities array)	wiDpistudentSpecialEducation ProgramAssociationsDisabilit ies	array	An unordered collection of studentDisabilities. This entity represents an individual for whom instruction, services and/or care are provided in an early childhood, elementary or secondary educational program under the jurisdiction of a school, education agency or other institution or program. A student is a person who has been enrolled in a school or other educational institution., wiDpistudentSpecialEducationProg ramAssociationsDisability { disabilityDescriptor (string): Key for Disability Descriptor, reporting (boolean): As defined by the U.S. Office of Special Education Programs (OSEP)reporting disability is the disability condition that best describes an IDEA-eligible student's impairment; the impairment that is most disabling.	DisabilityDescriptor - See Meta data column for disability descriptors; values needed in array are disabilityDescriptor (string). Reporting (Boolean) - If this is the disability being primarily reported for the student, This should be true. It should be False for all others If this other disability (other than the primarily reported), this should be false Note - Since this is an array multiple disabilities can be submitted. One and Only one should have Reporting as true. The ones submitted as Reporting false will be considered as Other disabilities	<b>/disabilityDescriptors</b> Available in EdFi Currently under Descriptors	<b>N (For choice disabili ty propert y was a part of /Stude nts Resour ce and it will continu e to be in the same)</b>	Modifications for Public
P#3.0	STUDENTS PECIALED UCATION	N	Condition ally Required	/studentSpecialEducati onProgramAssociatio s	wiDpiParentPlacedPrivate	boolean	Identifies if a student is receiving Primary education services from a Private school and Special education services from a public schoolIndication of a student placed by a parent or guardian in private school, Parentally Placed Private, who receives special education or related services from the submitting district that meet state standards under a service plan (34 CFR 300.452--300.462).	Only required for students who are IDEA Eligible		N	New